Permit No. G-. (1.3861.

APPLICATION FOR A PERMIT

To Appropriate the Ground Waters of the State of Oregon

1. Orly 2/ Besany	
of Alected Address) Thursday, country of Musican	ر الم
state of, do hereby make application for a permit to appropriately following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:	oriate the
If the applicant is a corporation, give date and place of incorporation	
1. Give name of nearest stream to which the well, tunnel or other source of water develo	opment is
situated Lettle Childen Constitution of stream	
tributary of	
2. The amount of water which the applicant intends to apply to beneficial use is	cubic
3. The use to which the water is to be applied is	,
ming fand traits 3 4 + 5 ks	ma
1 The well or other source is located ft. (N. or S.) and ft. (E. or W.)	re
corner of 2300'N & 23201 E from Sweet Se	1 14
(If preferable, give distance and bearing to section corner)	••••••
(If there is more than one well, each must be described. Use separate sheet if necessary) being within the 15 4 5 4 of Sec. 1 7wp. 6 5 , R.	2W.,
W. M., in the county of	
5. The	miles
in length, terminating in the	••••••
R, W. M., the proposed location being shown throughout on the accompanying map.	
6. The name of the well or other works is	**********
DESCRIPTION OF WORKS	
7. If the flow to be utilized is artesian, the works to be used for the control and conservation supply when not in use must be described.	on of the
	•••••••
8. The development will consist of	having a
diameter of	
feet of the well will require casing. Depth to water table is estimated to the left of the water table is estimated.	(Feet)
All and papers	
	· : * · · · · · · · · · · · · · · · · ·

CANAL SYSTEM OR PIPE	LINE—	G 3861
	s at each point of canal where materia	ally changed in size, stating miles from
eadgate. At headgate: width	n on top (at water line)	feet; width on botton
	h of waterfeet; grade	
rousand feet.		
•	miles from headgate: width on top	(at water line)
	th on bottom feet; d	
		,, ,, ,, ,, ,, ,, ,, ,
rade feet		in him piga at
	ft.; size at intake	
	in.; size at place of use	
itake and place of use,	ft. Is grade uniform?	Estimated capacity
sec. ft.		
10. If pumps are to be	used, give size and type	
	t	30 Horse here
Give horsepower and t	type of motor or engine to be used	
11. If the location of the natural stream or stream c	type of motor or engine to be used	work is less than one-fourth mile from st point on each of such channels an
11. If the location of the natural stream or stream c	he well, tunnel, or other development a channel, give the distance to the neare	work is less than one-fourth mile fror st point on each of such channels an
11. If the location of the natural stream or stream c	he well, tunnel, or other development a channel, give the distance to the neare etween the stream bed and the ground	work is less than one-fourth mile fror st point on each of such channels an
11. If the location of the natural stream or stream of the difference in elevation be	he well, tunnel, or other development a channel, give the distance to the neare etween the stream bed and the ground	work is less than one-fourth mile fror st point on each of such channels an
11. If the location of the natural stream or stream che difference in elevation be 12. Location of area to Range Township E. or W.	he well, tunnel, or other development whannel, give the distance to the neare etween the stream bed and the ground o be irrigated, or place of use	work is less than one-fourth mile from st point on each of such channels and surface at the source of development of the source of the
11. If the location of the natural stream or stream of the difference in elevation be seen to be se	he well, tunnel, or other development whannel, give the distance to the neare etween the stream bed and the ground o be irrigated, or place of use	work is less than one-fourth mile from st point on each of such channels and surface at the source of development of the source of the
11. If the location of the natural stream or stream che difference in elevation be 12. Location of area to Range E. or W.	he well, tunnel, or other development whannel, give the distance to the neare etween the stream bed and the ground o be irrigated, or place of use	work is less than one-fourth mile from st point on each of such channels and surface at the source of development of the source of the
11. If the location of the natural stream or stream che difference in elevation be 12. Location of area to Range E. or W.	he well, tunnel, or other development whannel, give the distance to the neare etween the stream bed and the ground o be irrigated, or place of use	work is less than one-fourth mile from st point on each of such channels and surface at the source of development of the source of the
11. If the location of the natural stream or stream che difference in elevation be 12. Location of area to Range E. or W.	he well, tunnel, or other development whannel, give the distance to the neare etween the stream bed and the ground o be irrigated, or place of use	work is less than one-fourth mile from st point on each of such channels and surface at the source of development of the source of the
11. If the location of the natural stream or stream continued the difference in elevation be a stream. 12. Location of area to Range E. or W.	he well, tunnel, or other development whannel, give the distance to the neare etween the stream bed and the ground o be irrigated, or place of use	work is less than one-fourth mile from st point on each of such channels and surface at the source of development of the source of the
11. If the location of the natural stream or stream continued the difference in elevation be a stream. 12. Location of area to Range E. or W.	he well, tunnel, or other development whannel, give the distance to the neare etween the stream bed and the ground o be irrigated, or place of use	work is less than one-fourth mile from st point on each of such channels and surface at the source of development of the source of the
11. If the location of the natural stream or stream continued the difference in elevation be a stream. 12. Location of area to Range E. or W.	he well, tunnel, or other development whannel, give the distance to the neare etween the stream bed and the ground o be irrigated, or place of use	work is less than one-fourth mile from st point on each of such channels and surface at the source of development of the source of the
11. If the location of the natural stream or stream continued the difference in elevation be a stream. 12. Location of area to Range E. or W.	he well, tunnel, or other development whannel, give the distance to the neare etween the stream bed and the ground o be irrigated, or place of use	work is less than one-fourth mile from st point on each of such channels and surface at the source of development and surface at the surface at
11. If the location of the natural stream or stream continued the difference in elevation be a stream. 12. Location of area to Range E. or W.	he well, tunnel, or other development to thannel, give the distance to the neare etween the stream bed and the ground of the irrigated, or place of use where the section for the stream of the irrigated of the i	work is less than one-fourth mile from st point on each of such channels and surface at the source of development and surface at the surface at
11. If the location of the natural stream or stream che difference in elevation be 12. Location of area to Range E. or W.	he well, tunnel, or other development to thannel, give the distance to the neare etween the stream bed and the ground of the irrigated, or place of use where the section for the stream of the irrigated of the i	work is less than one-fourth mile from st point on each of such channels and surface at the source of development and surface at the surface at

Character of soil Kind of crops raised Action Cali

MUNICIPAL SU	JPPLY—		0 000 <u>4</u>
13. To sup	oply the city of		
in	county, h	aving a present population of	······
and an estimated	l population of	in 19	
			770.G
si in Million		NS 14, 15, 16, 17 AND 18 IN ALL CAS	o do
Zeller in William	ated cost of proposed wor		la de
	ruction work will begin or		concer
16. Constr	uction work will be comp	oleted on or before Pum	6 will ve
17. The w	ater will be completely a	pplied to the proposed use on or be	fore May 1610
		supplemental to an existing water	
cation for perm		adjudicated right to appropriate	water, made or held by the
applicant.	Lino lou	ger will be all	e Lo use any
Upter from	The original	al source as the	s supply is
, di	7. X 1	Signatur (Signatur	esang
Remarks:	care to has p	rollitid Causing	densege ling
	It was	I necessar	y That
O doell	1 7/20 11	well and	knot iller
	A A A Tomas		
	1 States	0 7 200	and was
in the	1 aller	- cusin No	LLQ Went-
LAU a.	nd I la	st a rughi	percentage
on Imy	crap!	This same,	g situation
In In	adequa	te water h	appeniel
Deve	all oth	es Times in	the part
ease			
			······································

STATE OF OR	EGON, 1		
County of Ma	\ ss.		**************************************
This is to	certify that I have exam	ined the foregoing application, tog	ether with the accompanying
	•	Completion	
maps and data, o	and return the same for	Completion	
••••••			······································
		application must be returned to the	State Engineer, with correc-
tions on or befor	e January 16th	, 19 <u>. 68</u> 68	
	February 8th	00	
		NY	∠17
מו לל לאון לאון לאון לאון לאון לאון לאון	mu hand this	Nevember	10
WITNESS	S my hand this8th	day of December	, 19

By AMI

ISTANT

STATE	OF	OREGON,	
Coun	tu o	f Marion.	ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial us
and shall not exceed
or source of appropriation, or its equivalent in case of rotation with other water users, from
The use to which this water is to be applied is <u>irrigation</u>
If for irrigation, this appropriation shall be limited to
or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed $2\frac{1}{2}$
acre feet per acre for each acre irrigated during the irrigation season of each year;
The well shall be cased as necessary in accordance with good practice and if the flow is artest the works shall include proper capping and control valve to prevent the waste of ground water. The works constructed shall include an air line and pressure gauge or an access port for measuri line, adequate to determine water level elevation in the well at all times.
The permittee shall install and maintain a weir, meter, or other suitable measuring device, a shall keep a complete record of the amount of ground water withdrawn.
The priority date of this permit isOctober 18, 1967
Actual construction work shall begin on or before May 17, 1969 and sh
thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 19.69
Complete application of the water to the proposed use shall be made on or before October 1, 19
WITNESS my hand this 17th day of May ,19.68.
B S S S S S S S S S S S S S S S S S S S

Application No. G-4///
Permit No. G-6-8864

PERMIT

TO APPROPRIATE THE GROUND

WATERS OF THE STATE

OF OREGON

This instrument was first received in the

office of the State Engineer at Salem, Oreg on the 18th day of CLARE.

Returned to applicant:

Approved:

Recorded in book No.

Ground Water Permits on page

7 20 90