

2980

Permit No. G- G 3863

CERTIFICATE NO. 39555

APPLICATION FOR A PERMIT

To appropriate the Ground Waters of the State of Oregon

I, James C. Shilburne (Name of applicant)
of Route 1, Box 74 Dayton, Oregon (Postoffice Address), county of Yamhill,
state of Oregon, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated Palmer Creek (Name of stream)

tributary of Yamhill

2. The amount of water which the applicant intends to apply to beneficial use is 1.19 cubic feet per second or ~~3.12~~ gallons per minute.

3. The use to which the water is to be applied is irrigation of farm crops

4. The well or other source is located 1135 ft. S (N. or S.) and 140 ft. E (E. or W.) from the NW corner of section 21 (Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one well, each must be described. Use separate sheet if necessary)

being within the NW 1/4 of the NW 1/4 of Sec. 21, Twp. 5 S, R. 3 W, W. M., in the county of Yamhill

5. The Portable Pipe line (Canal or pipe line) to be 1550 ft? miles in length, terminating in the _____ of Sec. _____, Twp. _____, R. _____, W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is _____

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

8. The development will consist of one cased well (Give number of wells, tunnels, etc.) having a diameter of 10 inches and an estimated depth of 140 feet. It is estimated that feet of the well will require 10" x 1/4" (Kind) casing. Depth to water table is estimated 19 (Feet)

CANAL SYSTEM OR PIPE LINE—

G 3863

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake in.; in size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

10. If pumps are to be used, give size and type 30 HP oil lub Berkeley
Trakm with five inch column

Give horsepower and type of motor or engine to be used 30 HP General
Electric

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

12. Location of area to be irrigated, or place of use

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
5S	3W	17	SE 1/4 SE 1/4	11.95 AC
		16	SW 1/4 SW 1/4	2.69 AC
		20	NE 1/4 NE 1/4	38.16 AC
		20	SE 1/4 NE 1/4	14.89 AC
		21	NW 1/4 NW 1/4	3.99 AC
		21	SW 1/4 NW 1/4	5.71 AC
		Supplemental 20	SE 1/4 NE 1/4	21.0 AC
		21	SW 1/4 NW 1/4	2.0 2.0
				93.39

(If more space required, attach separate sheet)

Character of soil Amity soil
Kind of crops raised corn, beans, broccoli

MUNICIPAL SUPPLY—

13. To supply the city of
in county, having a present population of
and an estimated population of in 19.....

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

- 14. Estimated cost of proposed works, \$ 3000.00
- 15. Construction work will begin on or before Feb 10 - 1967
- 16. Construction work will be completed on or before July 10 - 1967
- 17. The water will be completely applied to the proposed use on or before September 1 - 1967

18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant. G-R-1426

James C. Shelburne
(Signature of applicant)

Remarks: L.D. in file no. 040575

STATE OF OREGON, }
County of Marion, } ss.


This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for correction

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before July 1st, 1968

WITNESS my hand this 1st day of May, 1968

CHRIS L. WHEELER
STATE ENGINEER

James C. Shelburne
ASSISTANT



STATE OF OREGON, }
County of Marion, } ss.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed1.19..... cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from ...a well.....

The use to which this water is to be applied is irrigation and supplemental irrigation.....

If for irrigation, this appropriation shall be limited to1/80th..... of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed ...2 1/2... acre feet per acre for each acre irrigated during the irrigation season of each year; provided further that the right allowed herein shall be limited to any deficiency in the available supply of any prior right existing for the same land and shall not exceed the limitation allowed herein.....

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit isDecember 15, 1967.....

Actual construction work shall begin on or beforeMay 17, 1969..... and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1969.....

Complete application of the water to the proposed use shall be made on or before October 1, 1970..

WITNESS my hand this17th... day ofMay....., 1968..

Chris L. Wheeler

STATE ENGINEER

Application No. G-4 161
Permit No. G-1 3863

PERMIT

TO APPROPRIATE THE GROUND
WATERS OF THE STATE
OF OREGON

This instrument was first received in the
office of the State Engineer at Salem, Oregon,
on the 15th day of December,
1967, at 9:10 o'clock A. M.

Returned to applicant:

Approved:

May 17, 1968

Recorded in book No. of
Ground Water Permits on page 4, 3863

CHRIS L. WHEELER
STATE ENGINEER

Drainage Basin No. 2, page 166.

11-29-68