

RECEIVED
JUL 24 1907

CERTIFICATE NO. 42296

Permit No. G-G 3876

APPLICATION FOR A PERMIT

To Appropriate the Ground Waters of the State of Oregon

By GROVER C. AND LUCY E. CURTISS
(Name of applicant)

of CECIL, OREGON, county of GILLIAM
(Postoffice Address)

state of OREGON, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated WILLOW CREEK
(Name of stream)

tributary of COLUMBIA RIVER

2. The amount of water which the applicant intends to apply to beneficial use is cubic feet per second or 1.75 gallons per minute.

3. The use to which the water is to be applied is IRRIGATION

4. The well or other source is located 998.5 ft. S. and 871 ft. W. from the NE corner of SEC 1, T 2N, R 22EWM
(N. or S.) (E. or W.)
(Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one well, each must be described. Use separate sheet if necessary)

being within the NE 1/4 of Sec. 1, Twp. 2N, R. 22E, W. M., in the county of GILLIAM

5. The (Canal or pipe line) to be miles in length, terminating in the of Sec. of Twp. R. W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is unnamed

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

8. The development will consist of one dug well having a diameter of 24 inches and an estimated depth of 26 feet. It is estimated that 12 feet of the well will require 24" C.M.P. casing. Depth to water table is estimated 20 below the soil surface.
(Kind) (Feet)

CANAL SYSTEM OR PIPE LINE—

G 3876

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake, in.; in size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

10. If pumps are to be used, give size and type unknown

Give horsepower and type of motor or engine to be used unknown

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

Ground surface of well is 17.8 feet above the Willow Creek channel whose nearest distance is 525 feet S.W. of well

12. Location of area to be irrigated, or place of use

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
2N	22E	1	NE $\frac{1}{2}$ NE $\frac{1}{2}$	21.6
2N	22E	1	NW $\frac{1}{2}$ NE $\frac{1}{2}$	2.2
2N	22E	1	SE $\frac{1}{2}$ NE $\frac{1}{2}$	5.4
				29.2

(if more space required, attach separate sheet)

Character of soil Esquatzel Sandy Loam

Kind of crops raised Grain and alfalfa

MUNICIPAL SUPPLY—

13. To supply the city of
in county, having a present population of
and an estimated population of in 19.....

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

- 14. Estimated cost of proposed works, \$ 4,000.00
- 15. Construction work will begin on or before June 30, 1968
- 16. Construction work will be completed on or before Dec. 31, 1968
- 17. The water will be completely applied to the proposed use on or before October 31, 1970

18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant. None

x *Harold C. Curtis*
 x *Lucy E. Curtis*
 (Signature of applicant)

Remarks: There appears to be no relationship between the water in the well, and the creek water. The water in the well appears to come from an underground source to the east. During high water or dry creek conditions, the well water surface does not vary.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 19.....

WITNESS my hand this day of, 19.....

STATE ENGINEER

By ASSISTANT

STATE OF OREGON, }
County of Marion, } ss.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.37 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from a well

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 3 acre feet per acre for each acre irrigated during the irrigation season of each year; and shall be further limited to appropriation of water only to the extent that it does not impair or substantially interfere with existing surface water rights of others

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is October 24, 1967

Actual construction work shall begin on or before June 7, 1969 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1969

Complete application of the water to the proposed use shall be made on or before October 1, 1970

WITNESS my hand this 7th day of June, 1968

Chris L. Wheeler
STATE ENGINEER

Application No. G-4119
Permit No. G-3876

PERMIT
TO APPROPRIATE THE GROUND
WATERS OF THE STATE
OF OREGON

This instrument was first received in the
office of the State Engineer at Salem, Oregon,
on the 24th day of October,
1967, at 1:00 o'clock P. M.

Returned to applicant:

Approved:

June 7, 1968

Recorded in book No. _____ of _____
Ground Water Permits on page G-3876

CHRIS L. WHEELER
STATE ENGINEER

Drainage Basin No. 7 page 89

State Printing

4202