APPLICATION FOR A PERMIT

To Appropriate the Ground Waters of the State of Oregon

state of O.2.1.2.3	0,	(Postoffice Address)	county of <u>Unabilla</u>
If the applicant is a corporation, give date and place of incorporation 1. Give name of nearest stream to which the well, tunnel or other source of water development situated Common of the stream Comm	state of	r <u>Oragon</u>	, do hereby make application for a permit to appropriate
1. Give name of nearest stream to which the well, tunnel or other source of water development situated Comment of water which the applicant intends to apply to beneficial use is	followi	ng described ground waters of the	e state of Oregon, SUBJECT TO EXISTING RIGHTS:
Situated State St	I	f the applicant is a corporation, given	ve date and place of incorporation
Situated State St			
Situated State St	-		
tributary of 2. The amount of water which the applicant intends to apply to beneficial use is			
2. The amount of water which the applicant intends to apply to beneficial use is	situateo	1 - Vanas Grook	(Name of stream)
3. The use to which the water is to be applied is Residential, Commercial and School 4. The well or other source is located ft. (N. or s.) and ft. (R. or w.) from the corner of in Lots 9.2 10 of Rik. 14. Townsite of Wile 2. 2nd identition for your corner of the corner of Sect. 14. (Section or subdivision) full 55. Range 37. County of the Corner of Sect. 14. The County of the corner of the same than one well each must be described. The section corner) france work 60. In the same than one well each must be described. The separate sheet if necessary) being within the Same Note 1. (County of William) of Sec. 14. Twp. 55. R. 31. W. M., in the county of Umatilla 5. The pipe line to be 1/3 no in length, terminating in the townsite of Ukiah of Sec. 14. Twp. 5. (Samalest least subdivision) R, W. M., the proposed location being shown throughout on the accompanying map. 6. The name of the well or other works is Well. No. 1, Ukiah Mater. Associal DESCRIPTION OF WORKS 7. If the flow to be utilized is artesian, the works to be used for the control and conservation of supply when not in use must be described. 8. The development will consist of One Well Green number of wells, tunnels, vie.) 8. The development will consist of One Well Green number of wells, tunnels, vie.) 6. The number of wells, tunnels, vie.) 8. The development will consist of One Well Green number of wells, tunnels, vie.)			tributary of
and School 4. The well or other source is located	2 feet per	. The amount of water which the second or gallons pe	e applicant intends to apply to beneficial use iser minute.
and School 4. The well or other source is located	3	. The use to which the water is to	o be applied is Residential, Commercial
4. The well or other source is located			
corner of in Lots 9 2 10 of Elk. 14. Townsits of Ukish, 2nd addition (Section or subdivision) 400. 55, Range 37 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2			
being within the SEC. No. 14 Twp. 55 R. 31 W. M., in the county of Umatilla 5. The pipe line to be 1/3 m (Canal or pipe line) of Ukiah of Sec. 14 Twp. 58 (In length, terminating in the townsite of Ukiah of Sec. 14 Twp. 58 R. W. M., the proposed location being shown throughout on the accompanying map. 6. The name of the well or other works is Well No. 1, Ukiah Water Associal DESCRIPTION OF WORKS 7. If the flow to be utilized is artesian, the works to be used for the control and conservation of supply when not in use must be described. Well is presently capped 8. The development will consist of One Well (Give number of wells, tunnels, etc.) having diameter of inches and an estimated depth of 580! feet. It is estimated that 58			
being within the SEC. No. 14 Twp. 55 R. 31 W. M., in the county of Umatilla 5. The pipe line to be 1/3 m (Canal or pipe line) of Ukiah of Sec. 14 Twp. 58 (In length, terminating in the townsite of Ukiah of Sec. 14 Twp. 58 R. W. M., the proposed location being shown throughout on the accompanying map. 6. The name of the well or other works is Well No. 1, Ukiah Water Associal DESCRIPTION OF WORKS 7. If the flow to be utilized is artesian, the works to be used for the control and conservation of supply when not in use must be described. Well is presently capped 8. The development will consist of One Well (Give number of wells, tunnels, etc.) having diameter of inches and an estimated depth of 580! feet. It is estimated that 58	corner	of in Lots 9 2 10 of	Elk. 14. Townsite of Ukiah, 2nd Additio
being within the SEC. No. 14 Twp. 55 R. 31 W. M., in the county of Umatilla 5. The pipe line to be 1/3 m (Canal or pipe line) to be 1/3 m in length, terminating in the townsite of Ukiah of Sec. 14 Twp. 5 (Smallest legal subdivision) R. W. M., the proposed location being shown throughout on the accompanying map. 6. The name of the well or other works is Well No. 1, Ukiah Water Associated DESCRIPTION OF WORKS 7. If the flow to be utilized is artesian, the works to be used for the control and conservation of supply when not in use must be described. Well is presently capped 8. The development will consist of One Well (Give number of wells, tunnels, etc.) having diameter of inches and an estimated depth of 580! feet. It is estimated that Sec. 15.	ty T	Hence Dest 1401 to	the Center of Alba Street thence:
being within the SEC. No. 14 Twp. 55 R. 31 W. M., in the county of Umatilla 5. The pipe line to be 1/3 m (Canal or pipe line) to be 1/3 m in length, terminating in the townsite of Ukiah of Sec. 14 Twp. 5 (Smallest legal subdivision) R. W. M., the proposed location being shown throughout on the accompanying map. 6. The name of the well or other works is Well No. 1, Ukiah Water Associated DESCRIPTION OF WORKS 7. If the flow to be utilized is artesian, the works to be used for the control and conservation of supply when not in use must be described. Well is presently capped 8. The development will consist of One Well (Give number of wells, tunnels, etc.) having diameter of inches and an estimated depth of 580! feet. It is estimated that Sec. 15.	740	· Center line of (It preserve)	le give distance and bearing to section corner) Thence West 60' f
being within the SEC. No. 14 Twp. 55 R. 31 W. M., in the county of Umatilla 5. The pipe line to be 1/3 n (Canal or pipe line) to be 1/3 n in length, terminating in the townsite of Ukiah of Sec. 14 Twp. 5 (Smallest legal subdivision) R. W. M., the proposed location being shown throughout on the accompanying map. 6. The name of the well or other works is Well No. 1, Ukiah Water Associated DESCRIPTION OF WORKS 7. If the flow to be utilized is artesian, the works to be used for the control and conservation of supply when not in use must be described. Well is presently capped 8. The development will consist of One Well (Give number of wells, tunnels, etc.) having diameter of inches and an estimated depth of 580! feet. It is estimated that 59	iah	(If there is more than one v	well, each must be described. Use separate sheet if necessary)
5. The pipe line (Canal or pipe line) in length, terminating in the townsite of Ukiah of Sec. 14 Twp. 5 (Smallest lesal subdivision) R. W. M., the proposed location being shown throughout on the accompanying map. 6. The name of the well or other works is Well No. 1, Ukiah Water Associal DESCRIPTION OF WORKS 7. If the flow to be utilized is artesian, the works to be used for the control and conservation of supply when not in use must be described. Well is presently capped 8. The development will consist of One Well Give number of wells, tunnels, etc.) diameter of inches and an estimated depth of SEQ! feet. It is estimated that Sequence of the control			
5. The pipe line (Canal or pipe line) in length, terminating in the townsite of Ukiah of Sec. 14 Twp. 5 (Smallest lesal subdivision) R. W. M., the proposed location being shown throughout on the accompanying map. 6. The name of the well or other works is Well No. 1, Ukiah Water Associal DESCRIPTION OF WORKS 7. If the flow to be utilized is artesian, the works to be used for the control and conservation of supply when not in use must be described. Well is presently capped 8. The development will consist of One Well Give number of wells, tunnels, etc.) diameter of inches and an estimated depth of SEQ! feet. It is estimated that Sequence of the control	W M	in the county of Umatilla	
in length, terminating in the townsite of Ukiah of Sec. 14 , Twp. 5 R			
in length, terminating in the townsite of Ukiah of Sec. 14 , Twp. 5 R	5	. The Canal or pipe	to beto
6. The name of the well or other works is . Well No. 1, Ukiah Mater Associal DESCRIPTION OF WORKS 7. If the flow to be utilized is artesian, the works to be used for the control and conservation of supply when not in use must be described. Well is presently capped 8. The development will consist of	in leng	th, terminating in thetownsi	te of Ukiah of Sec. 14 , Twp.
7. If the flow to be utilized is artesian, the works to be used for the control and conservation of supply when not in use must be described. Well is presently capped 8. The development will consist ofOne well	R	, W. M., the proposed location	on being shown throughout on the accompanying map.
7. If the flow to be utilized is artesian, the works to be used for the control and conservation of supply when not in use must be described. Well is presently capped 8. The development will consist ofOne well		. The name of the well or other u	oorks is . Well No. 1, Ukiah Water Associa
7. If the flow to be utilized is artesian, the works to be used for the control and conservation of supply when not in use must be described. Well is presently capped 8. The development will consist of		•	
8. The development will consist of			
8. The development will consist ofONG WOLLhavi Give number of wells, tunnels, etc.) diameter ofGet. It is estimated thatGET.		. If the flow to be utilized is artes when not in use must be described	rian, the works to be used for the control and conservation o l.
8. The development will consist ofONG WELL	7 supply		
8. The development will consist ofONG WELL	supply	Well is prese	ntly capped
8. The development will consist of one well havi diameter of 9 inches and an estimated depth of 580! feet. It is estimated that 8	supply	Well is prese	ntly capped
diameter of inches and an estimated depth of feet. It is estimated that	supply	Well is prese	ntly capped
diameter of inches and an estimated depth of feet. It is estimated that	supply		
	supply		
jeet of the well will require	supply	3. The development will consist o	f one Well har
	supply	The development will consist of er of9	f one well have G wells, tunnels, etc.) estimated depth of $SB\Omega$. feet. It is estimated that

eadgate. At headgate: width on top (at water line)	9. (a) Give (dimensions at each	point of canal	l wh ere materially cha	nged in size, stating miles fro
housend feet. (b) At miles from headgate width on top (at water line) feet; width on bottom feet; depth of water feet all per one thousand feet. (c) Length of pipe, 1300! ft. size at intake in; in size at 200 from intake in; in; size at place of use 3!" s2" s2" s2" in; in; in size at 200 from intake all in; size at place of use 3!" s2" s2" s2. 10. If pumps are to be used, give size and type Turbina 4 x 8 x 12 hoad, 4 stage if x 3 bowls by Feerless 5" column Give horsepower and type of motor or engine to be used. Give horsepower and type of motor or engine to be used. 11. If the location of the well, turnel, or other development work is less than one-fourth mile from attural stream or stream channel, give the distance to the nearest point on each of such channels an he difference in elevation between the stream bed and the ground surface at the source of development none applicable 12. Location of area to be irrigated, or place of use Three water is a section of the surface in the source of development house and is a surface at t	eadgate. At headg	ate: width on top (at water line)		feet; width on botto
(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet fall per one thousand feet. (c) Length of pipe, 1300! ft., size at intake S! in.; in size at 200 from intake A! in., size at place of use S! S! A! in.; difference in elevation betwee rake and place of use, 70! 2/3 sec. ft. 10. If pumps are to be used, give size and type Turbine 4 x S x 12 head, 4 stage is x 3 Bowls by Peerless 5" column Give horsepower and type of motor or engine to be used 10 H.P. 3 phase notor that combination mean driven resolutes about the received point on each of such charnels an he difference in elevation between the stream bed and the ground surface at the source of development mone applicable 12. Location of area to be irrigated, or place of use 100 Miles of Uklah foresteen none applicable SS R 31 E.W.M. 14 NWY - SEY 1 NWY - SEY 1 NWY - SEY 1	••••••	feet; depth of wate	er	feet; grade	feet fall per or
feet; width on bottom feet; depth of water fee rade feet fall per one thousand feet. (c) Length of pipe, 13001 ft.; size at intake fin, in, in size at 300 from intake fin, in, is ze at place of use fin, in, in size at 300 from intake fin, in, is ze at place of use fin, in, in size at 300 from intake find place of use, 70! ft. Is grade uniform? Man Estimated capacity 2/3 sec. ft. 10. If pumps are to be used, give size and type Turbina 4 x 3 x 12 head, 4 stage fix 3 bowls by Peerloss 5" column Give horsepower and type of motor or engine to be used for the combination coar drivon rasoline to be used for the combination coar drivon rasoline development work is less than one-fourth mile from natural stream or stream channel, give the distance to the nearest point on each of such channels and he difference in elevation between the stream bed and the ground surface at the source of development mone applicable 12. Location of area to be irrigated, or place of use for use for the foresters. The stream of the foresters for the foresters for the first foresters. The foresters for the foresters for the foresters for the foresters for the foresters. The forest foresters foresters for the foresters foresters for the foresters. The foresters foresters foresters foresters for the foresters for	iousand feet.				•
rade	(b) At	miles	from headgate	e: width on top (at was	ter line)
(c) Length of pipe, 1300' ft; size at intake 8" in; in size at BOQ from intake 8" in; in; size at BOQ from intake 8" in; in; size at place of use 8" is 1.4" in; difference in elevation betwee nake and place of use, 70! ft. Is grade uniform? Ys. S. Estimated capacity 2/3 sec. ft. 10. If pumps are to be used, give size and type Turbina 4 x 6 x 12 head, 4 stage. It x 3 Bowls by Peerless 5" column Give horsepower and type of motor or engine to be used 10 H.P. 3 phase motor the combination goar driven gasoline motor by Peerless 11. If the location of the well, tunnel, or other development work is less than one-fourth mile from natural stream or stream channel, give the distance to the nearest point on each of such channels and he difference in elevation between the stream bed and the ground surface at the source of developmen none applicable 12. Location of area to be irrigated, or place of use townsite of Ukilah fenerales. 13. Rence Trouveship Received Section Feature Treet Course Manuel Section Feature Fe		feet; width on bot	tom	feet; depth of	water fee
rom intake	rade`	feet fall per	one thousand j	feet.	
sec. ft. 10. If pumps are to be used, give size and type "Turbina 4 x 5 x 12 head, 4 stags If x 3 Bowls by Peerless 5" column Give horsepower and type of motor or engine to be used 10 H.P. 3 phase motor the combination goar driven gasoline motor by Peerless 11. If the location of the well, tunnel, or other development work is less than one-jourth mile from natural stream or stream channel, give the distance to the nearest point on each of such channels and he difference in elevation between the stream bed and the ground surface at the source of development none applicable 12. Location of area to be irrigated, or place of use for the firms of t	(c) Length o	f pipe, 1300!	ft.; size	e at intake 8"	in.; in size at <u>800</u>
2/3 sec. ft. 10. If pumps are to be used, give size and type Turbline 4 x 5 x 12 beach, 4 stage. If x 3 Bowls by Peerless 5" column Give horsepower and type of motor or engine to be used 10 H.P. 3 phase motor the combination open driven gasoline motor by Peerless. 11. If the location of the well, tunnel, or other development work is less than one-fourth mile from natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development mone applicable 12. Location of area to be irrigated, or place of use townsite of Ukian fences. Township Thomse Williamskie Meridian Section Porty-are Treet Tose tripands. Township Thomse Tose tripands. Now 1/4 1. Sect. 14 223 present. Swilf 1. NW1/4 1. Swilf 1. NW1/4 5. Swilf 1. Swilf 1	om intake	811 in.; size	at place of use	8 ¹¹ , 6 ¹¹ , 4 ¹¹ in.; d	ifference in elevation betwee
10. If pumps are to be used, give size and type. Turbing 4. x. 5. x. 12. head, 4. stage. If x 3 Bowls by Peerless 5" column Give horsepower and type of motor or engine to be used 10 H.P. 3 phase motor the combination gear driven gasoline motor by Peerless 11. If the location of the well, tunnel, or other development work is less than one-fourth mile from natural stream or stream channel, give the distance to the nearest point on each of such channels on the difference in elevation between the stream bed and the ground surface at the source of development mone applicable 12. Location of area to be irrigated, or place of use townsite of Uklah fensions. Township N. or s. Williamste Meridian Section Forty-are Triest Number Acres To be irrigated. So R 31 E.W.M. 14 Sect. 14 225 prosent. Swift 14 225 prosent. NW/4 - SE/4 1	itake and place of	use,70 !	ft. Is gr	ade uniform?YS	Estimated capacit
Give horsepower and type of motor or engine to be used 10 H.P. 3 phase motor the combination goar driven gasoline motor by Peerless 11. If the location of the well, tunnel, or other development work is less than one-fourth mile from natural stream or stream channel, give the distance to the nearest point on each of such channels an the difference in elevation between the stream bed and the ground surface at the source of development none applicable 12. Location of area to be irrigated, or place of use townsite of Ukiah fencions. Township Early Wilment Wardian Section Porty-are Tract Township Group of the irrigated of the property of the	2/3	sec. ft.			
Give horsepower and type of motor or engine to be used 10 H.P. 3 phase motor the combination goar driven gasoline motor by Peerless 11. If the location of the well, tunnel, or other development work is less than one-fourth mile from natural stream or stream channel, give the distance to the nearest point on each of such channels are difference in elevation between the stream bed and the ground surface at the source of development none applicable 12. Location of area to be irrigated, or place of use townsite of Ukiah fencions Township Pages 1 North Section 14 Santana Section Footy-are Tract Number Acres To Be irrigated . New 19 SS R 31 E.W.M. 14 Santana Section Section Section Number Acres To Be irrigated . New 19 N	10. If pumps	are to be used, give	e size and type	Turbine 4 x 6	x 12 head, 4 stage
Give horsepower and type of motor or engine to be used 10 H.P. 3 phase motor the combination goar driven gasoline motor by Peerless 11. If the location of the well, tunnel, or other development work is less than one-fourth mile from natural stream or stream channel, give the distance to the nearest point on each of such channels are difference in elevation between the stream bed and the ground surface at the source of development none applicable 12. Location of area to be irrigated, or place of use townsite of Ukiah fencions Township Pages 1 North Section 14 Santana Section Footy-are Tract Number Acres To Be irrigated . New 19 SS R 31 E.W.M. 14 Santana Section Section Section Number Acres To Be irrigated . New 19 N	НхЗ Bowls	by Peerless	5" colum	n	
11. If the location of the well, tunnel, or other development work is less than one-fourth mile from natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development none applicable 12. Location of area to be irrigated, or place of use townsite of Ukilah fenumena. Township Range Township Number Aeres To Be Irrigated. 58 R 31 E.W.M. 14 WELLY GUARTHUM ICP Sect. 14 225 present. WW./4 N.W./4 N.W./4 N.W./4 N.W./4				•	
natural stream or stream channel, give the distance to the nearest point on each of such channels an the difference in elevation between the stream bed and the ground surface at the source of development none applicable 12. Location of area to be irrigated, or place of use townsite of Ukiah Fenvirons. Township Nors Willamsite Meridian Section Forty-are Tract Quasi-Townscipt 5S R 31 E.W.M. 14 Sect- 14 223 present. Swift New 1 Nwll4 1 Nwll4 1 Nwll4 5Elf 1 Nwll4 1 Nwll4 5Elf 1					
Township N. or S. Willamette Meridian Section Forty-acre Tract NETY Ouds - Number Acres NETY Description Section Forty-acre Tract NETY Sect - 14 223 foresent NW 1/4 SW 1/4 NW 1					
N. or S. Willamette Meridian Section Forty-are Tract To Be Irrigated. 5S R 31 E.W.M. 14 States Sect 14 225 present. NW/4 !! NW/4 - SEVy N W/4 - SEVy N				<i>En tire</i>	
NW/4 11 Sw/4-SEY n	12. Location	of area to be irrigo		Entire of use townsite	of Ukiah f'Environs
NW1/4 11 SW1/4 11 NW4-SEY4 n	12. Location Township N. or S.	of area to be irrigo Range E. or W. of Willamette Meridian	ated, or place o	Entire of use townsite	of Ukiah <i>f Environs</i>
5 w 14 N w 14 - SEY q n	12. Location Township N. or S.	of area to be irrigo Range E. or W. of Willamette Meridian	ated, or place o	Forty-acre Tract WEV4 St., 157 Se	of Ukiah f'Environs Number Acres To Be Irrigated Over World P
	12. Location Township N. or S.	of area to be irrigo Range E. or W. of Willamette Meridian	ated, or place o	Forty-acre Tract WEV4 St., 157 Se	Number Acres To Be Irrigated ct- 14 225 present Sect 14 Communicipates
	12. Location Township N. or S.	of area to be irrigo Range E. or W. of Willamette Meridian	ated, or place o	Forty-acre Tract WEV4 St., 157 Se	Number Acres To Be Irrigated ct- 14 225 present Sect 14 Communicipates
(If more space required, attach separate sheet)	12. Location Township N. or S.	of area to be irrigo Range E. or W. of Willamette Meridian	ated, or place o	Forty-acre Tract Forty-acre T	of Ukiah f'Environs Number Acres To Be Irrigated ct-14 223 present Sect 14 Communicipal
(If more space required, attach separate sheet)	12. Location Township N. or S.	of area to be irrigo Range E. or W. of Willamette Meridian	ated, or place o	Forty-acre Tract Forty-acre T	of Ukiah f'Environs Number Acres To Be Irrigated ct-14 223 present Sect 14 Communicipations
(If more space required, attach separate sheet)	12. Location Township N. or S.	of area to be irrigo Range E. or W. of Willamette Meridian	ated, or place o	Forty-acre Tract Forty-acre T	of Ukiah f'Environs Number Acres To Be Irrigated ct-14 223 present Sect 14 Communicipations
(If more space required, attach separate sheet)	12. Location Township N. or S.	of area to be irrigo Range E. or W. of Willamette Meridian	ated, or place o	Forty-acre Tract Forty-acre T	of Ukiah f'Environs Number Acres To Be Irrigated ct-14 223 present Sect 14 Communicipations
(If more space required, attach separate sheet)	12. Location Township N. or S.	of area to be irrigo Range E. or W. of Willamette Meridian	ated, or place o	Forty-acre Tract Forty-acre T	of Ukiah f'Environs Number Acres To Be Irrigated ct-14 223 present Sect 14 Communicipations
(If more space required, attach separate sheet)	12. Location Township N. or S.	of area to be irrigo Range E. or W. of Willamette Meridian	ated, or place o	Forty-acre Tract Forty-acre T	of Ukiah f'Environs Number Acres To Be Irrigated ct-14 223 present Sect 14 Communicipations
(If more space required, attach separate sheet)	12. Location Township N. or S.	of area to be irrigo Range E. or W. of Willamette Meridian	ated, or place o	Forty-acre Tract VEVY SILVE SE WWY SWY SWY	of Ukiah f'Environs Number Acres To Be Irrigated ct-14 223 present Sect 14 Communicipations
	12. Location Township N. or S.	of area to be irrigo Range E. or W. of Willamette Meridian	ated, or place o	Forty-acre Tract VEVY SILVE SE WWY SWY SWY	of Ukiah f'Environs Number Acres To Be Irrigated ct-14 223 present Sect 14 Communicipations

13.	To supply the ci	itu of	Ukiah				
	Umatilla				on of	350	
	timated populati		•		o.v oj	********	***************************************
400 GO CO							
a **		SWER QUESTION					•
	Estimated cost of Construction wo		oncl	L. pump,mo	ctor & k	ouild. 🤭	ject }100,00
		-					
						a Stra	
17.	The water will l	be completely a	pplied to the	he proposed us	se on or be	eforeSep.t	2, 1969
							entify any appli- e or held by the
applicant.	• •••••	***	**********	• • • • • • • • • • • • • • • • • • • •	••••	· · · · · · · · · · · · · · · · · · ·	
			w - 1 1 - 1 - 1		1		
			τ,	1 7	- 11	1.201	aid
				- Arei	(Signati	re of applicant)	
Ren	marks:						
				** ********************			
	Firs	t deep wel	l situa	ted bewtwe	en Pilo	ot Rock t	to the
	North	h and John	Day to	the South	1		
	••••••	***************************************					
**************				••		***************************************	
				•• ••••••••			
			***************************************	** *******			
					***************		······
		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	****************				

			•				
	•••••		,	*******************			
STATE (OF OREGON,						
Count	y of Marion, \int	ss.					
Th	is is to certifu th	iat I have exan	nined the f	oregoing appli	cation, tog	ether with t	he accompanying
		•					
maps and	i data, and returr	i the same joi .					
		***********************					. ,
In	order to retain it	ts priority, this	application	n must be retu	rned to th	e State Engi	neer, with correc-
tions on (or beforeJan	marv22nd		1968			
	•						
	ITNESS my hand	97 a4		Morrember			67
TX7.	ITNESS mu hand	l this 2100	day of	TO A CHED CT			19

CHRIS L. WHEELER

SPATE ENGINEER

ASSISTANT

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use
and shall not exceed
or source of appropriation, or its equivalent in case of rotation with other water users, froma. well
The use to which this water is to be applied is .quasi-municipal for Ukiah and environs
If for irrigation, this appropriation shall be limited to
or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed
acre feet per acre for each acre irrigated during the irrigation season of each year;

······
and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.
The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.
The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.
The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.
The priority date of this permit isNovember 7, 1967
Actual construction work shall begin on or beforeJune_7, 1969 and shall
thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1969
Complete application of the water to the proposed use shall be made on or before October 1, 1970
WITNESS my hand this 7th day of June ,1968
STATE ENGINEER
BS of the state of

Application No. G-4133 Permit No. G. G 3884

TO APPROPRIATE THE GROUN WATERS OF THE STATE OF OREGON

office of the State Engineer at Salem, O This instrument was first received on the 74.1 day of Novemb

19.67, at . 6.0.0. o'clockA.

Returned to applicant:

Recorded in book No.

Approved:

Ground Water Permits on page ..C....

CHRIS L. WHEKLER

Drainage Basin No.