Permit No. G. G 3891

APPLICATION FOR A PERMIT

To Appropriate the Ground Waters of the State of Oregon

I, Mr. Jesse E. Walker (Name of applicant)
of 850 Three Pines Road, Grants Pass , county of Josephine , (Postoffice Address)
state ofOregon, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:
If the applicant is a corporation, give date and place of incorporation
1. Give name of nearest stream to which the well, tunnel or other source of water development is
situated No Name Creek (Name of stream) tributary of Jump-Off Joe Creek
2. The amount of water which the applicant intends to apply to beneficial use is cubic feet per second or22.444 gallons per minute.
3. The use to which the water is to be applied is for irrigation of pasture
4. The well or other source is located 63 ft. N and 1450 ft. E from the SW corner of Section 34 (Section or subdivision)
(If preferable, give distance and bearing to section corner)
(If there is more than one well, each must be described. Use separate sheet if necessary) being within the SEL of SWL of SWL, R. 6 W.,
W. M., in the county of <u>Josephine</u> feet
5. The pipeline to be 600 - TO SECOND TO SECON
in length, terminating in the SEL of SW 1/2 of Sec. 34. Twp. 34S. (Smallest legal subdivision)
R6W, W. M., the proposed location being shown throughout on the accompanying map.
6. The name of the well or other works is
DESCRIPTION OF WORKS
7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.
8. The development will consist of Well
diameter of 30x50 ft were and an estimated depth of 12 feet. It is estimated that
feet of the well will require casing. Depth to water table is estimated 10 feet
· · · · · · · · · · · · · · · · · · ·

·		\mathbf{G}	2894	

		•		
CANTAT	SYSTEM	ΔD	TOTTOTA	T TRYY
CAMAL	O LO LUM	UIT.	PIPE.	1 11 N H

dgate. At h						•
•	feet; depth of u	vater	fee1	t; grade	******************	feet fall per
usand feet.					•	
(b) At	mil	les from he	adgate: width	on top (at w	ater line)	•
••••••	feet; width on l	bottom	·····	feet; depth o	f water	······ j
de	feet fall p	per one thou	sand feet.			
(c) Leng	th of pipe,600	f	t.; size at intal	ke2½	in.; in s	size at
n intake	2 in.; si	ize at place	of use2	in.;	difference	in elevation betw
ike and plac	e of use,	ft.	Is grade uni	form?	•••••••	Estimated capac
	sec. ft.					
10. If pur	nps are to be used, g	give size and	l type 2½''.	intake,	2" outl	_et,
•••••••••		•••••••••••••••••••••••••••••••••••••••	Centi	rifugal P	ump	
Give hors	epower and type of	motor or e	ngine to be us	ed 5 hor	sepower	, gasoline
engine.	•••••	•••••	***************************************	·		
Sump is	or stream channel elevation between located 10 f	Ceet eas	t of small	L stream;	stream	ı dries up in
Sump is summer.	elevation between located 10 f Elevation of the control of the c	Ceet eas	t of small ce plus 2	L stream;	stream ground	n dries up in surface at w
Sump is	elevation between located 10 f Elevation c	Ceet eas	t of small ce plus 2 lace of use .a	L stream;	stream ground	n dries up in surface at w
Sump is summer. 12. Locat	elevation between located 10 f Elevation c ion of area to be irr Range E or W of	feet eas	t of small ce plus 2 lace of use .a	L stream; feet to	stream ground	n dries up in surface at w map enclosed
Sump is summer. 12. Locat Township N. or S.	elevation between located 10 f Elevation of ion of area to be irr Range E. or W. of Willamette Meridian	feet eas	t of small ce plus 2 lace of use .a Fort	L stream; feet to s indicat	stream ground	n dries up in surface at w map enclosed Number Acres To Be Irrigated
Sump is summer. 12. Locat Township N. or S. 34S	in elevation between Located 10 f Elevation of ion of area to be irr Range E. or W. of Willamette Meridian	feet eas	t of small ce plus 2 lace of use .a Fort	stream; feet to s indicat	stream ground	n dries up in surface at w map enclosed Number Acres To Be Irrigated
Sump is summer. 12. Locat Township N. or S. 34S	in elevation between Located 10 f Elevation of ion of area to be irr Range E. or W. of Willamette Meridian	feet eas	t of small ce plus 2 lace of use .a Fort	stream; feet to s indicat	stream ground	n dries up in surface at w map enclosed Number Acres To Be Irrigated
Sump is summer. 12. Locat Township N. or S. 34S	in elevation between Located 10 f Elevation of ion of area to be irr Range E. or W. of Willamette Meridian	feet eas	t of small ce plus 2 lace of use .a Fort	stream; feet to s indicat	stream ground	n dries up in surface at w map enclosed Number Acres To Be Irrigated
Sump is summer. 12. Locat Township N. or S. 34S	in elevation between Located 10 f Elevation of ion of area to be irr Range E. or W. of Willamette Meridian	feet eas	t of small ce plus 2 lace of use .a Fort	stream; feet to s indicat	stream ground	n dries up in surface at w map enclosed Number Acres To Be Irrigated
Sump is summer. 12. Locat Township N. or S. 34S	in elevation between Located 10 f Elevation of ion of area to be irr Range E. or W. of Willamette Meridian	feet eas	t of small ce plus 2 lace of use .a Fort	stream; feet to s indicat	stream ground	n dries up in surface at w map enclosed Number Acres To Be Irrigated
Sump is summer. 12. Locat Township N. or S. 34S	in elevation between Located 10 f Elevation of ion of area to be irr Range E. or W. of Willamette Meridian	feet eas	t of small ce plus 2 lace of use .a Fort	stream; feet to s indicat	stream ground	n dries up in surface at w map enclosed Number Acres To Be Irrigated
Sump is summer. 12. Locat Township N. or S. 34S	in elevation between Located 10 f Elevation of ion of area to be irr Range E. or W. of Willamette Meridian	feet eas	t of small ce plus 2 lace of use .a Fort	stream; feet to s indicat	stream ground	n dries up in surface at w map enclosed Number Acres To Be Irrigated
Sump is summer. 12. Locat Township N. or S. 34S	in elevation between Located 10 f Elevation of ion of area to be irr Range E. or W. of Willamette Meridian	feet eas	t of small ce plus 2 lace of use .a Fort	stream; feet to s indicat	stream ground	n dries up in surface at w map enclosed Number Acres To Be Irrigated
Sump is summer. 12. Locat Township N. or S. 34S	in elevation between Located 10 f Elevation of ion of area to be irr Range E. or W. of Willamette Meridian	feet eas	t of small ce plus 2 lace of use .a Fort	stream; feet to s indicat	stream ground	n dries up in surface at w map enclosed Number Acres To Be Irrigated
Sump is summer. 12. Locat Township N. or S. 348	in elevation between Located 10 f Elevation of ion of area to be irr Range E. or W. of Willamette Meridian	Ceet eas	t of small ce plus 2 lace of use .a Fort	Lestream; feet to s indicat y-acre Tract SW 1/2 SW1/2	stream ground	n dries up in surface at w map enclosed Number Acres To Be Irrigated

MUNICIPAL SUPPLY—	
13. To supply the city of	
in county, having a present population of	
and an estimated population of in 19	
ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES	•
14. Estimated cost of proposed works, \$ 1600.	
15. Construction work will begin on or before May 1968	CMA
16. Construction work will be completed on or before July 1968	
17. The water will be completely applied to the proposed use on or before	
18. If the ground water supply is supplemental to an existing water supportation for permit, permit, certificate or adjudicated right to appropriate water applicant	oly, identify any appli- , made or held by the
applicant. Home	•••••••••••••••••••••••••••••••••••••••
Passe E. W. (Signature of app	
Remarks:	
Legal Description: The following described real property being situated County, Oregon: Commencing at the South quarter corner of Section 34 South, Range 6 West of the Willamette Meridian; therefeet to a point which is the Southeast corner of Lot Town of Three Pines, now vacated, run thence North 6 true point of beginning; thence North 420.9 feet to of Block "J"; thence West 1689 feet to the West line	Township 34 nce West 1005.8 "M" of the 560 feet to the the South line
34; thence South to a point 1656 feet West of the potential that the point of beginning.	ointofbeginning;
Less and excepting all that part of the above described to the County Road, also, less and excepting the of the Southern Pacific Railroad.	need property lyin
	•
STATE OF OREGON, county of Marion, ss.	
This is to certify that I have examined the foregoing application, together	•
maps and data, and return the same forCompletion	
In order to retain its priority, this application must be returned to the State	Engineer, with correc-
tions on or beforeFebruary 26th, 1968.	
	Lm
WITNESS my hand this26th day of December	, 19

CHRIS L. WHEFLER

STATE ENGINEER

ASSISTANT

PERMIT

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, VECT TO EXISTING RIGHTS and the following limitations and conditions:

	right herein granted		Ū			beneficial use
and shall no	ot exceed 0.05	cubic feet per	second mea	sured at the poin	t of diversion	from the well
or source of	f appropriation, or its	equivalent in ca	se of rotatio	n with other wa	ter use rs , fron	n a well
The 1	use to which this wat	er is to be applied	l isirri	gation		
If for	irrigation, this appro	opriation shall be	limited to	1/80th	of one cubic	foot per second
or its equiv	alent for each acre ir	rigated and shall	be further	limited to a diver	rsion of not to	exceed $\frac{2^{\frac{1}{2}}}{2}$
acre feet pe	er acre for each acre	irrigated during	th e irrigatio	n season of each	year;	······································
		•••••••			•••••	
		3	·····			
		***************************************		<u> </u>	<u> </u>	23 tz
	•••••••••••				,	
		•••••	· · · · · · · · · · · · · · · · · · ·	* · · · · · · · · · · · · · · · · · · ·		<u>(</u> .
and shall be	subject to such reas	onable rotation s	ystem as ma	y be ordered by t	he proper sta	te officer.
The r line, adequa	hall include proper c works constructed sh ate to determine wat permittee shall instal a complete record of	all include an air er level elevation l and maintain a	line and pr n in the wel weir, meter	essure gauge or o l at all times. . or other suita	in access port	for measuring
The p	oriority date of this p	permit is	*******************************	November 2	7, 1967	
Actua	al construction work	shall begin on or	before	June 7,	969	and shall
thereafter l	be prosecuted with r	easonable diliger	rce and be	completed on or	before Octob	er 1, 1969
Comp	olete application of th	ne water to the pr	oposed use s	shall be made on	or before Oct	ober 1, 1970
WITI	NESS my hand this .	7th day of .	June		, 1968	·/ ?
			***********	Char		TATE ENGINEER
		· · · · · · · · · · · · · · · · · · ·			,.	7
Application No. G-4/42	PERMIT TO APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON	This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 27th. day of	1967, at . E. O. O'clock	Approved:	Recorded in book No. Ground Water Permits on page	CURIS L. WHESLER STATE ENGINEER Drainage Basin No. 15. page 27.