

Permit No. G- 11 3897

APPLICATION FOR A PERMIT

To appropriate the Ground Waters of the State of Oregon

I, Alfred C. Johnson, Clerk of School District No. 10 Lane County, Oregon
(Name of applicant)
of Box 67, Creswell, Oregon, county of Lane,
(Postoffice Address)
state of Oregon, do hereby make application for a permit to appropriate the
following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is
situated Coast Fork of Willamette River
(Name of stream)

tributary of Willamette River

2. The amount of water which the applicant intends to apply to beneficial use is cubic
feet per second or 105 gallons per minute.

3. The use to which the water is to be applied is Irrigating football and athletic
fields of Creswell High School.

4. The well or other source is located ft. and ft. from the
(N. or S.) (E. or W.)
corner of ~~Section 15~~ N 0° 17' W 1931.7 feet and East
(Section or subdivision)
30 ft. from the N.W. Cor. of the Caleb Colvin PLC # 53 T. 19 S.
(If preferable, give distance and bearing to section corner)
R 3 W 2 M

(If there is more than one well, each must be described. Use separate sheet if necessary)

being within the N.E. 1/4 of N.E. 1/4 of Sec. 15, Twp. 19 S., R. 3
W. M., in the county of Lane

5. The (Canal or pipe line) to be miles
in length, terminating in the of Sec. of Twp. R.
(Smallest legal subdivision)
W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is Creswell High School Well No. 1

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the
supply when not in use must be described.

8. The development will consist of having a
(Give number of wells, tunnels, etc.)
diameter of 6 inches and an estimated depth of 155 feet. It is estimated that 107
feet of the well will require .250 wall 6" casing. Depth to water table is estimated 25
(Kind) (Feet)

CANAL SYSTEM OR PIPE LINE—

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake in.; in size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

10. If pumps are to be used, give size and type

Give horsepower and type of motor or engine to be used

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

12. Location of area to be irrigated, or place of use

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
19-S	Range 3-W	15	NE NE	12.6

Beginning at a point which is 1,431.70 feet North 0-17' West of the Northwest corner of the Caleb Colvin Donation Land Claim No. 53, Township 19 South, Range 3 West of the Willamette Meridian; thence parallel to the North line of "A" Street of the Milbur Addition to Craswell as platted and recorded at page 17 of Volume 4, Lane County Oregon Plat Records south 89° 41' West 203.3 feet; thence North 0-17' West 1,105.31 feet to the South line of the Stephen O. Martin Donation Land Claim #79; thence along said South line North 89° 39' 50" East 1,005.57 feet to the Northwest corner of Lot 8, Section 10; thence along the West line of the A. C. Bohmstedt Company Addition to Craswell south 0° 43' 40" East 1,105.60 feet; thence parallel to the North line of the aforementioned "A" Street South 89° 41' West 811.70 feet to the point of beginning, in Lane County, Oregon.

(If more space required, attach separate sheet)

Character of soil Loam-Clay

Kind of crops raised Greens for athletic fields.

MUNICIPAL SUPPLY—

13. To supply the city of
in county, having a present population of
and an estimated population of in 19.....

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

- 14. Estimated cost of proposed works, \$...3500.00.....
- 15. Construction work will begin on or before ...Aug. 1967.....
- 16. Construction work will be completed on or before ...May 1968.....
- 17. The water will be completely applied to the proposed use on or before ...June 1968.....

18. If the ground water supply is supplemental to an existing water supply, identify any appli-
cation for permit, permit, certificate or adjudicated right to appropriate water, made or held by the
applicant. City water is used in the Creswell High School buildings. This supply
will be used solely for irrigation.

Remarks:

Albert L. Johnson
(Signature of applicant)
Albert L. Johnson
Councilman

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying
maps and data, and return the same for Corrections

In order to retain its priority, this application must be returned to the State Engineer, with correc-
tions on or before ...September 3rd....., 1968....

WITNESS my hand this ...2nd..... day of July, 19.68..

RECEIVED
JUL 5 1968
STATE ENGINEER
MARION COUNTY

CHRIS L. WINKLER
STATE ENGINEER
Chris L. Winkler
ASSISTANT

STATE OF OREGON, }
County of Marion, } ss.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.16 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from a well

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year;

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.


The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is June 21, 1968

Actual construction work shall begin on or before July 15, 1969 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1969

Complete application of the water to the proposed use shall be made on or before October 1, 1970

WITNESS my hand this 15th day of July, 1968



STATE ENGINEER

Application No. G- 4454
Permit No. G- 3837

PERMIT

TO APPROPRIATE THE GROUND
WATERS OF THE STATE
OF OREGON

This instrument was first received in the
office of the State Engineer at Salem, Oregon,
on the 21st day of June,
1968, at 2:00 o'clock A. M.

Returned to applicant:

Approved:

July 15, 1968

Recorded in book No. 63837 of
Ground Water Permits on page 63837

CHAS. L. DE LANE
STATE ENGINEER

Drainage Basin No. 2 page 116