

Permit No. G- 3899
APPLICATION FOR A PERMIT

To appropriate the Ground Waters of the State of Oregon

I, G. A. Robison (Name of applicant)
of Route 1, Jefferson (Postoffice Address), county of Marion,
state of Oregon, do hereby make application for a permit to appropriate the
following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is
situated Willamette River (Name of stream)
tributary of

2. The amount of water which the applicant intends to apply to beneficial use is South well - 0.624
North well - 0.739
feet per second or gallons per minute.

3. The use to which the water is to be applied is irrigation
SW - South well
NW - North well

4. The well or other source is located SW-868.0' N 50.0' E
NW 2568.0' N and 40.0' ft. E from the SE
(N. or S.) (E. or W.)
corner of J. S. Kendall D. L. C. No. 48
(Section or subdivision)
(If preferable, give distance and bearing to section corner)

If there is more than one well, each must be described. Use separate sheet if necessary.
being within the SW NW SW
NW SW NW of Sec. 20, Twp. 11s, R. 4W,
W. M., in the county of

5. The pipe line to be portable with maximum main to be line length of 660' each and lateral
(Canal or pipe line) length of 1,000' each half
in length, terminating in the several quarter sections of W of Sec. 20, Twp. 11s,
(Smallest legal subdivision)
R. 4, W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is south well and north well

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the
supply when not in use must be described.

8. The development will consist of south well north well having a
N. 8" (Give number of wells, tunnels, etc.) N 29
diameter of 3.12" inches and an estimated depth of 30 feet. It is estimated that 30
N 13'
feet of the well will require steel casing. Depth to water table is estimated 15'
(Kind) (Feet)

CANAL SYSTEM OR PIPE LINE—

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

System will be portable utilizing 5" main line and 4" & 3" laterals.

(c) Length of pipe, ft.; size at intake in.; in size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, None ft. Is grade uniform? yes Estimated capacity, 1 sec. ft.

10. If pumps are to be used, give size and type each well to be equipped with 20 hp three phase electric motor with matching centrifugal pump

Give horsepower and type of motor or engine to be used

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

No

12. Location of area to be irrigated, or place of use

	Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
South well	11S	4W	20	NE $\frac{1}{4}$ SW $\frac{1}{4}$	27.0
	11S	4W	20	NW $\frac{1}{4}$ SW $\frac{1}{4}$	12.0
	11S	4W	20	SW $\frac{1}{4}$ SW $\frac{1}{4}$	1.0
	11S	4W	20	SE $\frac{1}{4}$ SW $\frac{1}{4}$	2.0
	11S	4W	20	SW $\frac{1}{4}$ NW $\frac{1}{4}$	2.4
	11S	4W	20	SE $\frac{1}{4}$ NW $\frac{1}{4}$	5.5
North well	11S	4W	20	SE $\frac{1}{4}$ NW $\frac{1}{4}$	21.5
	11S	4W	20	SW $\frac{1}{4}$ NW $\frac{1}{4}$	9.6
	11S	4W	20	NW $\frac{1}{4}$ NW $\frac{1}{4}$	9.0
	11S	4W	20	NE $\frac{1}{4}$ NW $\frac{1}{4}$	19.0
Total					109.0 acres

(If more space required, attach separate sheet)

Character of soil silt loam

Kind of crops raised horticulture and field

MUNICIPAL SUPPLY—

13. To supply the city of
in county, having a present population of
and an estimated population of in 19.....

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

- 14. Estimated cost of proposed works, \$6,000.00.....
- 15. Construction work will begin on or before Completed.....
- 16. Construction work will be completed on or before Completed.....
- 17. The water will be completely applied to the proposed use on or before Completed.....

18. If the ground water supply is supplemental to an existing water supply, identify any appli-
cation for permit, permit, certificate or adjudicated right to appropriate water, made or held by the
applicant.

G. A. Rebecus
(Signature of applicant)

Remarks: It is planned to complete and apply water to all land supplied by
South well in 1960. Pump in North well will be installed in 1961.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying
maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with correc-
tions on or before, 19.....

WITNESS my hand this day of, 19.....

.....
STATE ENGINEER
By
ASSISTANT

STATE OF OREGON, }
County of Marion, } ss.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 1.36 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from two wells being 0.62 cfs from south well and 0.74 cfs from north well

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year;

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is December 1, 1967

Actual construction work shall begin on or before July 22, 1969 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1969

Complete application of the water to the proposed use shall be made on or before October 1, 1970

WITNESS my hand this 22nd day of July, 1968

Charles J. Higginbotham
STATE ENGINEER

Application No. G-4147

Permit No. G-13899

PERMIT

TO APPROPRIATE THE GROUND
WATERS OF THE STATE
OF OREGON

This instrument was first received in the
office of the State Engineer at Salem, Oregon,
on the 1 day of December,
1967, at 10:30 o'clock A. M.

Returned to applicant:

Approved:

July 22, 1968

Recorded in book No. _____ of _____

Ground Water Permits on page 13899

Charles J. Higginbotham
STATE ENGINEER

Drainage Basin No. 52 page 100