

Permit No. G- 390

APPLICATION FOR A PERMIT

To appropriate the Ground Waters of the State of Oregon

I, J. A. McNulty and Son (Name of applicant)

of Ontario, county of Malheur (Postoffice Address)

state of Oregon, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated Malheur River about 3/4 Mile (Name of stream)

tributary of

2. The amount of water which the applicant intends to apply to beneficial use is cubic feet per second or gallons per minute.

3. The use to which the water is to be applied is Irrigation

4. The well or other source is located 70 ft. N. and 1023 ft. W. from the SE corner of Section 16, T 18S, R 46E WM (N or S) (E or W) (Section or subdivision)

(If preferable, give distance and bearing to section corner)

If there is more than one well each must be described. Use separate sheet if necessary.

being within the SE 1/4, SE 1/4 of Sec. 16 Twp. 18 S R. 46 E W. M. in the county of Malheur

5. The Canal or pipe line to be 0.53 miles in length, terminating in the NE 1/4, SE 1/4 of Sec. 16 Twp. 18 S R. 46 E W. M. the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is McNulty's well

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

8. The development will consist of 28 00 00 wells having a diameter of 2 inches and an estimated depth of 200 feet. It is estimated that 14/8 of the well will require 14/8 casing. Depth to water table is estimated 100 feet. (Kind) (Feet)

CANAL SYSTEM OR PIPE LINE—

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) 3 feet; width on bottom 2 feet; depth of water 15" 1/2 feet; grade 3 feet fall per one thousand feet.

(b) At \_\_\_\_\_ miles from headgate: width on top (at water line) \_\_\_\_\_ feet; width on bottom \_\_\_\_\_ feet; depth of water \_\_\_\_\_ feet; grade \_\_\_\_\_ feet fall per one thousand feet.

(c) Length of pipe, \_\_\_\_\_ ft.; size at intake, \_\_\_\_\_ in.; in size at \_\_\_\_\_ ft. from intake \_\_\_\_\_ in.; size at place of use \_\_\_\_\_ in.; difference in elevation between intake and place of use, \_\_\_\_\_ ft. Is grade uniform? \_\_\_\_\_ Estimated capacity, \_\_\_\_\_ sec. ft.

10. If pumps are to be used, give size and type 6" Submerged  
Centrifugal  
 Give horsepower and type of motor or engine to be used \_\_\_\_\_

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

12. Location of area to be irrigated, or place of use \_\_\_\_\_

Township N or S	Range E or W of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
18 S	46 E	16	NE $\frac{1}{4}$ , SE $\frac{1}{4}$	78
			SE $\frac{1}{4}$ , SE $\frac{1}{4}$	57
				75

(If more space required, attach separate sheet)

Character of soil Clay & Gumbo Soil  
 Kind of crops raised Alfalfa Hay and Grass

MUNICIPAL SUPPLY—

13. To supply the city of \_\_\_\_\_  
in \_\_\_\_\_ county, having a present population of \_\_\_\_\_  
and an estimated population of \_\_\_\_\_ in 19 \_\_\_\_\_

14. Estimated cost of proposed works, \$ 960.00

15. Construction work will begin on or before Complete

16. Construction work will be completed on or before \_\_\_\_\_

17. The water will be completely applied to the proposed use on or before the same day

18. If the ground water supply is supplemental to an existing water supply, identify any appli-  
cation for permit, permit, certificate or adjudicated right to appropriate water, made or held by the  
applicant. We can not find any other water rights in the area, but we have a permit for water from the  
Wasson Springs Irrigation District, but don't

W. J. M. Kelly  
John J. M. Kelly & Son  
(Signature of applicant)

Plan 1730

Remarks: \_\_\_\_\_

STATE OF OREGON, )  
County of Marion, ) ss.

This is to certify that I have examined the foregoing application, together with the accompanying  
maps and data, and return the same for \_\_\_\_\_

In order to retain its priority, this application must be returned to the State Engineer, with correc-  
tions on or before \_\_\_\_\_, 19 \_\_\_\_\_

WITNESS my hand this \_\_\_\_\_ day of \_\_\_\_\_, 19 \_\_\_\_\_

STATE ENGINEER

County of Marion,

} ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.94 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from McCully's Well

The use to which this water is to be applied is Irrigation

If for irrigation, this appropriation shall be limited to 1/80 of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 3 acre feet per acre for each acre irrigated during the irrigation season of each year; provided further that the amount of water allowed herein, together with the amount secured under any other right existing for the same lands shall not exceed the limitation allowed herein.

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is November 28, 1956

Actual construction work shall begin on or before December 20, 1957 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1959

Complete application of the water to the proposed use shall be made on or before October 1, 1959

WITNESS my hand this 20th day of December

Lewis G. Stanley, STATE ENGINEER

Permit No. G. 391

Permit No. G. 390

PERMIT

TO APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon,

on the 8 day of June 1956 at 1:00 o'clock P. M.

Returned to applicant:

Approved:

Recorded at No. 2452

Recorded in book No. 2 of Ground Water Permits on page 1331

STATE ENGINEER

Drainage Basin No. 10 page 36

State Printing 4506

41 15