

Permit No. G- G 3905

CERTIFICATE NO. 46489

APPLICATION FOR A PERMIT

To Appropriate the Ground Waters of the State of Oregon

I, WILLAMETTE NATIONAL CEMETERY
(Name of applicant)
of 11500 SE. MC SCOTT BLVD. HASTINGS, ORE. county of CLATSOP
(Postoffice Address)
state of OREGON, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated WILLAMETTE RIVER
(Name of stream)
tributary of COLUMBIA RIVER

2. The amount of water which the applicant intends to apply to beneficial use is 67 cubic feet per second or 300 gallons per minute. 0.22 cfs No. 1 & 0.45 cfs No. 2

3. The use to which the water is to be applied is IRRIGATION
1/2-2-28-68

4. The well or other source is located 490 ft. S and 1240 ft. W from the NE corner of SEC 27 T 15 R 2E COUNTY OF CLATSOP
(Section or subdivision)
WELL NO 2 IS LOCATED 350 FT N AND 640 FT W
(If preferable, give distance and bearing to section corner)

OF THE SE CORNER OF SEC 22
(If there is more than one well, each must be described. Use separate sheet if necessary)
being within the SE 1/4 SE 1/4 of Sec. 22, Twp. 12, R. 2E, W. M., in the county of MULT

5. The UNDERGROUND SYSTEM THROUGHOUT THE CEMETERY miles
(Canal or pipe line) to be
in length, terminating in the _____ of Sec. _____, Twp. _____, R. _____, W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is _____

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.
NOT FREE FLOWING

8. The development will consist of TWO WELLS having a diameter of 10 AND 12 inches and an estimated depth of 200 feet. It is estimated that 200 feet of the well will require STEEL casing. Depth to water table is estimated 200
(Kind) (Feet)
10 WELL NO 1 AND 12 IN WELL NO 2

CANAL SYSTEM OR PIPE LINE—

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake in.; in size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

10. If pumps are to be used, give size and type No 1 well 100 GPM
SUBMERSIBLE No 2 well 200 GPM SUBMERSIBLE
 Give horsepower and type of motor or engine to be used No 1 well 70 HP
ELECTRIC MOTOR No 2 well 50 HP ELECTRIC MOTOR

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

.....

.....

.....

12. Location of area to be irrigated, or place of use

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
T 15	R 2 E	22	NW 1/4 SE 1/4	8.5
T 15	R 2 E	22	NE 1/4 SE 1/4	8.5
T 15	R 2 E	22	SW 1/4 SE 1/4	40
T 15	R 2 E	22	SE 1/4 SE 1/4	40
T 15	R 2 E	27	NW 1/4 NE 1/4	52
T 15	R 2 E	27	NE 1/4 NE 1/4	38
T 15	R 2 E	27	SE 1/4 NE 1/4	9
T 15	R 2 E	23	NW 1/4 SW 1/4	40.2
T 15	R 2 E	23	SW 1/4 SW 1/4	21.2
T 15	R 2 E	26	NW 1/4 NW 1/4	21.2
T 15	R 2 E	26	SW 1/4 NW 1/4	5.2
				201.4

(If more space required, attach separate sheet)

Character of soil CLAY
 Kind of crops raised GRASS

MUNICIPAL SUPPLY—

13. To supply the city of
in county, having a present population of
and an estimated population of in 19.....

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

- 14. Estimated cost of proposed works, \$.....
- 15. Construction work will begin on or before APR 1, 1967
- 16. Construction work will be completed on or before FEB 1, 1968
- 17. The water will be completely applied to the proposed use on or before APR 1, 1968

18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant. NONE

William J. Jones
(Signature of applicant)

Remarks:

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for Completion

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before March 4th, 19 68.

WITNESS my hand this 2nd day of January, 19 68.

CHRIS L. WHEELER STATE ENGINEER
By *[Signature]* ASSISTANT

STATE OF OREGON, }
County of Marion, } ss.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.67 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from two wells being 0.22 cfs from well No. 1 and 0.45 cfs from well No. 2

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/60th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year;

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is December 11, 1967

Actual construction work shall begin on or before July 22, 1969 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1969

Complete application of the water to the proposed use shall be made on or before October 1, 1970

WITNESS my hand this 22nd day of July, 1968

Charles L. Halliker
STATE ENGINEER

Application No. G-445-3
Permit No. G-3305

PERMIT
TO APPROPRIATE THE GROUND
WATERS OF THE STATE
OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 11th day of December, 1967 at 8:00 o'clock A. M.

Returned to applicant:

Approved:

July 22, 1968

Recorded in book No. G 3305 of Ground Water Permits on page

CHARLES L. HALLIKER
STATE ENGINEER

Drainage Basin No. 5 page 167