

Permit No. G-G 3937

CERTIFICATE NO. 40628

APPLICATION FOR A PERMIT

# To Appropriate the Ground Waters of the State of Oregon

I, Margie M. Johnson Versteeg

(Name of applicant)

of Route 1 Box 27 Dayton, county of Yamhill

(Postoffice Address)

state of Oregon, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, **SUBJECT TO EXISTING RIGHTS:**

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated Palmer Creek

(Name of stream)

tributary of Yamhill River

2. The amount of water which the applicant intends to apply to beneficial use is 25/100 cubic feet per second or ..... gallons per minute.

3. The use to which the water is to be applied is Irrigation

4. The well or other source is located 50 ft. South and 970 ft. West from the N.E. corner of L. S. Morin D.L.C.

(N. or S.)

(E. or W.)

(Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one well, each must be described. Use separate sheet if necessary)

being within the SW $\frac{1}{4}$  of NE $\frac{1}{4}$  of Sec. 6, Twp. 5S, R. 3W, W. M., in the county of Yamhill

5. The ..... to be ..... miles in length, terminating in the N.W. $\frac{1}{4}$  of S.E. $\frac{1}{4}$  of Sec. 31, Twp. 4S, R. 3W, W. M., the proposed location being shown throughout on the accompanying map.

(Canal or pipe line)

(Smallest legal subdivision)

6. The name of the well or other works is well no. 3

## DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

8. The development will consist of one well having a diameter of 10 inches and an estimated depth of 120 feet. It is estimated that feet of the well will require 120 casing. Depth to water table is estimated 1-6

(Give number of wells, tunnels, etc.)

(Kind)

(Feet)

CANAL SYSTEM OR PIPE LINE—

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(b) At ..... miles from headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(c) Length of pipe, ..... ft.; size at intake ..... in.; in size at ..... ft. from intake ..... in.; size at place of use ..... in.; difference in elevation between intake and place of use, ..... ft. Is grade uniform? ..... Estimated capacity, ..... sec. ft.

10. If pumps are to be used, give size and type 20 H.p.

Give horsepower and type of motor or engine to be used .....

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

40 FT. East of wet weather stream that flows into west branch of Palmer Creek Difference in elevation 5 FT.

12. Location of area to be irrigated, or place of use .....

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
4S	3W	31	NW $\frac{1}{4}$ of SE $\frac{1}{4}$	12.7
			SW $\frac{1}{4}$ of SE $\frac{1}{4}$	6.7
			SE $\frac{1}{4}$ of SW $\frac{1}{4}$	0.4
Total....				19.8

(If more space required, attach separate sheet)

Character of soil Willamette and Amity silt loams

Kind of crops raised strawberries

MUNICIPAL SUPPLY—

13. To supply the city of .....  
in ..... county, having a present population of .....  
and an estimated population of ..... in 19.....

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

- 14. Estimated cost of proposed works, \$..... *None*.....
- 15. Construction work will begin on or before ..... *Finished* .....
- 16. Construction work will be completed on or before ..... *Finished* .....
- 17. The water will be completely applied to the proposed use on or before ..... *September 1968* .....
- 18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant. .... *None* .....

*Margie Versteeg*  
(Signature of applicant)

Remarks:

*Well is pumped into dry drainage way  
and transported to pumping point in  
NW 1/4 SE 1/4 Sec 31 45 3W as shown on map.*

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for .....

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before ....., 19.....

WITNESS my hand this ..... day of ....., 19.....

STATE ENGINEER

By ..... ASSISTANT

STATE OF OREGON, }  
County of Marion, } ss.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed .....0.25..... cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from a well.....

The use to which this water is to be applied is irrigation.....

If for irrigation, this appropriation shall be limited to .....1/80th..... of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed .....2 1/2... acre feet per acre for each acre irrigated during the irrigation season of each year; .....

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is ..... July 25, 1968 .....

Actual construction work shall begin on or before ..... August 6, 1969 ..... and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1969.....

Complete application of the water to the proposed use shall be made on or before October 1, 1970...

WITNESS my hand this ..... 6th ..... day of ..... August ..... 1968.....

*Chris L. Wheeler*

STATE ENGINEER

Application No. G-4514  
Permit No. G-3937

PERMIT

TO APPROPRIATE THE GROUND  
WATERS OF THE STATE  
OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 25th day of July 1968, at 1:06 o'clock P. M.

Returned to applicant:

Approved:

August 6, 1968

Recorded in book No. G-3937 of

Ground Water Permits on page

CHRIS L. WHEELER  
STATE ENGINEER

Drainage Basin No. 2 page 107