

RECEIVED
OCT 3 1967
STATE ENGINEER
SALEM OREGON

ASSIGNED, See Misc. Rec., Vol. 5 Page 498

ASSIGNED, See Misc. Rec., Vol. 4 Page 2050

Permit No. G- G 3947 Page 5

APPLICATION FOR A PERMIT

ASSIGNED, See Misc. Rec., Vol. 6 Page 576

To Appropriate the Ground Waters of the State of Oregon

I, Eugene P. Smith (Name of applicant)
of 2920 Park Terrace, Albany, Oregon, county of Linn
(Postoffice Address)
state of Oregon, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated Rogue River, (Name of stream)
tributary of Pacific Ocean.

2. The amount of water which the applicant intends to apply to beneficial use is _____ cubic feet per second or 45 gallons per minute.

3. The use to which the water is to be applied is Domestic (trailer park).

4. The well or other source is located 433 ft. N. and 60 ft. E. from the SW corner of Section 3, (Section or subdivision)
(If preferable, give distance and bearing to section corner)

(If there is more than one well, each must be described. Use separate sheet if necessary)
being within the SW 1/4 SW 1/4 of Sec. 3, Twp. 34 S., R. 1 W., W. M., in the county of Jackson.

5. The pipeline (Canal or pipe line) to be 2000 feet in length, terminating in the SW 1/4 SW 1/4 (Smallest legal subdivision) of Sec. 3, Twp. 34 S., R. 1 W., W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is Smith Well.

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.
1 1/2" discharge, 2 h.p. submersible pump. Water pumped to 10,000 gallon storage tank..for distribution to trailers and laundry.

8. The development will consist of one well (Give number of wells, tunnels, etc.) having a diameter of 6 inches and an estimated depth of 200 feet. It is estimated that 19 1/2 feet of the well will require steel (Kind) casing. Depth to water table is estimated 70 (Feet)

CANAL SYSTEM OR PIPE LINE—

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, 200 ft.; size at intake 2 in.; in size at 1000 ft. from intake 1 in.; size at place of use 1 in.; difference in elevation between intake and place of use, 30 ft. Is grade uniform? Yes. Estimated capacity, sec. ft.

10. If pumps are to be used, give size and type 1½" discharge submersible, centrifugal.

Give horsepower and type of motor or engine to be used 2 h.p. electric.

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

12. Location of area to be irrigated, or place of use

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
34 S.	1 W.	3	SW¼ SW¼	domestic for proposed 70 trailers and laundry.

(If more space required, attach separate sheet)

Character of soil N/A
Kind of crops raised N/A

MUNICIPAL SUPPLY—

13. To supply the city of
in county, having a present population of
and an estimated population of in 19.....

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

- 14. Estimated cost of proposed works, \$.....15,000.00...
- 15. Construction work will begin on or beforeone year from date of priority....
- 16. Construction work will be completed on or beforeOctober 1, 1969.....
- 17. The water will be completely applied to the proposed use on or beforeOctober 1, 1970.....
- 18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant.

Eugene Smith
(Signature of applicant)

Remarks: Water to be used in trailer park. Water to be pumped from well to 10,000 gallon storage tank and into distributing pipeline.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same forcompletion.....

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or beforeFebruary 19....., 1968...

WITNESS my hand this18th..... day ofDecember....., 1967..

RECEIVED JUN 17 1968
STATE ENGINEER SALEM OREGON
CHRIS L. WHEELER STATE ENGINEER
By *[Signature]* ASSISTANT

STATE OF OREGON, }
County of Marion, } ss.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.10 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from a well

The use to which this water is to be applied is domestic use in a trailer park including laundry facilities

If for irrigation, this appropriation shall be limited to _____ of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed _____ acre feet per acre for each acre irrigated during the irrigation season of each year;

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is June 17, 1968

Actual construction work shall begin on or before October 23, 1969 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1970
Extended to Oct. 1 1973

Complete application of the water to the proposed use shall be made on or before October 1, 1971
Extended to Oct. 1 1973

WITNESS my hand this 23rd day of October, 1968.

Chris L. Wheeler
STATE ENGINEER

Application No. G-40917
Permit No. G-G 3947

PERMIT
TO APPROPRIATE THE GROUND
WATERS OF THE STATE
OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 3rd day of October, 1967 at 1:00 o'clock P. M.

Returned to applicant:
Approved: October 23, 1968

Recorded in book No. _____ of G 3947
Ground Water Permits on page _____

CHRIS L. WHEELER
STATE ENGINEER
Drainage Basin No. 15 page 29
2500

pc