

Permit No. G-... G... 3954

APPLICATION FOR A PERMIT

To Appropriate the Ground Waters of the State of Oregon

I, Scott and Edith Wheeler (Name of applicant)
ofRt_2, Box 54, Lebanon, county of
state ofOregon, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:
If the applicant is a corporation, give date and place of incorporation
1. Give name of nearest stream to which the well, tunnel or other source of water development is
situated Unnamed stream (Name of stream)
tributary of Butte Creek
2. The amount of water which the applicant intends to apply to beneficial use is cubic feet per second or150 gallons per minute.
3. The use to which the water is to be applied is <u>Irrigation</u>
4. The well or other source is located 990 ft. N and 231 ft. E from the SW (N. or S.)
(Section or subdivision)
(If preferable, give distance and bearing to section corner)
(If there is more than one well, each must be described. Use separate sheet if necessary)
being within the SW/4 of SW/4 of SW/4 of Sec. 19 , Twp. 12 S , R. 2 W
W. M., in the county ofLinn
5. The main pipe line to be1000 feet
(Canal or pipe line)
in length, terminating in the NW/4 of SW/4 and SW/4 of
R, W. M., the proposed location being shown throughout on the accompanying map.
6. The name of the well or other works is . Lucky Strike No. 1
DESCRIPTION OF WORKS
7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

*
8. The development will consist ofona pump well having of (Give number of wells, tunnels, etc.)
diameter of
feet of the well will requiresteel casing. Depth to water table is estimated2
(Kind) (Seet)

dgate. At he	augute. with on top			
	feet; depth of wo	iter	feet; grade	feet fall per o
usand feet.				
(b) At	mile	s from headga	te: width on top (at water	line)
***************************************	feet; width on be	ottom	feet; depth of wa	ter fe
de	feet fall pe	er one thousand	l feet.	
(c) Leng	th of pipe,100	<u>0</u> ft.; si	ze at intake in	ı.; in size at <u>1000</u>
			se2 in.; diffe	
			grade uniform?	
0.5	-	• :	•	•
•	•	ive size and tur	oe .Deep.well.submersib	le
zo. zj pa	po a. o to oo acca, g			
<i>Cina</i> 1	anound and dame of		se to be used7½ H. P.	electric
Give nors	sepower and type of	motor or engin	te to be used	

difference is ell is app		the stream bed	and the ground surface at amed stream. The stre	
difference is ell is apportunity feet lower	n elevation between proximately 25 feer than the surfa	the stream bed	amed stream. The stre	am bed is approximat
difference is ell is apportunity feet lower	n elevation between proximately 25 feer than the surfa	the stream bed	amed stream. The stre	am bed is approximat
difference is ell is appropriate feet lower 12. Local Township N. or S.	n elevation between proximately 25 feather than the surfaction of area to be irrection of area to be irrection of area.	the stream bed eet from unnace at the we	ell.	am bed is approximat
difference is ell is appropriate feet lower	n elevation between proximately 25 feather than the surfaction of area to be irrection of area to be irrection of will ametic Meridian	igated, or place	ell. cof use	Number Acres
difference is ell is appropriate the set lower feet low	n elevation between proximately 25 fer er than the surfaction of area to be irrection of willamette Meridian 2 W	the stream bed eet from unnade ace at the work igated, or place section 19	ell. Forty-acre Tract NW% of SW%	Number Acres To Be Irrigated
difference is ell is appropriate the set lower	relevation between proximately 25 feather than the surfaction of area to be irrection of area to be irrection of Willamette Meridian 2 W 2 W	the stream bed eet from unnace at the we stream igated, or place section 19	ell. Forty-acre Tract NW% of SW% SW% of SW%	Number Acres To Be Irrigated 10.0 21.75
difference is ell is appropriate the set lower	relevation between proximately 25 feather than the surfaction of area to be irrection of area to be irrection of Willamette Meridian 2 W 2 W	the stream bed eet from unnace at the we stream igated, or place section 19	ell. Forty-acre Tract NW% of SW% SW% of SW% SE% of SW%	Number Acres To Be Irrigated 10.0 21.75
difference is ell is appropriate the set lower	relevation between proximately 25 feather than the surfaction of area to be irrection of area to be irrection of Willamette Meridian 2 W 2 W	the stream bed eet from unnace at the we stream igated, or place section 19	ell. Forty-acre Tract NW% of SW% SW% of SW% SE% of SW%	Number Acres To Be Irrigated 10.0 21.75
difference is ell is appropriate the set lower feet low	relevation between proximately 25 feather than the surfaction of area to be irrection of area to be irrection of Willamette Meridian 2 W 2 W	the stream bed eet from unnace at the we stream igated, or place section 19	ell. Forty-acre Tract NW% of SW% SW% of SW% SE% of SW%	Number Acres To Be Irrigated 10.0 21.75
difference is ell is appropriate the set lower	relevation between proximately 25 feather than the surfaction of area to be irrection of area to be irrection of Willamette Meridian 2 W 2 W	the stream bed eet from unnace at the we stream igated, or place section 19	ell. Forty-acre Tract NW% of SW% SW% of SW% SE% of SW%	Number Acres To Be Irrigated 10.0 21.75
difference is ell is appropriate feet lower township N. or S.	relevation between proximately 25 feather than the surfaction of area to be irrection of area to be irrection of Willamette Meridian 2 W 2 W	the stream bed eet from unnace at the we stream igated, or place section 19	ell. Forty-acre Tract NW% of SW% SW% of SW% SE% of SW%	Number Acres To Be Irrigated 10.0 21.75
difference is ell is appropriate feet lower township N. or S.	relevation between proximately 25 feather than the surfaction of area to be irrection of area to be irrection of Willamette Meridian 2 W 2 W	the stream bed eet from unnace at the we stream igated, or place section 19	ell. Forty-acre Tract NW% of SW% SW% of SW% SE% of SW%	Number Acres To Be Irrigated 10.0 21.75
difference is ell is appropriate feet lower 12. Local	relevation between proximately 25 feather than the surfaction of area to be irrection of area to be irrection of Willamette Meridian 2 W 2 W	the stream bed eet from unnace at the we stream igated, or place section 19	ell. Forty-acre Tract NW% of SW% SW% of SW% SE% of SW%	Number Acres To Be Irrigated 10.0 21.75
difference is ell is appropriate feet lower township N. or S.	relevation between proximately 25 feather than the surfaction of area to be irrection of area to be irrection of Willamette Meridian 2 W 2 W	the stream bed eet from unnace at the we stream igated, or place section 19	ell. Forty-acre Tract NW% of SW% SW% of SW% SE% of SW%	Number Acres To Be Irrigated 10.0 21.75
difference is ell is appropriate feet lower township N. or S.	relevation between proximately 25 feather than the surfaction of area to be irrection of area to be irrection of Willamette Meridian 2 W 2 W	the stream bed eet from unnated ace at the work igated, or place section 19 19	ell. Forty-acre Tract NW% of SW% SW% of SW% SE% of SW%	Number Acres To Be Irrigated 10.0 21.75

MUNICIPAL SUPPLY—				
13. To supply the city of			•••••••••••••••••••••••••••••••••••••••	•
n county, havi	ng a present popt	ulation of	*****************	******************************
and an estimated population of	in 19	•		
ANSWER QUESTIONS 1	4, 15, 16, 17 AND	18 IN ALL CAS	SES	•
14. Estimated cost of proposed works,	\$ 2500.00	•		
15. Construction work will begin on or	beforeAug.	18, 1966	+ 14 	
16. Construction work will be complet	ed on or before	August 19,	1966	****
17. The water will be completely appli			ميه	•
18. If the ground water supply is surcation for permit, permit, certificate or ad	oplemental to an	existing wate	r supply, iden	tify any appl
applicant			*******************	**********
		***************************************	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	\$ +j+
	X .	~ 4 E D :	-0. It l.	رسولوه
		Sy of E.O.	ire of applicant)	س
Remarks:				
		·.		
	•			
		· · · .		

		•••••••		,
	DD-0010101010101010101010101010101010101	************		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
		,		
		•		
	***************************************	***************************************		
STATE OF OREGON,	4.			
County of Marion,			t i	•
This is to certify that I have examine	ed the foregoing	application, too	ether with th	e accompanyii
	•			
maps and data, and return the same for				<u> </u>

In order to retain its priority, this app	lication must be	returned to th	e State Engine	er, with corre
tions on or before	, 19	taring the second		j komo est
			•	
en al la companya de				•
	•		and the second second	10
WITNESS my hand this da	y of		, aaa ba aa	, 19
WITNESS my hand thisda	y of	10 (10 (10 (10 (10 (10 (10 (10 (10 (10 (······································	, 19
WITNESS my hand thisda	y of			, 19

County of Marion,

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein	granted is lin	nited to the a	mount of wo	ter which can	be applied to l	beneficial use
and shall not exceed	0.33	cubic feet per	second meas	ured at the po	int of diversion	from the well
or source of appropriat	ion, or its equ	iivalent in cas	e of rotation	with other w	ater users, from	a well
The use to which		,		·		
If for irrigation,			limited to	1/80th	•	ot per second
or its equivalent for ea	ch acre irriga	ted and shall	be further li	mited to a div	ersion of not to	exceed .22
acre feet per acre for e	ach acre irrig	ated during t	he irrigation	season of each	h year;	
***************************************						•
***************************************	•					
	. •				•	

•••••••••••••••••••••••••••••••••••••••	***************************************	***************************************				
and shall be subject to The well shall be the works shall include The works const	e cased as nec proper cappi ructed shall in	cessary in acco ing and contro nclude an air	ordance with I valve to pr line and pre	good practic event the was ssure gauge or	e and if the flo te of ground wat	w is artesian er.
line, adequate to deter The permittee sh shall keep a complete					table measuring	device, and
The priority date	e of this perm	rit is		January	17, 1968	
Actual construct	ion work shal	ll begin on or	before	October 2	3, 1969	and shall
thereafter be prosecut						
				•		
Complete applica			•			ber 1, 19.!.
WITNESS my h	and this .23m	d day of	Octo	ber	, 19 68	,
	100 mg (100 mg)	•		he ha	25 seles	ATE ENGINEER
					•	
	i the	oregon,			of 3954	GINEER &

Application No. G- 4/18
Permit No. G- G 3954

PERMIT

TO APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON

This instrument was first received in office of the State Engineer at Selem, Ore on the

Returned to applicant:

Approved: October 2 Recorded in book No.

Ground Water Permits on page

CHRIS LA WHEELER