

RECEIVED
JAN 19 1968
STATE ENGINEER
SALEM OREGON

Permit No. G- G 3957

APPLICATION FOR A PERMIT

CERTIFICATE NO. 47815

To Appropriate the Ground Waters of the State of Oregon

I, J. Randall Pope
(Name of applicant)
of Pope Road, Merrill, Oregon, county of Klamath
(Postoffice Address)
state of Oregon, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated Lost River
(Name of stream)
tributary of _____

2. The amount of water which the applicant intends to apply to beneficial use is _____ cubic feet per second or 1200 gallons per minute.

3. The use to which the water is to be applied is Farm Crops

4. The well or other source is located 1530 ft. S and 970 ft. W from the NE corner of 29 405 11 E
(N. or S.) (E. or W.)
(Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one well, each must be described. Use separate sheet if necessary)

being within the SW 1/4 NE 1/4 of Sec. 29, Twp. 405, R. 11 E, W. M., in the county of Klamath

5. The Sprinkler pipe line to be one miles in length, terminating in the SE 1/4 SE 1/4 of Sec. 29, Twp. 405, R. 11 E, W. M., the proposed location being shown throughout on the accompanying map.
(Canal or pipe line)
(Smallest legal subdivision)

6. The name of the well or other works is Hollow one

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

8. The development will consist of 1 well having a diameter of 16" inches and an estimated depth of 250 feet. It is estimated that 20 feet of the well will require Steel casing. Depth to water table is estimated 13.4
(Give number of wells, tunnels, etc.)
(Kind)
(Feet)

CANAL SYSTEM OR PIPE LINE—

G 3957

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, Sprinkler 5280 ft.; size at intake 8 in.; in size at ft. from intake in.; size at place of use 6 in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, 1200 gal per M sec. ft.

10. If pumps are to be used, give size and type Turbine 6' column 10" bowls 425 Centrifugal Give horsepower and type of motor or engine to be used HO HP electric 30 HP Electric.

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

12. Location of area to be irrigated, or place of use 3 miles East of Merrill ^{on} Older Hollow Road

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
40 S	11 E	29	6	227 240
40 S	11 E	20	1	39
				<u>266</u>
40 S	11 E	20	SW 1/4 SE 1/4	39A
40 S	11 E	29	NW 1/4 NE 1/4	35A
40 S	11 E	29	SW 1/4 NE 1/4	39A
40 S	11 E	29	SE 1/4 NW 1/4	21A
40 S	11 E	29	NW 1/4 SE 1/4	39A
40 S	11 E	29	NE 1/4 SW 1/4	27A
40 S	11 E	29	SW 1/4 SE 1/4	39A
40 S	11 E	29	SE 1/4 SW 1/4	27A
				<u>266</u>

(If more space required, attach separate sheet)

Character of soil Sandy Mineral Kind of crops raised Alfalfa, Potatoes, Grain

MUNICIPAL SUPPLY—

13. To supply the city of
in county, having a present population of
and an estimated population of in 19.....

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

- 14. Estimated cost of proposed works, \$... 15000⁰⁰.....
- 15. Construction work will begin on or before March 1968.....
- 16. Construction work will be completed on or before May 1968.....
- 17. The water will be completely applied to the proposed use on or before June 1968.....

18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant. 110 Acres have a water right under Khamath Basin Improvement District

[Handwritten Signature]
(Signature of applicant)

Remarks:

This will all be irrigated by sprinkler. The sprinkler lines will take off of main pipe line shown on diagram.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for Correction

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before April 1st, 1968.

WITNESS my hand this 30th day of January, 1968.

RECEIVED
FEB 19 1968
STATE ENGINEER
SALEM, OREGON

CHRIS L. WHEELER STATE ENGINEER
By *[Handwritten Signature]* ASSISTANT

STATE OF OREGON, }
County of Marion, } ss.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed2.67..... cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from ... a well

The use to which this water is to be applied isirrigation and supplemental irrigation.....

If for irrigation, this appropriation shall be limited to1/80th..... of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed ...3... acre feet per acre for each acre irrigated during the irrigation season of each year; ...provided further that the right allowed herein shall be limited to any deficiency in the available supply of any prior right existing for the same land and shall not exceed the limitation allowed herein.....

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit isJanuary 19, 1968.....

Actual construction work shall begin on or beforeOctober 23, 1969..... and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1970.....

Complete application of the water to the proposed use shall be made on or before October 1, 1971.....

WITNESS my hand this 23rd day ofOctober....., 1968.....

Extended to Oct. 1 1972
Extended to Oct. 1 1973

Chris L. Wheeler
STATE ENGINEER

20

Application No. G-4192
Permit No. G-3957

PERMIT

TO APPROPRIATE THE GROUND
WATERS OF THE STATE
OF OREGON

This instrument was first received in the
office of the State Engineer at Salem, Oregon,
on the 19th day of January
1968, at 1:00 o'clock P. M.

Returned to applicant:

Approved:

October 23, 1968

Recorded in book No. of

Ground Water Permits on page G 3957

CHEIS. L. WHEELER
STATE ENGINEER

Drainage Basin No. 14 page 37

#3880