

RECEIVED
MAY 8 1967
STATE ENGINEER

CERTIFICATE NO. 41357

Permit No. G- G 3959

APPLICATION FOR A PERMIT

To Appropriate the Ground Waters of the State of Oregon

I, Union High School District No. U2-20 Jt. (Name of applicant)

of 1220 North Main Ave., Gresham, county of Multnomah (Postoffice Address)

state of Oregon, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated Small tributary to Beaver Creek (Name of stream)

tributary of Sandy River

2. The amount of water which the applicant intends to apply to beneficial use is cubic feet per second or 300 gallons per minute.

3. The use to which the water is to be applied is irrigation and use in refrigeration condensor. 250 gpm for condenser & 105 gpm for irrigation (see permits)

4. The well or other source is located 570 ft. N and 580 ft. W from the E 1/4 (N. or S.) (E. or W.)

corner of Lusted & Harris Roads and in reference to Tax Lots 78 & 79. Section 18 (Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one well, each must be described. Use separate sheet if necessary)

being within the SE 1/4 - NE 1/4 of Sec. 18, Twp. T1. S., R. 4E

W. M., in the county of Multnomah

5. The None (Canal or pipe line) to be miles

in length, terminating in the of Sec. Twp. R.

(Smallest legal subdivision)

R., W. M.; the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is None

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

Not Artesian

8. The development will consist of one well having a (Give number of wells, tunnels, etc.)

diameter of 12 inches and an estimated depth of 530 feet. It is estimated that 530

feet of the well will require steel casing. Depth to water table is estimated 200 (Kind) (Feet)

G 3959

CANAL SYSTEM OR PIPE LINE—

DOES NOT APPLY

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake in.; in size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

10. If pumps are to be used, give size and type

Give horsepower and type of motor or engine to be used

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

12. Location of area to be irrigated, or place of use SAM BARLOW HIGH SCHOOL

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
T.I.S.	4E	18	SE 1/4 33 NE 1/4	18 Ac. <i>Anderson</i>

(If more space required, attach separate sheet)

Character of soil 16" Topsoil with clay beneath

Kind of crops raised Lawn and athletic field grass

MUNICIPAL SUPPLY—

13. To supply the city of Not Applicable

in _____ county, having a present population of _____

and an estimated population of _____ in 19.....

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

14. Estimated cost of proposed works, Well pump 16,000.00

15. Construction work will begin on or before well drilled

16. Construction work will be completed on or before 10-7-69

17. The water will be completely applied to the proposed use on or before 1-1-70

18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant. None.

Harry A. Thompson
(Signature of applicant)

Remarks: Well capacity will not permit both uses at same time except that water from condenser will go to holding tank for repump for irrigation when irrigation required. At times well capacity will be only for irrigation.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for _____

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before _____, 19.....

WITNESS my hand this _____ day of _____, 19.....

STATE ENGINEER

By _____ ASSISTANT

STATE OF OREGON, }
County of Marion, } ss.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed0.56..... cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, froma well.....

The use to which this water is to be applied isrefrigeration condensor and irrigation..... being 0.56 cfs for refrigeration condensor and 0.23 cfs for irrigation.....

If for irrigation, this appropriation shall be limited to1/80th..... of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2..... acre feet per acre for each acre irrigated during the irrigation season of each year;

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit isJanuary 22, 1968.....

Actual construction work shall begin on or beforeOctober 23, 1969..... and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1970.....

Complete application of the water to the proposed use shall be made on or before October 1, 1971.

WITNESS my hand this23rd... day ofOctober....., 1968.

Chris L. Wheeler

STATE ENGINEER

PC

Application No. G-4194
Permit No. G-3959

PERMIT
TO APPROPRIATE THE GROUND
WATERS OF THE STATE
OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 23 day of January, 1968, at 10:15 o'clock A.M.

Returned to applicant:

Approved: October 23, 1968

Recorded in book No. of G 3959
Ground Water Permits on page

CHRIS L. WHEELER
STATE ENGINEER

Drainage Basin No. 3 page 30

430