

Permit No. G-3962

APPLICATION FOR A PERMIT

CERTIFICATE NO. 40806

To Appropriate the Ground Waters of the State of Oregon

I, Daneil R. and Virginia Murphy (Name of applicant)
of Rt. 2 Box 261, Salem (3235 Quinaby Rd. NE), county of Marion,
(Postoffice Address)
state of Oregon, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated Clear Lake (Name of stream)

tributary of Williamette R.

2. The amount of water which the applicant intends to apply to beneficial use is _____ cubic feet per second or 60 gallons per minute.

3. The use to which the water is to be applied is Irrigation

4. The well or other source is located 590.8 ft. N and 858.32 ft. W from the SE corner of SE 1/4 NE 1/4 of Sec. 24 T6S R3W WM (Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one well, each must be described. Use separate sheet if necessary)

being within the SE 1/4 NE 1/4 of Sec. 24, Twp. 68, R. 3W, W. M., in the county of Marion

5. The _____ to be _____ miles (Canal or pipe line)
in length, terminating in the _____ of Sec. _____, Twp. _____, R. _____, W. M., the proposed location being shown throughout on the accompanying map. (Smallest legal subdivision)

6. The name of the well or other works is _____

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

8. The development will consist of one well (Give number of wells, tunnels, etc.) having a diameter of 6 inches and an estimated depth of 120 feet. It is estimated that 120 feet of the well will require welded steel casing. Depth to water table is estimated 40 (Kind) (Feet)

CANAL SYSTEM OR PIPE LINE—

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake in.; in size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

10. If pumps are to be used, give size and type 5Hp Electric

Give horsepower and type of motor or engine to be used 5 Hp Electric

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

Over 1/4 mile to unnamed stream

12. Location of area to be irrigated, or place of use SE 1/4 NE 1/4 Sec 24 T6S R3W WM

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
6S	3W	24	SE 1/4 NE 1/4	5.64 Ac.

(If more space required, attach separate sheet)

Character of soil Willamette

Kind of crops raised row and garden

MUNICIPAL SUPPLY—

13. To supply the city of
in county, having a present population of
and an estimated population of in 19.....

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

- 14. Estimated cost of proposed works, \$...2,000.00.....
- 15. Construction work will begin on or before ...10-9-67.....
- 16. Construction work will be completed on or before ...10-17-67.....
- 17. The water will be completely applied to the proposed use on or before ...6-15-68.....
- 18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant. None

Remarks:
+ Daniel P. Murphy
(Signature of applicant)
+ Virginia C. Murphy

WELL LOG

Top Soil	0 ft	to	2 ft.
Yellow clay	2 ft	to	68 ft.
Brown sand	68 ft	to	80 ft.
Loose gravel	80 ft	to	95 ft.
Cemented gravel	95 ft	to	120 ft.

*Jim Bjers drilled in Oct 1967
(Williams He Well Drilling)*

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 19.....

WITNESS my hand this day of, 19.....

.....
STATE ENGINEER
By
ASSISTANT

STATE OF OREGON,

PERMIT

County of Marion,

} ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.07 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from a well

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2.2 acre feet per acre for each acre irrigated during the irrigation season of each year;

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is January 22, 1968

Actual construction work shall begin on or before October 23, 1969 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1970

Complete application of the water to the proposed use shall be made on or before October 1, 1971

WITNESS my hand this 23rd day of October, 1968

[Signature]

STATE ENGINEER

Application No. G-4197
Permit No. G-3962

PERMIT
TO APPROPRIATE THE GROUND
WATERS OF THE STATE
OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 22nd day of January, 1968, at 11:30 o'clock A. M.

Returned to applicant:

Approved: October 23, 1968

Recorded in book No. of G 3962
Ground Water Permits on page

CHRIS J. WHEELER
STATE ENGINEER

Drainage Basin No. 2, page 101

20