

RECEIVED
JUL 18 1968

STATE ENGINEER
SALV. M. BRON

CERTIFICATE NO. 41536

Permit No. G- G 3968.

APPLICATION FOR A PERMIT

To Appropriate the Ground Waters of the State of Oregon

I, CITY OF VENETA (Name of applicant)

of P. O. Box 458 (Postoffice Address), county of Lane

state of Oregon, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation
April 6, 1962, Veneta, Oregon

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated Fern Ridge Reservoir on the Long Tom River (Name of stream)

tributary of Willamette River

2. The amount of water which the applicant intends to apply to beneficial use is cubic feet per second or 330 gallons per minute, being 200 g.p.m. well No. 1 and 130 g.p.m. well No. 2.

3. The use to which the water is to be applied is municipal

4. The well or other source is located (No. 1) 852.7 ft. N. and 1544 ft. E. (No. 2) 1322.9 ft. N. and 1779.0 ft. E. ft. and ft. from the SW corner of NW 1/4, Section 31, Township 17 South, Range 5 West (Section or subdivision)

(If preferable, give distance and bearing to section corner)

being within the Well No. 1 SE 1/4 of NW 1/4 of Sec. 31, Twp. 17 South, R. 5 West W. M., in the county of Lane

5. The (Canal or pipe line) to be NONE miles in length, terminating in the of Sec. of Twp. R. W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is Veneta Wells No. 1 and No. 2

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

8. The development will consist of two wells (Give number of wells, tunnels, etc.) having a diameter of twelve inches and an estimated depth of 120 feet. It is estimated that 90 feet of the well will require SCHED. 40 Steel casing. Depth to water table is estimated 50 feet. 30 feet of 10-inch stainless steel Johnson well screen attached to each casing.

CANAL SYSTEM OR PIPE LINE—

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake in.; in size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

10. If pumps are to be used, give size and type Well No. 1 and No. 2: 7 1/2-inch Bowls vertical turbine 5-inch column

Give horsepower and type of motor or engine to be used Well No. 1 and Well No. 2 vertical hollowshaft, electric 15 hp.

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

.....

12. Location of area to be irrigated, or place of use

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
17 S.	5 W.	31	NE 1/4	Municipal
			W 1/2	"
			W 1/2 SE 1/4	"
			W 1/2 NW 1/4	"
17 S.	6 W.	36	E 1/2	"
			E 1/2 NW 1/4	"
			SW 1/4 NW 1/4	"
			SW 1/4	"
18 S	5W	6	NW 1/4	"
18 S	6 W.	1	N 1/2	"

(If more space required, attach separate sheet)

Character of soil G 3968

Kind of crops raised

RECEIVED
 JUN 12 1900

MUNICIPAL SUPPLY—

13. To supply the city of VENETA

in LANE county, having a present population of 1250

and an estimated population of July in 1968

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

14. Estimated cost of proposed works, \$.....

15. Construction work will begin on or before Has been completed.

16. Construction work will be completed on or before Has been completed.

17. The water will be completely applied to the proposed use on or before Is now being used.

18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant. None other

City of Veneta

By [Signature]
Mayor (Signature of applicant)

Remarks:

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for Completion

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before September 25th, 1968

WITNESS my hand this 25th day of July, 1968.

RECEIVED
AUG 14 1968
STATE ENGINEER
SALEM, OREGON

CHRIS L. WHEELER
STATE ENGINEER
By [Signature]
ASSISTANT

STATE OF OREGON, }
County of Marion, } ss.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.74 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from two wells being 0.45 cfs from well No. 1 and 0.29 cfs from well No. 2

The use to which this water is to be applied is municipal

If for irrigation, this appropriation shall be limited to _____ of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed _____ acre feet per acre for each acre irrigated during the irrigation season of each year;

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is July 18, 1968

Actual construction work shall begin on or before October 23, 1969 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1970

Complete application of the water to the proposed use shall be made on or before October 1, 1971

WITNESS my hand this 23rd day of October, 1968

Chris J. Wheeler
STATE ENGINEER

pd

Application No. G-A204
Permit No. G-G 3968

PERMIT
TO APPROPRIATE THE GROUND
WATERS OF THE STATE
OF OREGON

This instrument was first received in the
office of the State Engineer at Salem, Oregon,
on the 18th day of Sept
1968, at 8:00 o'clock A. M.

Returned to applicant:

Approved: October 23, 1968

Recorded in book No. _____ of G 3968
Ground Water Permits on page _____

CHRIS J. WHEELER
STATE ENGINEER

Drainage Basin No. 2 page 101

10/25/68