

RECEIVED  
JAN 30 1938  
STATE ENGINEER  
SALEM, OREGON

CERTIFICATE NO. 43669

Permit No. G- G 3970

APPLICATION FOR A PERMIT

To Appropriate the Ground Waters of the State of Oregon

I, George V. and E. Irene Grenz  
(Name of applicant)

of Rt. 2, Box 260, Albany, county of Linn  
(Postoffice Address)

state of Oregon, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated Santiam River  
(Name of stream)

tributary of Willamette River

2. The amount of water which the applicant intends to apply to beneficial use is \_\_\_\_\_ cubic feet per second or 300 gallons per minute.

3. The use to which the water is to be applied is Irrigation

4. The well or other source is located 396 ft. S and 2376 ft. E from the NW corner of S. 14, T. 10 S., R. 3 W.  
(Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one well, each must be described. Use separate sheet if necessary)

being within the NE<sup>1</sup>/<sub>4</sub> of NW<sup>1</sup>/<sub>4</sub> of Sec. 14, Twp. 10 S., R. 3 W. W. M., in the county of Linn

5. The main pipe line to be 1600 feet in length, terminating in the NW<sup>1</sup>/<sub>4</sub> of NW<sup>1</sup>/<sub>4</sub> of Sec. 14, Twp. 10 S. R. 3 W., W. M., the proposed location being shown throughout on the accompanying map.  
(Canal or pipe line)  
(Smallest legal subdivision)

6. The name of the well or other works is Grenz No. 3

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

8. The development will consist of one pump well having a diameter of 10 inches and an estimated depth of 23 feet. It is estimated that 23 feet of the well will require steel casing. Depth to water table is estimated 8  
(Give number of wells, tunnels, etc.)  
(Kind) (Feet)

U 3030

CANAL SYSTEM OR PIPE LINE—

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(b) At ..... miles from headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(c) Length of pipe, ..... 1600 ..... ft.; size at intake ..... 5 ..... in.; in size at ..... 700 ..... ft. from intake ..... 4 ..... in.; size at place of use ..... 3 ..... in.; difference in elevation between intake and place of use, ..... 50 ..... ft. Is grade uniform? Yes ..... Estimated capacity, ..... 1.0 ..... sec. ft.

10. If pumps are to be used, give size and type 2 inch centrifugal

Give horsepower and type of motor or engine to be used 15 H.P. electric

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development  
Well is approximately 1056 feet from the channel of the Santiam River. The stream bed is approximately 10 feet lower than the ground surface at the well.

12. Location of area to be irrigated, or place of use Sections 11, 14 & 15, T. 10 S., R. 3 W.

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
10 S	3 W	11	SE $\frac{1}{4}$ of SW $\frac{1}{4}$	0.4
10 S	3 W	14	NW $\frac{1}{4}$ of NW $\frac{1}{4}$	0.3
10 S	3 W	14	NE $\frac{1}{4}$ of NW $\frac{1}{4}$	17.0
10 S	3 W	14	NW $\frac{1}{4}$ of NW $\frac{1}{4}$	14.0
10 S	3 W	15	NE $\frac{1}{4}$ of NE $\frac{1}{4}$	1.0
Total				32.7

(If more space required, attach separate sheet)

Character of soil Chehalis silt loam and Holcomb silt loam

Kind of crops raised Vegetables, berries, forage and peppermint

MUNICIPAL SUPPLY—

13. To supply the city of .....  
in ..... county, having a present population of .....  
and an estimated population of ..... in 19.....

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

- 14. Estimated cost of proposed works, \$ 4000.00.....
- 15. Construction work will begin on or before Nov. 5, 1966.....
- 16. Construction work will be completed on or before Nov. 7, 1966.....
- 17. The water will be completely applied to the proposed use on or before October 1, 1970.....
- 18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant. ....

Remarks: .....

*George V & E Irene Grenz*  
(Signature of applicant)  
 By *George V Grenz*

STATE OF OREGON, }  
 County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for .....

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before ....., 19.....

WITNESS my hand this ..... day of ....., 19.....

STATE ENGINEER

By ..... ASSISTANT

STATE OF OREGON, }  
County of Marion, } ss.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.41 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from a well

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year;

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is January 30, 1968

Actual construction work shall begin on or before October 23, 1969 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1970

Complete application of the water to the proposed use shall be made on or before October 1, 1971

WITNESS my hand this 23rd day of October, 1968

*Chris L. Wheeler*

STATE ENGINEER

22

Application No. G- 4206  
Permit No. G- G 3970

PERMIT

TO APPROPRIATE THE GROUND  
WATERS OF THE STATE  
OF OREGON

This instrument was first received in the  
office of the State Engineer at Salem, Oregon,  
on the 30th day of January,  
1968, at 8:00 o'clock A. M.

Returned to applicant:

Approved:

October 23, 1968

Recorded in book No. \_\_\_\_\_ of  
Ground Water Permits on page G 3970

CHRIS L. WHEELER  
STATE ENGINEER

Drainage Basin No. 2 page 101

\$20 15