

CANAL SYSTEM OR PIPE LINE—

G 3979

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake in.; in size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

10. If pumps are to be used, give size and type 2 horsepower submersable in 6 inch cased well

Give horsepower and type of motor or engine to be used 2 hp. submersable electric motor

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

12. Location of area to be irrigated, or place of use 546 63rd Ave. N. E. Salem, Oregon

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated

Description of property to be irrigated—Situate in the County of Marion, State of Oregon, beginning at a point 6 chains East of where the South line of the Donation

Land Claim of William K. Beale crosses the section line between Sections 27 and 28 in T. 7. S.R. 2W, W.M.; in Marion County, Oregon, Oregon, and running thence West along said South line 10 chains; thence South 10 chains; thence East 10 chains; thence North 10 chains to the place of beginning, containing 10 acres of land.

T. 7 S.	R. 2 W.	27	S.W. 1/4 of N.W. 1/4	6 Ac.
T. 7 S.	R. 2 W.	28	S.E. 1/4 of N.E. 1/4	4 Ac.

10

(If more space required, attach separate sheet)

Character of soil Sandy Loam

Kind of crops raised small grain, pasture and legume crops

MUNICIPAL SUPPLY—

13. To supply the city of
 in county, having a present population of
 and an estimated population of in 19.....

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

14. Estimated cost of proposed works, \$..1042.00.....
 15. Construction work will begin on or before Dec. 12, 1967 started
 16. Construction work will be completed on or before Dec. 31, 1967 Oct 1, 1969
 17. The water will be completely applied to the proposed use on or before Feb. 1, 1968 Oct 1, 1970
 18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant. None

Francis W. Rehfeld
 (Signature of applicant)

Remarks:

STATE OF OREGON, }
 County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 19.....

WITNESS my hand this day of, 19.....

STATE ENGINEER

By

ASSISTANT

STATE OF OREGON,
County of Marion, } ss.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed0.08..... cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from ..a well.....

The use to which this water is to be applied isirrigation.....

If for irrigation, this appropriation shall be limited to1/80th..... of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed2 1/2..... acre feet per acre for each acre irrigated during the irrigation season of each year;

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit isFebruary 5, 1968.....

Actual construction work shall begin on or beforeOctober 23, 1969..... and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1970.....

Complete application of the water to the proposed use shall be made on or before October 1, 1971.....

WITNESS my hand this23rd..... day ofOctober....., 1968.

Chris L. Wheeler

STATE ENGINEER

Application No. G-4215

Permit No. G-3979

PERMIT

TO APPROPRIATE THE GROUND
WATERS OF THE STATE
OF OREGON

This instrument was first received in the
office of the State Engineer at Salem, Oregon,
on the 5th day of February,
1968, at 3:50 o'clock P. M.

Returned to applicant:

Approved:

October 23, 1968

Recorded in book No. of

Ground Water Permits on page G 3979

CHRIS L. WHEELER

STATE ENGINEER

Drainage Basin No. 2 page 101

\$20.00