

RECEIVED
FEB 15 1968

CERTIFICATE NO. 41128

STATE ENGINEER
SALEM OREGON

Permit No. G- G 3995

APPLICATION FOR A PERMIT

To Appropriate the Ground Waters of the State of Oregon

I, Harry G. and Pearl R. Frasier

(Name of applicant)

of Route 3, Weiser, Idaho

(Postoffice Address)

county of Malheur

state of Oregon, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated Snake River

(Name of stream)

tributary of

2. The amount of water which the applicant intends to apply to beneficial use is 1.00 cubic feet per second or gallons per minute.

3. The use to which the water is to be applied is Supplemental Irrigation

4. The well or other source is located 1330 ft. N and 1300 ft. E from the SW Cor corner of SE 1/4

(N. or S.)

(E. or W.)

(Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one well, each must be described. Use separate sheet if necessary)

being within the NE 1/4 of Sec. 30, Twp. 15 S, R. 47 E, W. M., in the county of Malheur

5. The Ditch to be 1,260 feet miles in length, terminating in the NE 1/4 of Sec. 30, Twp. 15 S, R. 47 E, W. M., the proposed location being shown throughout on the accompanying map.

(Canal or pipe line)

(Smallest legal subdivision)

6. The name of the well or other works is Well No. 1

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

8. The development will consist of one having a diameter of 16 inches and an estimated depth of 39 feet. It is estimated that 30 feet of the well will require 1/4 inch casing, gravel packed casing. Depth to water table is estimated 11 feet.

(Give number of wells, tunnels, etc.)

(Kind)

(Feet)

CANAL SYSTEM OR PIPE LINE—

G 3995

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) 4.0 feet; width on bottom 2.0 feet; depth of water 2.0 feet; grade 1.0 feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake, in.; in size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

10. If pumps are to be used, give size and type 7½ H.P. Electric Hollowshaft Pump and Motor

Give horsepower and type of motor or engine to be used

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

12. Location of area to be irrigated, or place of use Annex area near Weiser on the Oregon side

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
15S	47 E	30	NE¼SE¼	28.2
15S	47 E	30	SE¼SE¼	37.9
15S	47 E	30	SW¼SE¼	7.2
				73.3

(If more space required, attach separate sheet)

Character of soil Clay loam

Kind of crops raised Pasture

STATE OF OREGON,

PERMIT

County of Marion,

} ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.92 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from a well

The use to which this water is to be applied is supplemental irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 3 acre feet per acre for each acre irrigated during the irrigation season of each year; provided further that the right allowed herein shall be limited to any deficiency in the available supply of any prior right existing for the same land and shall not exceed the limitation allowed herein

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is February 15, 1968

Actual construction work shall begin on or before October 23, 1969 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1970

Complete application of the water to the proposed use shall be made on or before October 1, 1971

WITNESS my hand this 23rd day of October, 1968

Chris L. Wheeler

STATE ENGINEER

Application No. G-4232

Permit No. G-3995

PERMIT

TO APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 15th day of February, 1968, at 8:00 o'clock A.M.

Returned to applicant:

Approved:

October 23, 1968

Recorded in book No. of G 3995 Ground Water Permits on page

CHRIS L. WHEELER STATE ENGINEER

Drainage Basin No. 10 page 41

State Printing

426 62 361-1-157

PL