

RECEIVED
FEB 19 1968

STATE ENGINEER
SALEM OREGON

CERTIFICATE NO. 42026

Permit No. G- G 3997

APPLICATION FOR A PERMIT

To Appropriate the Ground Waters of the State of Oregon

I, STEVE GACEY, (Name of applicant)

of Harper, Oregon, county of Malheur, (Postoffice Address)

state of Oregon, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated Cottonwood Creek (Name of stream)

tributary of Malheur River

2. The amount of water which the applicant intends to apply to beneficial use is cubic feet per second or 1,600 gallons per minute. Sump #1 - 800 GPM; Sump #2 - 800 GPM

3. The use to which the water is to be applied is Suppl. Irrigation

4. The well or other source is located #1 21 N 676 W 797 ft. N and 415 ft. W from the SE corner of Section 4, Twp. 20 S., Range 42, E.W.M. (N. or S.) (E. or W.) (Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one well, each must be described. Use separate sheet if necessary)

being within the (both) SW SE 1/4 SE 1/4 of Sec. 4, Twp. 20 S. R. 42 E., W. M., in the county of Malheur

5. The canal to be 3,000 ft. in length, terminating in the SW 1/4 NE 1/4 of Sec. 4, Twp. 20 S., R. 42 E., W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is Gacey Sump #1 Gacey Sump #2

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

8. The development will consist of 2 open sumps having a diameter of #1 10' x 20' inches and an estimated depth of #2 - 12 feet. It is estimated that both sumps feet of the well will require rock rip rap casing. Depth to water table is estimated #1 - 12' #2 - 9'

CANAL SYSTEM OR PIPE LINE—

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake, in.; in size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

10. If pumps are to be used, give size and type #1-Parma Water Lift #4, 10" discharge. #2 - Parma Water Lift #6, 12" discharge.

Give horsepower and type of motor or engine to be used #1 - 7½ HP Electric #2 - John Deere gas tractor.

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

- #1. 90 feet west of Cottonwood Creek. Natural ground at sump 8' above stream bed. Static water level 4' below stream bed.
- #2. 20 feet west of Cottonwood Creek. Natural ground 5 feet above stream bed. Static water level 3 feet below stream bed.

12. Location of area to be irrigated, or place of use

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
20S	42 E	4	SESE	33
			SWSE	10
			NESE	38
			NWSE	10
			SENE	36
			SWNE	9
				136

(If more space required, attach separate sheet)

Character of soil Silt Loam

Kind of crops raised Hay, Grain, Corn.

MUNICIPAL SUPPLY—

13. To supply the city of
in county, having a present population of
and an estimated population of in 19.....

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

- 14. Estimated cost of proposed works, \$..... 3,000.00.....
- 15. Construction work will begin on or before started.
- 16. Construction work will be completed on or before June 1969.
- 17. The water will be completely applied to the proposed use on or before June 1969.

18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant. Appl 45297 was

Steve R Gacey
.....
(Signature of applicant)

Remarks: Note Sump #1 and #2 are connected by a flat ditch so
that water from either sump may be used any where on the farm.

I, W E Pillepi hereby certify that Steve Gacey authorized me to make the necessary changes to validate his water rights application.
W E Pillepi

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 19.....

WITNESS my hand this day of, 19.....

.....
STATE ENGINEER
By
ASSISTANT

STATE OF OREGON,

PERMIT

County of Marion,

ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 1.72 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from two sump wells being 0.86 cfs from each sump

The use to which this water is to be applied is supplemental irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 3 acre feet per acre for each acre irrigated during the irrigation season of each year; provided further that the right allowed herein shall be limited to any deficiency in the available supply of any prior right existing for the same land and shall not exceed the limitation allowed herein and shall be further limited to appropriation of water only to the extent that it does not impair or substantially interfere with existing surface water rights of others

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is February 19, 1968

Actual construction work shall begin on or before October 23, 1969 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1970

Complete application of the water to the proposed use shall be made on or before October 1, 1971

WITNESS my hand this 23rd day of October, 1968

Chris L. Wheeler

STATE ENGINEER

Application No. G-4035

Permit No. G-3997

PERMIT

TO APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 19th day of February, 1968, at 8:00 o'clock A.M.

Returned to applicant:

Approved:

October 23, 1968

Recorded in book No. of G 3997 Ground Water Permits on page

CHRIS L. WHEELER STATE ENGINEER

Drainage Basin No. 10 page 411

State Printing

Handwritten numbers and marks at the bottom right corner.