

Permit No. G-G 4015
 APPLICATION FOR A PERMIT

To Appropriate the Ground Waters of the State of Oregon

I, Paul Townsend (Name of applicant)
 of Route 1 Gervais (Postoffice Address), county of Marion,
 state of Oregon, do hereby make application for a permit to appropriate the
 following described ground waters of the state of Oregon, **SUBJECT TO EXISTING RIGHTS:**

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is
 situated Willamette River (Name of stream)
 tributary of

2. The amount of water which the applicant intends to apply to beneficial use is _____ cubic
 feet per second or 500 gallons per minute.

3. The use to which the water is to be applied is irrigation

4. The well or other source is located 1565 ft. west and 1145.0 ft. South from the NW
~~XX X X X X X~~ ~~XXXXXXXXXX~~
 corner of Alanson Beara DLC# 38 (Section or subdivision)

Said well also located as being S53° 56' W of said Beara DLC #38
 (If preferable, give distance and bearing to section corner)

(If there is more than one well, each must be described. Use separate sheet if necessary)

being within the SE 1/4 SE 1/4 of Sec. 3, Twp. 6S, R. 3W,
 W. M., in the county of Marion

5. The _____ to be _____ miles
 (Canal or pipe line)
 in length, terminating in the _____ of Sec. _____, Twp. _____,
 (Smallest legal subdivision)
 R. _____, W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is _____

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the
 supply when not in use must be described.

8. The development will consist of one well having a
 (Give number of wells, tunnels, etc.)
 diameter of 10 inches and an estimated depth of 60 feet. It is estimated that 59
 feet of the well will require welded steel casing. Depth to water table is estimated 20
 (Kind) (Feet)

CANAL SYSTEM OR PIPE LINE—

G 4015

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake in.; in size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

10. If pumps are to be used, give size and type 30hp Electric (Western)
10 RKHO 5 stage bowls with 50 feet of 5" column
 Give horsepower and type of motor or engine to be used 30 hp electric (western)

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

12. Location of area to be irrigated, or place of use Secs 2, 3, 10 T6S R3W WM

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
6S	3W	2	NW $\frac{1}{4}$ SW $\frac{1}{4}$	1.15
"	"	"	SW $\frac{1}{4}$ SW $\frac{1}{4}$	0.03
"	"	3	NE $\frac{1}{4}$ SE $\frac{1}{4}$	17.60
"	"	"	NW $\frac{1}{4}$ SE $\frac{1}{4}$	0.57
"	"	"	SW $\frac{1}{4}$ SE $\frac{1}{4}$	24.42
"	"	"	SE $\frac{1}{4}$ SE $\frac{1}{4}$	16.42
"	"	10	NW $\frac{1}{4}$ NE $\frac{1}{4}$	0.57
Total				60.76

(If more space required, attach separate sheet)

Character of soil

Kind of crops raised diversified

MUNICIPAL SUPPLY—

13. To supply the city of
in county, having a present population of
and an estimated population of in 19.....

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

- 14. Estimated cost of proposed works, \$ 5,305.00
- 15. Construction work will begin on or before 4-10-67
- 16. Construction work will be completed on or before 3-1-68
- 17. The water will be completely applied to the proposed use on or before 5-1-68

18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant. Paul Townsend

Paul Townsend
(Signature of applicant)

Remarks: Well Log

Top Soil	0 to 2
Brown Sandy Silt	2 to 30
Brown Sand & Gravel	30 to 60

Hank Byers drilled in Spring of '67

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 19.....

WITNESS my hand this day of, 19.....

STATE ENGINEER
By ASSISTANT

STATE OF OREGON, }
County of Marion, } ss.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.76 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from a well

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year;

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is March 5, 1968

Actual construction work shall begin on or before October 23, 1969 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1970

Complete application of the water to the proposed use shall be made on or before October 1, 1971

WITNESS my hand this 23rd day of October, 1968

Chris L. Wheeler
STATE ENGINEER

Application No. G-4263
Permit No. G-G 4015

PERMIT
TO APPROPRIATE THE GROUND
WATERS OF THE STATE
OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 5th day of March, 1968, at 11:58 o'clock A. M.

Returned to applicant:
Approved: October 23, 1968

Recorded in book No. of
Ground Water Permits on page G 4015
CHRIS L. WHEELER
STATE ENGINEER
Drainage Basin No. 2 page 102

2465