

RECEIVED
MAY 12 1968

CERTIFICATE NO. 37514

STATE ENGINEER
SALEM OREGON

Permit No. G-...G...4026

APPLICATION FOR A PERMIT

To Appropriate the Ground Waters of the State of Oregon

I, DOR-FILE MANUFACTURING COMPANY
(Name of applicant)
of 1131 SE UMATILLA STREET, Portland, county of MULTNOMAH,
(Postoffice Address)

state of OREGON, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

MAY 10 1948 OREGON

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated UN-NAMED CREEK
(Name of stream)

tributary of WILLAMETTE RIVER

2. The amount of water which the applicant intends to apply to beneficial use is _____ cubic feet per second or ~~250~~ 250 gallons per minute.

3. The use to which the water is to be applied is COOKING AND WASHING PARTS IN CONNECTION WITH ALUMINUM ANODIZING

4. The well or other source is located _____ ft. _____ and _____ ft. _____ from the corner of _____
(N. or S.) S 30° 20' W 1535 feet from (E. or W.)
NE CORNER SECTION 13 T2S R1E
(Section or subdivision)
(If preferable, give distance and bearing to section corner)

(If there is more than one well, each must be described. Use separate sheet if necessary)
being within the SE 1/4 NE 1/4 of Sec. 13, Twp. 2S, R. 1E,
W. M., in the county of CLACKAMAS

5. The _____ to be _____ miles
(Canal or pipe line)
in length, terminating in the _____ of Sec. _____, Twp. _____,
(Smallest legal subdivision)
R. _____, W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is _____

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

8. The development will consist of ONE WELL having a
(Give number of wells, tunnels, etc.)
diameter of 8 inches and an estimated depth of 275 feet. It is estimated that 104
feet of the well will require WELDED STEEL casing. Depth to water table is estimated 270
(Kind) (Feet)

(1050)

CANAL SYSTEM OR PIPE LINE—

G 4026

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake in.; in size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

10. If pumps are to be used, give size and type

Give horsepower and type of motor or engine to be used 40 HP. ELECTRIC

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

12. Location of area to be irrigated, or place of use

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
T2S	R1E	13	52 1/4 NE 1/4	None

(If more space required, attach separate sheet)

Character of soil 1-1-30

Kind of crops raised

STATE OF OREGON,
County of Marion, } 88.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.56 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from a well

The use to which this water is to be applied is cooling and washing parts in connection with aluminum parts

If for irrigation, this appropriation shall be limited to _____ of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed _____ acre feet per acre for each acre irrigated during the irrigation season of each year;

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is March 12, 1968

Actual construction work shall begin on or before October 23, 1969 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1970

Complete application of the water to the proposed use shall be made on or before October 1, 1971

WITNESS my hand this 23rd day of October, 1968

Chris L. Wheeler
STATE ENGINEER

PC

Application No. G- 4275
Permit No. G- G 4026

PERMIT

TO APPROPRIATE THE GROUND
WATERS OF THE STATE
OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 12th day of March 1968, at 8:00 o'clock A. M.

Returned to applicant:

Approved:

October 23, 1968

Recorded in book No. _____ of _____

Ground Water Permits on page G 4026

CHRIS L. WHEELER
STATE ENGINEER

Drainage Basin No. 2 page 102

42 5.00