

RECEIVED
FEB 26 1968

STATE ENGINEER
SALEM, OREGON

CERTIFICATE NO. 32282
RECEIVED
MAR 14 1968
STATE ENGINEER
SALEM, OREGON

Permit No. G- **G 4027**

APPLICATION FOR A PERMIT

To appropriate the Ground Waters of the State of Oregon

I, C & B Livestock, Inc.
(Name of applicant)

of P. O. Box 1065 Hermiston, county of Umatilla
(Postoffice Address)

state of Oregon, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation:
Hermiston, Oregon September 1, 1961

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated Umatilla River
(Name of stream)

tributary of Columbia River

2. The amount of water which the applicant intends to apply to beneficial use is 1700 cubic feet per second or 1700 gallons per minute.

3. The use to which the water is to be applied is irrigation

4. The well or other source is located 172 ft. S and 47 ft. E from the N.W. corner of the S.E. 1/4
(N. or S.) (E. or W.)
(Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one well, each must be described. Use separate sheet if necessary)

being within the NW 1/4 of the SE 1/4 of Sec. 22, Twp. 4 N, R. 28 E, W. M., in the county of Umatilla

5. The Pipeline to be 3710 feet in length, terminating in the N.W. 1/4 of the S.W. 1/4 of Sec. 22, Twp. 4 N, R. 28 E, W. M., the proposed location being shown throughout on the accompanying map.
(Canal or pipe line) (Smallest legal subdivision)

6. The name of the well or other works is C & B Well No. 3

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

Not artesian

8. The development will consist of 1 well having a diameter of 12 inches and an estimated depth of 307 feet. It is estimated that feet of the well will require 70' casing. Depth to water table is estimated 194
(Kind) (Feet)

CANAL SYSTEM OR PIPE LINE—

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, 3710 ft.; size at intake 8 in.; in size at 2110 ft. from intake 8 in.; size at place of use 8 in.; difference in elevation between intake and place of use, 0 ft. Is grade uniform? Yes. Estimated capacity, 1700 c.f.m.

10. If pumps are to be used, give size and type 8" column, 12 stage Peerless Deep Well Turbine Pump

Give horsepower and type of motor or engine to be used 150 H.P. Electric

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

12. Location of area to be irrigated, or place of use

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
4N	28 E.	22	N.W. 1/4 of S.E. 1/4	35 Acres
4N	28 E.	22	S.W. 1/4 of S.E. 1/4	15 Acres
4N	28 E.	22	N.E. 1/4 OF S.W. 1/4	40 Acres
4N	28 E.	22	N.W. 1/4 of S.W. 1/4	35 Acres
4N	28 E.	22	S.W. 1/4 of N.W. 1/4	10 Acres
4N	28 E.	22	S.E. 1/4 of N.W. 1/4	40 Acres
4N	28 E.	22	S.W. 1/4 of N.E. 1/4	40 Acres
				215 Acres

(If more space required, attach separate sheet)

Character of soil Sandy Loam
 Kind of crops raised Irrigated Pasture

MUNICIPAL SUPPLY—

13. To supply the city of
in county, having a present population of
and an estimated population of in 19.....

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

- 14. Estimated cost of proposed works, \$.....25,000.00.....
- 15. Construction work will begin on or before March 1, 1968.....
- 16. Construction work will be completed on or before March 1, 1971.....
- 17. The water will be completely applied to the proposed use on or before June 1, 1971.....

18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant.

Remarks:
(Signature of applicant)
Small D. Smith, President

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for Correction.....

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before ~~May 21st~~ ~~June 10th~~ ~~July 2nd~~ 1968.....
68
68

WITNESS my hand this ~~21st~~ ~~10th~~ ~~2nd~~ day of ~~March~~ ~~April~~ ~~May~~ 68.....
68

RECEIVED
MAY 7 1968
STATE ENGINEER
SALEAS OREGON

RECEIVED
APR 17 1968
STATE ENGINEER
SALEAS OREGON

RECEIVED
MAR 26 1968
STATE ENGINEER
SALEAS OREGON

CHRIS L. WHEELER
STATE ENGINEER
(Signature)
ASSISTANT

STATE OF OREGON, }
County of Marion, } ss.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 2.69 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from well No. 3

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 3 acre feet per acre for each acre irrigated during the irrigation season of each year;

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is March 14, 1968

Actual construction work shall begin on or before October 23, 1969 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1970

Complete application of the water to the proposed use shall be made on or before October 1, 1971

WITNESS my hand this 23rd day of October, 1968

Chris L. Wheeler

STATE ENGINEER

Application No. G- 4278
 Permit No. G- G 4027

PERMIT
 TO APPROPRIATE THE GROUND
 WATERS OF THE STATE
 OF OREGON

This instrument was first received in the
 office of the State Engineer at Salem, Oregon,
 on the 14th day of March,
 1968, at 1:00 o'clock P. M.

Returned to applicant:

Approved: October 23, 1968

Recorded in book No. G 4027 of
 Ground Water Permits on page

CHRIS L. WHEELER
 STATE ENGINEER

Drainage Basin No. 7 page 60

43625