

RECEIVED

SEP 11 1968

STATE ENGINEER
SALEM OREGON

CERTIFICATE NO. 40213

Permit No. G- G 4047

APPLICATION FOR A PERMIT

To Appropriate the Ground Waters of the State of Oregon

I, THE CITY OF ST. PAUL

(Name of applicant)

of St. Paul, Oregon 97137

(Postoffice Address)

county of Marion

state of Oregon

do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated Mission Creek

(Name of stream)

tributary of Willamette River

2. The amount of water which the applicant intends to apply to beneficial use is 0.66 cubic feet per second or 300 gallons per minute.

3. The use to which the water is to be applied is Municipal Water Supply

4. The well or other source is located

(N. or S.)

(E. or W.)

(Section or subdivision)

N. 39° 19' 21" W., a distance of 1707.2 feet from the S. E. Corner of St. Paul's

(If preferable, give distance and bearing to section corner)

Catholic Mission Donation Land Claim No. 75

(If there is more than one well, each must be described. Use separate sheet if necessary)

being within the NE 1/4 of SE 1/4 of Sec. 19, Twp. 4 S., R. 2 W.,

W. M., in the county of Marion

Well is immediately adjacent to proposed City distribution system.

5. The to be miles

(Canal or pipe line)

in length, terminating in the of Sec. , Twp. ,

(Smallest legal subdivision)

R. , W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is St. Paul Municipal Water System

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

Does Not Apply

8. The development will consist of one (1) well having a

(Give number of wells, tunnels, etc.)

diameter of 10 inches and an estimated depth of 135 feet. It is estimated that 115

feet of the well will require 10" steel casing. Depth to water table is estimated 115

(Kind)

(Feet)

(8" screen and tail pipe proposed)

CANAL SYSTEM OR PIPE LINE—

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. ~~At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.~~

DOES NOT APPLY

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake in.; in size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

10. If pumps are to be used, give size and type None

Give horsepower and type of motor or engine to be used

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

Well to be approximately 700 feet from Mission Creek. Ground surface approximately 35 feet above stream bed.

12. Location of area to be irrigated, or place of use

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
4 S.	2 W.	18	S.E. 1/4 of S.W. 1/4	
			S.W. 1/4 of S.E. 1/4	
4 S.	2 W.	19	N.W. 1/4 of N.E. 1/4	
			N.E. 1/4 of N.E. 1/4	
			S.E. 1/4 of N.E. 1/4	
			S.W. 1/4 of N.E. 1/4	
			N.E. 1/4 of N.W. 1/4	
			S.E. 1/4 of N.W. 1/4	
			N.E. 1/4 of S.W. 1/4	
			N.W. 1/4 of S.E. 1/4	
			N.E. 1/4 of S.E. 1/4	

(If more space required, attach separate sheet)

Character of soil

Kind of crops raised

MUNICIPAL SUPPLY—

13. To supply the city of ST. PAUL
in Marion county, having a present population of 260
and an estimated population of 400 in 1980

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

- 14. Estimated cost of proposed works, \$ 60,000
- 15. Construction work will begin on or before October 1, 1968
- 16. Construction work will be completed on or before April 1, 1969
- 17. The water will be completely applied to the proposed use on or before April 1, 1969

18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant. Population currently supplied by private wells owned by L. M. Ernst.

James L. Wheeler
(Signature of applicant)
Wheeler, City of St Paul, Ore.

Remarks:

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for Completion

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before November 26th, 1968

WITNESS my hand this 26th day of September, 1968

RECEIVED
OCT 7 1968
STATE ENGINEER SALEM OREGON
By *Chris L. Wheeler* STATE ENGINEER
James L. Wheeler ASSISTANT

STATE OF OREGON,
County of Marion, } ss.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.66 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from a well

The use to which this water is to be applied is municipal

If for irrigation, this appropriation shall be limited to _____ of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed _____ acre feet per acre for each acre irrigated during the irrigation season of each year;

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is September 11, 1968

Actual construction work shall begin on or before October 23, 1969 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1970

Complete application of the water to the proposed use shall be made on or before October 1, 1971

WITNESS my hand this 23rd day of October, 1968

Chris L. Wheeler
STATE ENGINEER

Application No. G- 4594
Permit No. G- G 4047

PERMIT

TO APPROPRIATE THE GROUND
WATERS OF THE STATE
OF OREGON

This instrument was first received in the
office of the State Engineer at Salem, Oregon,
on the 11 day of Sept,
1968, at 8 o'clock A M.

Returned to applicant:

Approved: October 23, 1968

Recorded in book No. _____ of
Ground Water Permits on page G 4047

CHRIS L. WHEELER
STATE ENGINEER

Drainage Basin No. 2 page 108

\$25.00