

RECEIVED
MAY 13 1968

STATE ENGINEER
SALEM OREGON

Permit No. G- G 4050.

APPLICATION FOR A PERMIT

CERTIFICATE NO. 44993

To appropriate the Ground Waters of the State of Oregon

I, Stanley Magill

(Name of applicant)

of Cecil

(Postoffice Address)

, county of Morrow

state of Oregon, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated Willow Creek

(Name of stream)

tributary of

2. The amount of water which the applicant intends to apply to beneficial use is cubic feet per second or 3,000 gallons per minute.

3. The use to which the water is to be applied is irrigation

4. The well or other source is located 500 ft. N and 500 ft. W from the SE corner of the Southeast 1/4 of the Northeast 1/4 of Section 17, Township Two North, Range 23, E. W. M.

(N. or S.)

(E. or W.)

(Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one well, each must be described. Use separate sheet if necessary)

being within the SE 1/4 of NE 1/4 of Sec. 17, Twp. 2N, R. 23E, W. M., in the county of Morrow

5. The pump to be (0) miles in length, terminating in the of Sec. , Twp. , R. , W. M., the proposed location being shown throughout on the accompanying map.

(Canal or pipe line)

(Smallest legal subdivision)

6. The name of the well or other works is Magill Well

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

Controlled by pump

8. The development will consist of One well having a diameter of 12 inches and an estimated depth of 500 feet. It is estimated that 18 feet of the well will require steel casing. Depth to water table is estimated 30

(Give number of wells, tunnels, etc.)

(Kind)

(Feet)

CANAL SYSTEM OR PIPE LINE—

G 4050

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) three (3) feet; width on bottom One (1) feet; depth of water three (3) feet; grade One (1) feet fall per one thousand feet.

(b) At two (2) miles from headgate: width on top (at water line) two (2) feet; width on bottom One (1) feet; depth of water 1 1/4 feet; grade one (1) feet fall per one thousand feet.

(c) Length of pipe, ten (10) ft.; size at intake twelve in.; in size at 0 ft. from intake twelve in.; size at place of use twelve in.; difference in elevation between intake and place of use, One (1) ft. Is grade uniform? Estimated capacity, 3,000 sec. ft.

10. If pumps are to be used, give size and type 40 hp electric

Give horsepower and type of motor or engine to be used 40 hp electric

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

Approximately 1,200 feet from Willow Creek. Difference in elevation would approximate 30 feet.

12. Location of area to be irrigated, or place of use

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
2N	23	7	NENE	20.5
2N	23	7	SENE	20.5
2N	23	7	NESE	16.5
2N	23	17	SESE	6.87
2N	23	8	NWSW	22.0
2N	23	8	SWSW	37.51
2N	23	8	SESW	31.5
2N	23	17	NENE	9.0
2N	23	17	NWNE	39.0
2N	23	17	SWNE	41 2/3
2N	23	17	SENE	35.95
2N	23	17	NENW	35.5
2N	23	17	NWNW	15.52
2N	23	17	SENW	14.0

(If more space required, attach separate sheet)

34602

Character of soil Sandy Loam

Kind of crops raised alfalfa, grass, grain

MUNICIPAL SUPPLY—

13. To supply the city of
in county, having a present population of
and an estimated population of in 19.....

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

- 14. Estimated cost of proposed works, \$ 9,000.00
- 15. Construction work will begin on or before April 4, 1968
- 16. Construction work will be completed on or before July 3, 1968
- 17. The water will be completely applied to the proposed use on or before July 3, 1968

18. If the ground water supply is supplemental to an existing water supply, identify any appli-
cation for permit, permit, certificate or adjudicated right to appropriate water, made or held by the
applicant. Certificate Numbers 16559, 16560, 16561

Stanley Magill
(Signature of applicant)

Remarks: This application is intended to duplicate the coverage
now existing under the irrigation rights evidenced by the above
certificates.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying
maps and data, and return the same for Correction and completion

In order to retain its priority, this application must be returned to the State Engineer, with correc-
tions on or before June 11th, 1968
July 2nd 68

WITNESS my hand this 11th day of April, 1968
2nd May 68

RECEIVED
MAY 29 1968
STATE ENGINEER
SALEM OREGON

RECEIVED
APR 18 1968
STATE ENGINEER
SALEM OREGON

CHRIS L. WHEELER
STATE ENGINEER
By /s/Larry W. Jebousek
ASSISTANT

STATE OF OREGON, }
County of Marion, } ss.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 4.32 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from a well

The use to which this water is to be applied is supplemental irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 3 acre feet per acre for each acre irrigated during the irrigation season of each year; provided further that the right allowed herein shall be limited to any deficiency in the available supply of any prior right existing for the same land and shall not exceed the limitation allowed herein

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is March 27, 1968

Actual construction work shall begin on or before December 24, 1969 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1970

Complete application of the water to the proposed use shall be made on or before October 1, 1971

WITNESS my hand this 24th day of December, 1968

Chris L. Wheeler

STATE ENGINEER

PL

Application No. G-4300
Permit No. G-4050

PERMIT

TO APPROPRIATE THE GROUND
WATERS OF THE STATE
OF OREGON

This instrument was first received in the
office of the State Engineer at Salem, Oregon,
on the 27 day of March
1968, at 8:00 o'clock A. M.

Returned to applicant:

Approved:

December 24, 1968

Recorded in book No. _____ of

Ground Water Permits on page G 4050

CHRIS L. WHEELER
STATE ENGINEER

Drainage Basin No. 7 page 60

4422

12-25