

RECEIVED
FEB 27 1968

CERTIFICATE NO. 42657

STATE ENGINEER
SALIM OREGON

Permit No. G-G 4054

APPLICATION FOR A PERMIT

To Appropriate the Ground Waters of the State of Oregon

I, Hankins Farms, Inc.
(Name of applicant)
of Route 1, Box 111, Bonanza, county of Klamath
(Postoffice Address)
state of Oregon, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

December 22, 1955 Klamath Falls, Oregon

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated Buck Creek
(Name of stream)

tributary of Lost River

2. The amount of water which the applicant intends to apply to beneficial use is _____ cubic feet per second or 3,000 gallons per minute.

3. The use to which the water is to be applied is agricultural irrigation.

4. The well or other source is located 1364.0 ft. North and 774.0 ft. West from the E¹ corner of Section 7
(N. or S.) (E. or W.) (Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one well, each must be described. Use separate sheet if necessary)

being within the NE ¹/₄ of NE ¹/₄ of Sec. 7, Twp. 39S, R. 11 E, W. M., in the county of Klamath County.

5. The pipeline and canal to be 1 ¹/₂ miles
(Canal or pipe line)
in length, terminating in the SW ¹/₄ of NW ¹/₄ of Sec. 7, Twp. 39, R. 11 E, W. M., the proposed location being shown throughout on the accompanying map.
(Smallest legal subdivision)

6. The name of the well or other works is Hankins Bonanza Well

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

8. The development will consist of 1 well having a
(Give number of wells, tunnels, etc.)
diameter of 18 inches and an estimated depth of 203 feet. It is estimated that 80 feet of the well will require steel casing. Depth to water table is estimated 57
(Kind) (Feet)

CANAL SYSTEM OR PIPE LINE—

G 4054

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) 3 ft. feet; width on bottom 1 1/2 feet; depth of water 1 1/2 feet; grade5 feet fall per one thousand feet.

(b) At no change miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, 2,782 ft.; size at intake, 8 in.; in size at 1400 ft. from intake in.; size at place of use 6 in.; difference in elevation between intake and place of use, varies ft. Is grade uniform? no Estimated capacity, 2.2 sec. ft.

10. If pumps are to be used, give size and type turbine pump with sprinkler booster pump.

Give horsepower and type of motor or engine to be used 75 h.p. electric motor on turbine pump; 50 h.p. electric motor on booster pump.

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

Lands with supplemental water are recorded State Record of Water Rights Certificates, Volume 5, page 4782 and Volume 3, page 2271.

12. Location of area to be irrigated, or place of use

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
-------------------	---------------------------------------	---------	------------------	------------------------------

Water rights to this well = 185.5 acres.

Or as the following descriptions:

- 10 acres in easterly portion of SE 1/4 of NW 1/4 of Sec. 7
- 8.0 acres in easterly portion of NE 1/4 of SW 1/4 of Sec. 7
- 40 acres in NW 1/4 of SE 1/4 of Sec. 7
- 13 acres in northerly portion of SW 1/4 of SE 1/4 of Sec. 7
- 20 acres in westerly portion of NE 1/4 of SE 1/4 of Sec. 7
- 40 acres in SE 1/4 of NE 1/4 of Sec. 7
- 40 acres in NE 1/4 of NE 1/4 of Sec. 7
- 14.5 acres in northeasterly portion of NW 1/4 of SW 1/4 of Sec. 8

280.5 acres supplement from well to former water rights described as follows:

- 30 acres in SE 1/4 of NW 1/4 of Sec. 7
 - 32 acres in NE 1/4 of SW 1/4 of Sec. 7
 - 39 acres in SE 1/4 of SW 1/4 of Sec. 7
 - 26 acres in southerly portion of SW 1/4 of SE 1/4 of Sec. 7
 - 35 acres in northerly portion of SE 1/4 of SE 1/4 of Sec. 7
 - 20 acres in easterly portion of NE 1/4 of SW 1/4 of Sec. 7
 - 35 acres in northeasterly portion of NE 1/4 of NW 1/4 of Sec. 18
 - 38 acres in southeasterly portion of SE 1/4 of NW 1/4 of Sec. 18
 - 25.5 acres in southwesterly portion of NW 1/4 of SW 1/4 of Sec. 8
- All in T 39 S., R. 11 E.,

(If more space required, attach separate sheet)

Character of soil Sandy Loam

Kind of crops raised Potatoes, hay, and grain.

MUNICIPAL SUPPLY—

13. To supply the city of
in county, having a present population of
and an estimated population of in 19.....

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

- 14. Estimated cost of proposed works, \$16,000.00.....
- 15. Construction work will begin on or before December 1, 1967.....
- 16. Construction work will be completed on or before December 1, 1969.....
- 17. The water will be completely applied to the proposed use on or before December 1, 1969.....
- 18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant. Volume 5, page 4782 and Volume 3, page 2274, State Record of Water Right Certificates.

[Handwritten Signature]
(Signature of applicant)

Remarks:
Hankins Farms Inc
By Lloyd L. Hankins - Pres

We will have an undetermined number of acres to be sprinkled using an 8 inch main line pipe, 2800 ft. long. There will be a 12" pipe 1740 ft. long which will carry excess water or all the water to the canal which will be supplemental water over and above use of the sprinkler.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for Correction

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before May 13th, 1968

~~August 7th 68~~
October 15th 68
WITNESS my hand this 12th day of March 68
~~1st 15th~~ June August 68

RECEIVED
OCT 15 1968
STATE ENGINEER
SALEM OREGON

RECEIVED
AUG 7 1968
STATE ENGINEER
SALEM OREGON

RECEIVED
MAY 13 1968
STATE ENGINEER
SALEM OREGON

CHRIS L. WHEELER
STATE ENGINEER
[Signature]
ASSISTANT

STATE OF OREGON, }
County of Marion, } ss.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 5.83 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from a well

The use to which this water is to be applied is irrigation and supplemental irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 3 acre feet per acre for each acre irrigated during the irrigation season of each year; provided further that the right allowed herein shall be limited to any deficiency in the available supply of any prior right existing for the same land and shall not exceed the limitation allowed herein

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is February 27, 1968

Actual construction work shall begin on or before January 8, 1970 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1970

Complete application of the water to the proposed use shall be made on or before October 1, 1971

WITNESS my hand this 8th day of January, 1969

Chris L. Wheeler
STATE ENGINEER

Application No. G- 4252
Permit No. G- G 405A

PERMIT
TO APPROPRIATE THE GROUND
WATERS OF THE STATE
OF OREGON

This instrument was first received in the
office of the State Engineer at Salem, Oregon,
on the 27th day of February,
1968, at 8:00 o'clock A. M.

Returned to applicant:

Approved: January 8, 1969

Recorded in book No. of
Ground Water Permits on page G 405A

CHRIS L. WHEELER
STATE ENGINEER

Drainage Basin No. 14 page 37

State Printing

4/48