

RECEIVED  
JUL 1 1956  
STATE ENGINEER  
OREGON

Permit No. G- 405

APPLICATION FOR A PERMIT

To Appropriate the Ground Waters of the State of Oregon

I, John L. Geyer  
(Name of applicant)  
of 214 Sunny Drive  
(Postoffice Address), county of Tillamook

state of Washington, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

No

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated Pine Creek (2 miles)  
(Name of stream)

tributary of Tillamook River

2. The amount of water which the applicant intends to apply to beneficial use is 1000 cubic feet per second or 400 G.P.W., Well #3, 400 G.P.W., Well #4.

3. The use to which the water is to be applied is Irrigation

4. The well or other source is located 100 ft and 7 ft from the corner of Well #3, 1892 feet West and 7 feet North from center of Sec. 18, T. 4N., R. 2E., S. 1W.

Well #4, From the Northwest corner of Sec. 24, T. 4N., R. 2E., S. 1W., a distance of 1805 feet S44°00' West to existing well, thence 517 ft. S52° 1st West.

Well #3 is in SW 1/4 of NW 1/4 Sec 18 of T. 4N., R. 2E., S. 1W.  
Well #4 is in NW 1/4 of NW 1/4 Sec 24 of T. 4N., R. 2E., S. 1W.  
W. M. of county of Tillamook

The pipelines are to be, Well #3, added on existing pipeline in permit G-100, making a total of 1 mile in length, from SW 1/4 of SW 1/4 Sec. 18 thru NW 1/4 of SW 1/4 of Sec. 18, T. 4N., R. 2E., S. 1W. Well #4, added on to existing pipeline in Permit G-100, making a total of 1 mile, from SW 1/4 of SW 1/4 of Sec. 24, T. 4N., R. 2E., S. 1W. The proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

The work to be done is to install the well and to install the control and conservation of the water.

Not Intentional.

The well is to be installed at Two Wells, Sec. 18, T. 4N., R. 2E., S. 1W.

The well is to be 10 in. perforated casing. Depth to water table is estimated to be 100 feet. The well is to be 10 in. solid I. in. casing.

CANAL SYSTEM OR PIPE LINE— See accompanying sketch.

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(b) At ..... miles from headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(c) Length of pipe, ..... ft.; size at intake, ..... in.; in size at ..... ft. from intake ..... in.; size at place of use ..... in.; difference in elevation between intake and place of use, ..... ft. Is grade uniform? ..... Estimated capacity, ..... sec. ft.

10. If pumps are to be used, give size and type Well #3, 8" deep well turbine  
Well #4, 6" deep well turbine.

Give horsepower and type of motor or engine to be used #3, 50 H.P. Electric,  
#4, 25 H.P. Electric.

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channel and the difference in elevation between the stream bed and the ground surface at the source of development

About 2 miles from Pine Creek.

12. Location of area to be irrigated, or place of use

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
2 N.	34 E.	19	NE 1/4	37.57
			NW 1/4	40.
Well #4. 2 N.	34 E.	24	NE 1/4	40
			NW 1/4	40.
				157.57

(If more space required, attach separate sheet)

Character of soil Light clay, volcanic

Kind of crops raised Pasture, sugar beets, peas, grain, alfalfa, and various  
canning crops.

MUNICIPAL SUPPLY—

13. To supply the city of .....  
in ..... county, having a present population of .....  
and an estimated population of ..... in 19.....

14. Estimated cost of proposed works, \$ 10,000.

15. Construction work will begin on or before December 15, 1956.

16. Construction work will be completed on or before March 15, 1957.

17. The water will be completely applied to the proposed use on or before May 1, 1957.

18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant. Well#3 supplemental to Permit #U 588.

Well #4 supplemental to Permit #G 120.

Remarks:

*J. L. Geys*  
(Signature of applicant)  
214 Sunny Drive  
College Place  
Wash.

STATE OF OREGON, }  
County of Marion. } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before ..... 19.....

WITNESS my hand this ..... day of ..... 19.....

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 1.86 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from Geyer Ranch Wells No. 3 and No. 4, being 0.97 c.f.s. from No. 3 and 0.89 c.f.s. from No. 4

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80 of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 3 acre feet per acre for each acre irrigated during the irrigation season of each year; and shall be still further limited to a diversion of not to exceed 1.86 c.f.s.

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is December 10, 1956

Actual construction work shall begin on or before December 10, 1957 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1957

Complete application of the water to the proposed use shall be made on or before October 1, 1957

WITNESS my hand and the seal of the State of Oregon this 17th day of December, 1956

Lewis A. Hanley  
STATE ENGINEER

PERMIT

TO APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 17th day of December, 1956 at 4:00 P.M.

Returned to applicant

Approved

December 10, 1956

Recorded in book No. 100 of Ground Water Permits on page

STATE ENGINEER

Page No. 7 page