

Permit No. G- 407

APPLICATION FOR A PERMIT

To Appropriate the Ground Waters of the State of Oregon

I, Carl Tonack (Name of applicant)

of Route 2 Box 366 Albany, county of Linn (Postoffice Address)

state of Oregon, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated Santiam River (Name of stream)

tributary of

2. The amount of water which the applicant intends to apply to beneficial use is 0.30 cubic feet per second or gallons per minute. Well # 1 - 0.04 Well # 2A- 0.26

3. The use to which the water is to be applied is Irrigation and Supplemental Irrigation

4. The well or other source is located ft. and ft. from the corner of (Section or subdivision)

Well #1 - S 30°E, 20.7 Ch. From N 1/4 Corner Sec 4

Well #2A- S 17°E, 41.5 Ch. From N 1/4 Corner Sec 4

If there is more than one well, each must be described. Use separate sheet if necessary. #1 - NW NE #2 - SW NE of Sec 4 Twp. 10 S R 3 W

W. M. of the county of Linn

The Portable Sprinkler Equipment to be

is to be located in the of Sec. Twp.

W. M. of the county of Linn, the location being shown throughout on the accompanying map.

The location of the well or other works is Well #1 (Existing, GR 75) Well #2A (Enlargement of #2, GR 75)

DESCRIPTION OF WORKS

If the applicant is a landowner, the work to be used for the control and conservation of the water must be described.

The proposed well consist of 2 Wells, 1 Existing and 1 Enlargement

(Give number of wells, tunnels, etc.)

#1 - 8" inches and an estimated depth of #1 - 24' feet. It is estimated that #1 - 24' #2A- 4" #2A- 24'

Material to be used is Steel casing. Depth to water table is estimated #1 - 11' #2A- 10' to 11'

CANAL SYSTEM OR PIPE LINE—

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) \_\_\_\_\_ feet, width on bottom \_\_\_\_\_ feet; depth of water \_\_\_\_\_ feet; grade \_\_\_\_\_ feet fall per one thousand feet.

(b) At \_\_\_\_\_ miles from headgate: width on top (at water line) \_\_\_\_\_ feet; width on bottom \_\_\_\_\_ feet; depth of water \_\_\_\_\_ feet; grade \_\_\_\_\_ feet fall per one thousand feet.

(c) Length of pipe, \_\_\_\_\_ ft.; size at intake, \_\_\_\_\_ in.; in size at \_\_\_\_\_ ft. from intake \_\_\_\_\_ in.; size at place of use \_\_\_\_\_ in.; difference in elevation between intake and place of use, \_\_\_\_\_ ft. Is grade uniform?  Estimated capacity, \_\_\_\_\_ sec. ft.

10. If pumps are to be used, give size and type **Well #1 - 390 GPM Centrifugal**  
**Well #2A- 320 GPM Centrifugal**

Give horsepower and type of motor or engine to be used **Well #1 - 20 HP Electric**  
**Well #2A- 15 HP Electric**

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

12 Location of area to be irrigated, or place of use

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Fort-acre Tract	Number Acres To Be Irrigated
Well # 1	Primary Irrigation			
10 S	R 3W	4	NW $\frac{1}{4}$ NE $\frac{1}{4}$	3.0
Well # 2A	Supplemental to GR 75			
10 S	3 W	4	SW $\frac{1}{4}$ NE $\frac{1}{4}$	21.0
Total				24.0 Acres

(If more space required, attach separate sheet.)

Soil \_\_\_\_\_ Sandy Loam  
Kind of crop \_\_\_\_\_ Mint and Pasture

MUNICIPAL SUPPLY—

13. To supply the city of .....  
in ..... county, having a present population of .....  
and an estimated population of ..... in 19.....

14. Estimated cost of proposed works, \$ 100.00 additional

15. Construction work will begin on or before Jan. 57

16. Construction work will be completed on or before Summer 57

17. The water will be completely applied to the proposed use on or before Fall 57

18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant. GR. 75

*Carl Tonack*  
Carl Tonack (Signature of applicant)

Remarks: .....

STATE OF OREGON |  
County of Marion. | ss.

This is to certify that I have examined the foregoing application, together with the accompanying ..... and return the same for .....

In order to retain its priority, this application must be returned to the State Engineer, with corre-

.....

19

WITNESS my hand this

day of

19

County of Marion.

ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.30 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from Wells No. 1 and No. 2A, being 0.04 c.f.s. from No. 1 and 0.26 c.f.s. from No. 2A.

The use to which this water is to be applied is irrigation and supplemental irrigation.

If for irrigation, this appropriation shall be limited to 1/80 of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year; provided further that the amount of water allowed herein, together with the amount secured under any other right existing for the same lands shall not exceed the limitation allowed herein.

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is December 21, 1948

Actual construction work shall begin on or before December 28, 1948 and shall thereupon be prosecuted with reasonable diligence and be completed on or before October 1, 1949

Complete application of the water to the proposed use shall be made on or before October 1, 1949

WITNESSED my hand this 10th day of December 1948

Handwritten signature of Elwin A. Stanley, State Engineer

Vertical handwritten text: 545, 407

PERMIT

APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON

This instrument was first returned in the office of the State Engineer at Salem, Oregon,

on the 11 day of December 1956 at 1:47 o'clock P. M.

Returned to applicant

Approved

Recorded in book No. 1117

Ground Water Permits on page 1117

STATE ENGINEER

Vertical handwritten text: 15 1/2