

Permit No. G- 408

APPLICATION FOR A PERMIT

## To Appropriate the Ground Waters of the State of Oregon

I,	Lester Thompson (Name of applie	
of	Crane (Postoffice Address)	, county of Harney
state of following		y make application for a permit to appropriate the
If:	f the applicant is a corporation, give date and place	e of incorporation
1	Give name of nearest stream to which the well	ll, tunnel or other source of water development is
	None	
situatea	t Nan	ne of stream)
		tributary of
2. feet per	The amount of water which the applicant intersecond or 1200 gallons per minute.	ends to apply to beneficial use is cubic
3.	3. The use to which the water is to be applied is	Irrigation Supplement
4.	4. The well or other source is located 2240 fr.	N. and 100 ft. W from the 5E
corner o	of Section 13, Townsh	ip 25 South, Range 33 E.W.M. word
	(If preferable, give distance and t	19 20 50 user; Range 33 1
	22 45 FEET N. 3°8' W FRO	M SE. COR, SEC. 13 TWP. 265.R. 33 E.W.M. scribed. Uso separate sheet if necessary.
for Marie		of Sec. 13 Tup. 26 S.R. 33 E
W/M	a the county of larney	
;	y Tiv ditches	to be 5000 feet mile.
en grande	si, terminating in the SESE	of Sec. 13 Trop 26 5
n 33	$\mathfrak{F} = \mathfrak{T}(M)$ the proposed location being show	in the companying map.
,•	e The remark the real residence provinces	HOMPSON WELL
	DESCRIPTION	OF WOPES
	<ul> <li>It the General be utilized is arresian, the works</li> <li>For soft in me, must be described.</li> </ul>	to be used for the control and cover to the control
Š	No Proceedings of goment will consist of	ONE Superior of wells toppeds to
y to entire	The state of the standard and an estimated depth	that $11\%$ feet, it is estimated that $-\infty$
	na kaling i regan — Hasling — edi	$sing$ . Depth to gate stable $z \sim m \sigma$ declaring $z \sim m \sigma$

	<i>9</i> 60-1	
C	ANAL SYSTEM OR PIPE LINE	
	9. (a) Give dimensions at each point of canal where materially changed in	size, stating miles from
he	eadgate. At headgate: width on top (at water line)	feet: width on bottom
	feet; depth of water feet; grade	feet jall per one
th	cousand feet.	
	(b) At miles from headgate: width on top (at water line)	
	feet; width on bottom feet; depth of water	feet;
9	rade feet fall per one thousand feet.	

(c) Length of pipe, ft.; size at intake, in.; in size at ft.

from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity.

sec. ft.

10. If pumps are to be used, give size and type Burkley 8H Turbin

Give horsepower and type of motor or engine to be used 2 - 30 H.P. Motors

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a valural stream or stream channel, give the distance to the nearest point on each of such channel on the difference in elevation between the stream bed and the ground surface at the source of development

HARNEY COUNTY

12. Location of area to be irrigated, or place of use

See Map 198

Township N or S	Range E or W of Williamette Meridian	<b>Ge</b> ction	Forty-acre Tract	Number Acres To Be Irrigated
265.	33E	13	SE NE	37.7
265.	33E	13	NE SE	38.1
265	33E	13	SE SE	383
	·	:		: 1
				: :
	· · · · · · · · · · · · · · · · · · ·			
		f a i	i	

ill more space required, attach separate shee

Character of soil

Sandy Loam

Kind of crops raised

Alfalfa and grain and Pasture

to exite transmission of	in 10	
estimated population of	•	
14. Estimated cost of proposed	<i>*</i>	
15. Construction work will begi		-a
	ompleted on or before May., 195	
7	ly applied to the proposed use on or befor	
	y is supplemental to an existing water so adjudicated right to appropriate w	
ent. Cartificate No	2074 with name of Over	E. T. M. M. S. S. S. S. L.
,	nd that can no a system well be unkling system	Long A 1921
	(Signature	of application
Remarks: Uny La	no Mar can no	or ve irrigal
how the dite	a system well to	e verigaled
· M. ana	toline and Toma	<i>, ()</i>
were a rips	institute significant	
	· · ·	
on ka as#falaN og		
Constant State (No. 12)		
Constant State (No. 12)	examined the forey and apple which legs	
The state of $N=\frac{1}{2}$ and	examined the foregany application, toge for — Ongletiops	
Suggestion of market on other orders.	examined the forey drop applications toge for On platings	
Marion. Associated the same preparation of a	examined the forey and application, toge for — Ongletaya ***	
Some soft factors of the same of the paration of the same of the s	examined the forey drug applications begin for — One Letizal	eto, e su afe a ve son i ingues pin
Some soft factors of the same of the paration of the same of the s	examined the forey and application, legs for the completion must be returned to the	eto, e su afe a ve son i ingues pin

Trevor const. (Not lot of Chris L. Wheeler

County of Marion,

This is to certify that I have examined the foregoing application and do harden want the second SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to hand herein as in the shall not exceed 1-43 ..... cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from Thompson well

The use to which this water is to be applied is supplemental irrigation

If for irrigation, this appropriation shall be limited to 1/80 of one cubic foot per sevend. or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 3 acre feet per acre for each acre irrigated during the irrigation season of each year, provided further that the amount of water allowed herein, together with the amount secured under any other right existing for the same lands shall not exceed the limitation allowed herein,

and dealths only got to each reasonable rotation system as very, he ordered by the proper state officer

The well shall be cased as necessary in accordance with good practice and if the flore is after the As deal in tale proper capping and control value to prevent the waste of ground water.

The method constructed shall include an air line and pressure gauge or an access pert for measures of no side parte to determine water level elevation in the well at all times.

The permetter chalc install and maintain a well, nector, or other suitable recovering across or is no eg a simplete second of the amount of ground water withdrawn

September 17, 1956 The great palace of this mornit is

1 rad engre ten work shall begin on or before December 11, 1957

The state of the state of

only the contexted with reasonable diligence and be completed on or before October 1. In  $\mathbb{S}^9$ 

where we the water to the proper druge shall be made on ar before tradecall  $\sim 52$