Permit No. G- G 4089

APPLICATION FOR A PERMIT

To Appropriate the Ground Waters of the State of Oregon

scribed gapplican e name Whi	t is a corpor	ers of the ation, give	, do i	hereby Orego	make a n, SUB J	pplication ECT TO	of Klame for a permi EXISTING	t to approp	
scribed gapplican e name Whi	round wate t is a corporof nearest s	ers of the s	state of	Orego	n, SUBJ	ECT TO	EXISTING		riate th e
e name Whi	of nearest s		•	nd plac	ce of inc	orporation			
Whi	•	tream to	which t	******			,	y i.e	· 1. · 5
	skev Cr		W.1110.11 U.	h e wel	l, tunne	l or other	source of w	ater develo	pment is
		ek	***********	**********					
				(Name o	f stream)		Spregue	Riven	
1	•		• • • • • • • • • • • • • • • • • • • •	•••••	triou	itary oj	opi ana		**************************************
amoun	t of water u g	which the allons per	applicar minute	nt inter 2.	nds to a	pply to be	nefic <mark>ial use</mark>	is 3.87	cubic
use to	which th e u	ater is to	be appl	ied is	İrr	igatio	n		
	••••••					· · · · · · · · · · · · · · · · · · ·			
e well or	other sour	e is locate	ed	ft	(N. or S.)	and	ft	from tl	1e
				(Section o	r subdivisio	n)			
ion zo	, T. 30	(If preferable,	give distan	nce and be	aring to sec	tion corner)			*************
	/78 About to man								
	SW1-NW		****************		. of Sec.			S, R	11 E.,
county	ofKl.	math	*************	******	***************************************			. · ·	
D1 D1	tch #1 tch #2					to h	#1 = e #2 =	0.54 0.45	miles
· ·······	((anal or pipe l	#1 =	NW‡-1	W¥				~ / ~
rminatin	g in the	(Sma	#2 =	SE‡] subdivisio	₩ ‡	of Se	c26	, Twp	30Sa,
., W. M.,	the propos	ed location	being	shown	through	out on the	accompany	ing map.	·
. name o	f the mell o	r other we	rks is		Rossi	Well	# 1 .		
e name o	, the west q	i other we		10000-00000			,		
		DE	SCRIP1	CION (OF WOI	RKS			
			ın, the ı	vorks 1	o be use	ed for the	control and	conservati	on of the
			1.1.2.2.						
		•							
4 I	Austra Mees	consist of	** • » .		(Give numb	per of wells, tu	nnels, etc.)		1 =
14	inches	and an es	timated	depth	of73	ללו fe	et. It is esti	mated that	40
ell will 1	require	Steel		casiı	ıg. Depi	th to wate	r table is e	itimated	15
		,							(1994)
	e amount nd or	e amount of water wind or	e amount of water which the ind or	e amount of water which the applicant of gallons per minute gallons per gallons gallons per gallons gallo	e amount of water which the applicant interest of the country of Klamath (Smallest legal subdivision), W. M., the proposed location being shown as not in use must be described. E amount of water which the applicant interest and an estimated depth (Richard).	e amount of water which the applicant intends to a nd or	e amount of water which the applicant intends to apply to be nd or	e amount of water which the applicant intends to apply to beneficial use nd or	e use to which the water is to be applied is Irrigation e well or other source is located

	M OR PIPE LINE-			G 408
•				nged in size, stating miles fr
				feet; width on bott
2.0	feet; depth of wo	ater 1.0	feet; grade	1.0 feet fall per
ousand feet.			T.	
(b) At	Same mile	es from headga	te: width on top (at wat	ter line)
	feet; width on bo	ottom	feet; depth of	water fe
rade	feet fall pe	er one thousand	l feet.	
(c) Lengt	h of pipe,	ft.; si	ze at intake12	. in.; in size at
om intake	in.; siz	ze at place of u	se same in.; di	ifference in elevation betw
take and place	of use,	ft. Is	grade uniform? Ye	S Estimated capac
•	•	•	•	• ;
	•	ine size and tur	ne 12" Deep Wei	ll Turbine
		., 	•	
	**			., V.H.S., Electric
11. If the natural stream e difference in	location of the well, or stream channel, elevation between	tunnel, or othe give the dista the.stream.bed	er development work is l nce to the nearest point l and the ground surface	less than one-fourth mile from each of such channels of at the source of developm
11. If the natural stream se difference in	location of the well, or stream channel, elevation between	tunnel, or othe give the dista the.stream.bed	er development work is l nce to the nearest point l and the ground surface	less than one-fourth mile from each of such channels of at the source of developm
11. If the natural stream ie difference in	location of the well, or stream channel, elevation between	tunnel, or othe give the dista the.stream.bed	er development work is l nce to the nearest point l and the ground surface	less than one-fourth mile fr on each of such channels of at the source of developm
11. If the natural stream te difference in 12. Location Township N. or S.	location of the well, or stream channel, elevation between to ion of area to be irri Range E. or W. of	tunnel, or other, give the distate the stream, bed	er development work is lence to the nearest point and the ground surface	less than one-fourth mile fron each of such channels of at the source of developm
11. If the natural stream te difference in 12. Locati	location of the well, or stream channel, elevation between to ion of area to be irri Range E. or W. of Willamette Meridian	tunnel, or other, give the distate the stream. bed	er development work is lance to the nearest point and the ground surface	Number Acres To Be Irrigated
11. If the natural stream te difference in 12. Locati	location of the well, or stream channel, elevation between to ion of area to be irri Range E. or W. of Willamette Meridian	tunnel, or other, give the distate the stream. bed	er development work is lance to the nearest point and the ground surface of use	Number Acres To Be Irrigated 39.1 Acres
11. If the natural stream te difference in 12. Locati	location of the well, or stream channel, elevation between to ion of area to be irri Range E. or W. of Willamette Meridian	tunnel, or other, give the distate the stream. bed	er development work is lence to the nearest point and the ground surface of use Forty-scre Tract NE‡-NW‡	Number Acres To Be Irrigated 39.1 Acres 38.1
11. If the natural stream e difference in 12. Locati	location of the well, or stream channel, elevation between to ion of area to be irri Range E. or W. of Willamette Meridian	tunnel, or other, give the distate the stream. bed	r development work is lence to the nearest point and the ground surface of use Forty-acre Tract NE‡-NW‡ NW‡-NW‡	Number Acres To Be Irrigated 39.1 Acres 38.1 27.8
11. If the natural stream te difference in 12. Locati	location of the well, or stream channel, elevation between to ion of area to be irri Range E. or W. of Willamette Meridian	tunnel, or other, give the distate the stream. bed	r development work is lence to the nearest point and the ground surface of use Forty-acre Tract NE‡-NW‡ NW‡-NW‡	Number Acres To Be Irrigated 39.1 Acres 38.1 27.8
11. If the natural stream te difference in 12. Locati	location of the well, or stream channel, elevation between to ion of area to be irri Range E. or W. of Willamette Meridian	tunnel, or other, give the distate the stream. bed	r development work is lence to the nearest point and the ground surface of use Forty-acre Tract NE‡-NW‡ NW‡-NW‡	Number Acres To Be Irrigated 39.1 Acres 38.1 27.8
11. If the natural stream te difference in 12. Locati	location of the well, or stream channel, elevation between to ion of area to be irri Range E. or W. of Willamette Meridian	tunnel, or other, give the distate the stream. bed	r development work is lence to the nearest point and the ground surface of use Forty-acre Tract NE‡-NW‡ NW‡-NW‡	Number Acres To Be Irrigated 39.1 Acres 38.1 27.8
11. If the natural stream e difference in 12. Locati	location of the well, or stream channel, elevation between to ion of area to be irri Range E. or W. of Willamette Meridian	tunnel, or other, give the distate the stream. bed	r development work is lence to the nearest point and the ground surface of use Forty-acre Tract NE‡-NW‡ NW‡-NW‡	Number Acres To Be Irrigated 39.1 Acres 38.1 27.8
11. If the natural stream se difference in 12. Location Township N. or S. T. 36 S.,	location of the well, or stream channel, elevation between to ion of area to be irri Range E. or W. of Willamette Meridian	tunnel, or other, give the distate the stream. bed	r development work is lence to the nearest point and the ground surface of use Forty-acre Tract NE‡-NW‡ NW‡-NW‡	Number Acres To Be Irrigated 39.1 Acres 38.1 27.8
11. If the natural stream se difference in 12. Location Township N. or S. T. 36 S.,	location of the well, or stream channel, elevation between to ion of area to be irri Range E. or W. of Willamette Meridian	tunnel, or other, give the distate the stream. bed	r development work is lence to the nearest point and the ground surface of use Forty-acre Tract NE‡-NW‡ NW‡-NW‡	Number Acres To Be Irrigated 39.1 Acres 38.1 27.8
natural stream ne difference in 12. Locati Township N. or S. T. 36 S.,	location of the well, or stream channel, elevation between to ion of area to be irri Range E. or W. of Willamette Meridian	tunnel, or other, give the distate the stream. bed	r development work is lence to the nearest point and the ground surface of use Forty-acre Tract NE‡-NW‡ NW‡-NW‡	Number Acres To Be Irrigated 39.1 Acres 38.1 27.8
11. If the natural stream te difference in 12. Location Township N. or S. T. 36 S.,	location of the well, or stream channel, elevation between to ion of area to be irri Range E. or W. of Willamette Meridian	igated, or place Section 26	r development work is lence to the nearest point and the ground surface of use Forty-acre Tract NE‡-NW‡ NW‡-NW‡	Number Acres To Be Irrigated 39.1 Acres 38.1 27.8

	A
n county, har	ving a present population of
nd an estimated population of	
ili ы	3 14, 15, 16, 17 AND 18 IN ALL CASES
14. Estimated cost of proposed work	s, \$ 7500 •
15. Construction work will begin on	or before Construction already started
16. Construction work will be compl	eted on or before Works already complete.
	plied to the proposed use on or before Water complete.
applied to ground.	
	upplemental to an existing water supply, identify any appardjudicated right to appropriate water, made or held by the
nnlicant	***************************************
<i>pp:::::::::::::::::::::::::::::::::::</i>	
•	(Standaure of applicant)
Remarks:	× Daniel Bosst (Stiphature of applicant) × Yulanda R. Rossi
N. C.	<u> </u>
In filing this applicat	tion, the Applicants do not waive or
	ppurtenant to said land.
)	
STATE OF OREGON,	
STATE OF OREGON,	
TATE OF OREGON, ss.	
STATE OF OREGON, ss. County of Marion, st. This is to certify that I have examin	
TATE OF OREGON, ss. County of Marion, This is to certify that I have examinate and data, and return the same for	ned the foregoing application, together with the accompanyi
CTATE OF OREGON, ss. County of Marion, This is to certify that I have examinaps and data, and return the same for	ned the foregoing application, together with the accompanyi
COUNTY OF OREGON, ss. County of Marion, This is to certify that I have examinaps and data, and return the same for In order to retain its priority, this ap	ned the foregoing application, together with the accompanying the second
STATE OF OREGON, ss. County of Marion, This is to certify that I have examinaps and data, and return the same for In order to retain its priority, this applications on or before	ned the foregoing application, together with the accompanying polication must be returned to the State Engineer, with corresponding to the State Engineer, which corresponds to the State Engineer and the State Engineer
TATE OF OREGON, ss. County of Marion, This is to certify that I have examinaps and data, and return the same for In order to retain its priority, this applications on or before	ned the foregoing application, together with the accompanyi
STATE OF OREGON, ss. County of Marion, This is to certify that I have examinaps and data, and return the same for In order to retain its priority, this applications on or before	ned the foregoing application, together with the accompanying the second
STATE OF OREGON, ss. County of Marion, This is to certify that I have examinance and data, and return the same for In order to retain its priority, this applications on or before	ned the foregoing application, together with the accompanying polication must be returned to the State Engineer, with corresponding to the State Engineer, which corresponds to the State Engineer and the State Engineer
STATE OF OREGON, ss. County of Marion, This is to certify that I have examinance and data, and return the same for In order to retain its priority, this applicance on or before	ned the foregoing application, together with the accompanying the second
STATE OF OREGON, ss. County of Marion, This is to certify that I have examinance and data, and return the same for In order to retain its priority, this applicance on or before	ned the foregoing application, together with the accompanying the second

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The use to which this water is to be applied is irrigation. If for irrigation, this appropriation shall be limited to				nt of water which can be applied to beneficial und measured at the point of diversion from the we
The use to which this water is to be applied is irrigation If for irrigation, this appropriation shall be limited to	source of	appropriation, or its	equivalent in case of	rotation with other water users, from .a. Well
If for irrigation, this appropriation shall be limited to	The us		er is to be applied is!	rrigation
shall be subject to such reasonable rotation system as may be ordered by the proper state officer. The well shall be cased as necessary in accordance with good practice and if the flow is artesian works shall include proper capping and control valve to prevent the waste of ground water. The works constructed shall include an air line and pressure gauge or an access port for measuring, adequate to determine water level elevation in the well at all times. The permittee shall install and maintain a weir, meter, or other suitable measuring device, and li keep a complete record of the amount of ground water withdrawn. The priority date of this permit is	. If for i			
shall be subject to such reasonable rotation system as may be ordered by the proper state officer. The well shall be cased as necessary in accordance with good practice and if the flow is artesian works shall include proper capping and control valve to prevent the waste of ground water. The works constructed shall include an air line and pressure gauge or an access port for measuring, adequate to determine water level elevation in the well at all times. The permittee shall install and maintain a weir, meter, or other suitable measuring device, and il keep a complete record of the amount of ground water withdraun. The priority date of this permit is	its equiva	lent for each acre in	rigated and shall be fo	irther limited to a diversion of not to exceed3
shall be subject to such reasonable rotation system as may be ordered by the proper state officer. The well shall be cased as necessary in accordance with good practice and if the flow is artesian works shall include proper capping and control valve to prevent the waste of ground water. The works constructed shall include an air line and pressure gauge or an access port for measuring, adequate to determine water level elevation in the well at all times. The permittee shall install and maintain a weir, meter, or other suitable measuring device, and il keep a complete record of the amount of ground water withdrawn. The priority date of this permit is	re feet per	acre for each acre	irrigated during the ir	rigation season of each year;
shall be subject to such reasonable rotation system as may be ordered by the proper state officer. The well shall be cased as necessary in accordance with good practice and if the flow is artesian works shall include proper capping and control valve to prevent the waste of ground water. The works constructed shall include an air line and pressure gauge or an access port for measuring, adequate to determine water level elevation in the well at all times. The permittee shall install and maintain a weir, meter, or other suitable measuring device, and li keep a complete record of the amount of ground water withdrawn. The priority date of this permit is April 18, 1968 Actual construction work shall begin on or before January 8, 1970 and shall reafter be prosecuted with reasonable diligence and be completed on or before October 1, 19. 70. Complete application of the water to the proposed use shall be made on or before October 1, 19. 70. WITNESS my hand this 8th day of January 1969 STATE ENGINEERA		****************************	••••••••••••	
shall be subject to such reasonable rotation system as may be ordered by the proper state officer. The well shall be cased as necessary in accordance with good practice and if the flow is artesian works shall include proper capping and control valve to prevent the waste of ground water. The works constructed shall include an air line and pressure gauge or an access port for measuring, adequate to determine water level elevation in the well at all times. The permittee shall install and maintain a weir, meter, or other suitable measuring device, and il keep a complete record of the amount of ground water withdrawn. The priority date of this permit is April 18, 1968 Actual construction work shall begin on or before January 8, 1970 and shall reafter be prosecuted with reasonable diligence and be completed on or before October 1, 19. 70 Complete application of the water to the proposed use shall be made on or before October 1, 19. 71 WITNESS my hand this Sth day of January 1069 STATE ENGINEERS			•••••••••••••••••••••••••••••••	
shall be subject to such reasonable rotation system as may be ordered by the proper state officer. The well shall be cased as necessary in accordance with good practice and if the flow is artesian works shall include proper capping and control valve to prevent the waste of ground water. The works constructed shall include an air line and pressure gauge or an access port for measuring, adequate to determine water level elevation in the well at all times. The permittee shall install and maintain a weir, meter, or other suitable measuring device, and likeep a complete record of the amount of ground water withdrawn. The priority date of this permit is	**************			
shall be subject to such reasonable rotation system as may be ordered by the proper state officer. The well shall be cased as necessary in accordance with good practice and if the flow is artesian works shall include proper capping and control valve to prevent the waste of ground water. The works constructed shall include an air line and pressure gauge or an access port for measuring, adequate to determine water level elevation in the well at all times. The permittee shall install and maintain a weir, meter, or other suitable measuring device, and il keep a complete record of the amount of ground water withdrawn. The priority date of this permit is April 18, 1968 Actual construction work shall begin on or before January 8, 1970 and shall reafter be prosecuted with reasonable diligence and be completed on or before October 1, 19.70. Complete application of the water to the proposed use shall be made on or before October 1, 19.71. WITNESS my hand this 8th day of January 1969.	***************************************		••••••••••••	
Shall be subject to such reasonable rotation system as may be ordered by the proper state officer. The well shall be cased as necessary in accordance with good practice and if the flow is artesian works shall include proper capping and control valve to prevent the waste of ground water. The works constructed shall include an air line and pressure gauge or an access port for measuring, adequate to determine water level elevation in the well at all times. The permittee shall install and maintain a weir, meter, or other suitable measuring device, and il keep a complete record of the amount of ground water withdrawn. The priority date of this permit is April 18, 1968 Actual construction work shall begin on or before January 8, 1970 and shall reafter be prosecuted with reasonable diligence and be completed on or before October 1, 19. 70 Complete application of the water to the proposed use shall be made on or before October 1, 19. 71 WITNESS my hand this Sth day of January Janua	****************			
The well shall be cased as necessary in accordance with good practice and if the flow is artesian works shall include proper capping and control valve to prevent the waste of ground water. The works constructed shall include an air line and pressure gauge or an access port for measuring, adequate to determine water level elevation in the well at all times. The permittee shall install and maintain a weir, meter, or other suitable measuring device, and ll keep a complete record of the amount of ground water withdrawn. The priority date of this permit is				
works shall include proper capping and control valve to prevent the waste of ground water. The works constructed shall include an air line and pressure gauge or an access port for measuring, adequate to determine water level elevation in the well at all times. The permittee shall install and maintain a weir, meter, or other suitable measuring device, and ll keep a complete record of the amount of ground water withdrawn. The priority date of this permit is	i shall be	subject to such reas	onable rotation system	as may be ordered by the proper state officer.
The works constructed shall include an air line and pressure gauge or an access port for measuring, adequate to determine water level elevation in the well at all times. The permittee shall install and maintain a weir, meter, or other suitable measuring device, and likeep a complete record of the amount of ground water withdrawn. The priority date of this permit is	The w works sh	ell shall be cased as all include proper c	necessary in accordar apping and control va	ice with good practice and if the flow is arteside to prevent the waste of ground water.
The permittee shall install and maintain a weir, meter, or other suitable measuring device, and likeep a complete record of the amount of ground water withdrawn. The priority date of this permit is	The w	orks constructed sh	all include an air line	and pressure gauge or an access port for measuring
The priority date of this permit is	The pe	ermittee shall instal	l and maintain a weir,	meter, or other suitable measuring device, as
Actual construction work shall begin on or before	see neep u	complete record of	The uniounit of ground	
Complete application of the water to the proposed use shall be made on or before October 1, 19.71 WITNESS my hand this Sth day of January 1969. The page G 4080 M January 1969. The page G 4080 M January 1969. The page G 7080 M January 1969. The page G 7080 M January 1969 M January 19	The pr	riority date of this p	permit is	pril 18, 1968
Complete application of the water to the proposed use shall be made on or before October 1, 19.71 WITNESS my hand this Sth day of January 1969. The page G 4080 M January 1969. The page G 4080 M January 1969. The page G 7080 M January 1969. The page G 7080 M January 1969 M January 19				
MITT B. THE GROUND THE STATE EGON THE STATE ENGINEER S. L. MHEELER S. L. MARGINEER S. L. MARGINER S. L. MARGINEER S. L. M		•		_
G 4089 E THE GROUND THE STATE EGON s first received in the neer at Salem, Oregon, ck. A. M. ch. A. M. on page G 4089 on page G 4089 I. WHESIER S. L. WHESIER S. L. WHESIER S. L. WHESIER S. L. WHESIER I. Page 3.7				
G 4089 MIT THE STATE EGON THE STATE EGON S first received in the neer at Salem, Oregon, CA A. M. S 1. WHEELER S L. WHEEL	WITN	ESS my hand this .	8th day of	January 1969
G 4089 MIT THE STATE EGOUNT THE STATE EGON S first received it of A. M. S 1. WHEELER S L. WHEELER S L WHEEL	· :	3): 3:		Chir Latte Land
G 4089 MIT THE STATE EGOUNT THE STATE EGON S first received it of A. M. S 1. WHEELER S L. WHEELER S L WHEEL	\$	។ សហវុទ្ធិស ស្ថិប ធុស		TIME AND
G 4089 MIT THE STATE EGOUNT THE STATE EGON S first received it of A. M. S 1. WHEELER S L. WHEELER S L WHEEL		·	the gon,	\$ 88
PERMIT PERMIT O APPROPRIATE THE GROUWATERS OF THE STATE OF OREGON Nis instrument was first receive of the State Engineer at Salem, and Mater Permits on page G and Water Permits on page G		מאנ	d in Oreg	
Permit No. G. G. 40 PERMIT O APPROPRIATE THE C WATERS OF THE ST. OF OREGON OF OREGON OF OREGON OF OREGON Le	83	ROL	seive llem,	96 G S S S S S S S S S S S S S S S S S S
PERMI PERMI O APPROPRIATE THE WATERS OF THE OF OREGO	40	T HE C	at So at A	WHI with
PERPOPRIAT WATERS OF OF OR his instrument wa e of the State Engi e of the State Engi te Bay of Troved: Janua Lecorded in book N	5 5	MI E THE EGO	s firs	17 8 10. S. L.
Permit No. Pi WATERS OF WATERS OF We da da Le da L. O.O. L. at 1.00 L. at 1.0	<u>.</u>	ER UAT OF OR	t wa Engii y of . o'clo	nna nok N 'mits 'HRI'
Permi Permi No APPI WAT Le & Le & Lat /	t No.	P OFF OF	tate da	Ja J
his i his i need rove rove rove rove raind train	Prpu.	LPPF WAT	the S	ded ded wate
	d d	TO A	This is of the o	rove rove lecor