Permit No. G- G 4097

APPLICATION FOR A PERMIT

To Appropriate the Ground Waters of the State of Oregon

I, Charles Daly (Name of applicant)
of Rt. 2 Heppner , county of Morrow
state ofCregan, do hereby make application for a permit to appropriate t following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:
If the applicant is a corporation, give date and place of incorporation
1. Give name of nearest stream to which the well, tunnel or other source of water development
situatedLittle Butter Greek (Name of stream)
tributary of Butter Creek
2. The amount of water which the applicant intends to apply to beneficial use isI_43 cut feet per second or gallons per minute.
3. The use to which the water is to be applied is Irrigation.
4. The well or other source is located 230 ft. N and 20 ft. W from the Corcorner of 21, 22, 27, 28 (Section or subdivision)
(If preferable, give distance and bearing to section corner)
(If there is more than one well, each must be described. Use separate sheet if necessary) being within the SESE of Sec. 21, Twp. I.N, R. 27. E
W. M., in the county of MOTTOW
5. The Portable pipe line to be mil
in length, terminating in the of Sec
R, W. M., the proposed location being shown throughout on the accompanying map.
6. The name of the well or other works is . Daly well
DESCRIPTION OF WORKS
7. If the flow to be utilized is artesian, the works to be used for the control and conservation of t supply when not in use must be described.
Unknown
8. The development will consist of
diameter ofIO inches and an estimated depth of500 feet. It is estimated that30
feet of the well will requireStandard casing. Depth to water table is estimated200

dgate. At he	foot donth of an	nter	foot: cmnd-	feet fall pe
ısand feet.	jeet, deptit oj w	ater	jeei; grade	jeet jail pe
•	• mil	as from bondanto sui	d+h on ton (-tt.	r line)
			feet; depth of w	ater
		er one thousand feet.		in.; in size at
				erence in elevation bet
			uniform?y.c.s	Estimated cap
	sec. ft.	•	Ilmir of neo	aant
10. If pu				sent
Give nors			•	present
•••••••	•••••		•	······································
11 Tf +h.	location of the well.	, tunnel, or other deve	clopment work is les	ss than one-fourth mile
tural stream	n or stream channel.	, give the distance to	the nearest both of	
tural stream	n or stream channel,	, give the distance to the stream bed and t	the nearest point of he ground surface a	t the source of develop
tural stream	n or stream channel, n elevation between	the stream bed and t	he ground surface a	t the source of develop
tural strean difference in	n or stream channel, n elevation between 20 ft, in	the stream bed and t	he ground surface a	t the source of develop
tural strean difference in	n or stream channel, n elevation between 20 ft, in	the stream bed and t	he ground surface a	t the source of develop
tural strear difference in	n or stream channel, n elevation between 20 ft, in 275 ft. fro	the stream bed and to elevation high mark	he ground surface a	t the source of develop
Approz	n or stream channel, n elevation between 20 ft, in 2.275 ft, fro	the stream bed and to elevation high mark	he ground surface a	t the source of develop
tural strear difference in Approx	n or stream channel, n elevation between 20 ft. in 20 ft. in 275 ft. from 19 ft. in 275 ft. from 19 ft.	the stream bed and to elevation high matream bank igated, or place of use	he ground surface a	t the source of develop
tural stream difference in Approx 12. Locat	n or stream channel, n elevation between 20 ft. in 20 ft. in 20 ft. in 20 ft. from of area to be irrection of area to be irrection of area to be irrection.	the stream bed and to elevation high matream bank igated, or place of use	he ground surface a	t the source of develop am bed. Morrow County Number Acres
tural stream lifference in Approx	n or stream channel, n elevation between 20 ft. in 20 ft. from 20 ft. in R. 275 ft. from Range E or W of Willamette Meridian	the stream bed and to elevation high matream bank igated, or place of use	he ground surface a her than stre T.IN, R. 27 E	t the source of develop am bed. Morrow County Number Acres
tural stream lifference in Approx	n or stream channel, n elevation between 20 ft. in 20 ft. from 20 ft. in R. 275 ft. from Range E or W of Willamette Meridian	the stream bed and to elevation high matream bank igated, or place of use	he ground surface a her than stre TIN, R 27 E Forty-acre Tract	t the source of develop am bed. Morrow County Number Acres
tural stream lifference in Approx	n or stream channel, n elevation between 20 ft. in 20 ft. from 20 ft. in R. 275 ft. from Range E or W of Willamette Meridian	the stream bed and to elevation high matream bank significant bank section Primary 21	he ground surface a her than stre T.IN, R. 27 E Forty-acre Tract SW SE SE SW	t the source of develop am bed. Morrow County Number Acres
tural stream lifference in Approx	n or stream channel, n elevation between 20 ft. in 20 ft. from 20 ft. in R. 275 ft. from Range E or W of Willamette Meridian	the stream bed and to elevation high matream bank significant bank section Primary 21	he ground surface a her than stre TIN, R 27 E Forty-acre Tract SW SE SE SW NE NW	t the source of develop am bed. Morrow County Number Acres
tural stream lifference in Approx	n or stream channel, n elevation between 20 ft. in 20 ft. from 20 ft. in R. 275 ft. from Range E or W of Willamette Meridian	the stream bed and to elevation high matream bank significant bank section Primary 21	he ground surface a her than stre T.IN, R. 27 E Forty-acre Tract SW SE SE SW NE NW NW NE	t the source of develop am bed. Morrow County Number Acres
tural stream lifference in Approx	n or stream channel, n elevation between 20 ft. in 20 ft. from 20 ft. in R. 275 ft. from Range E or W of Willamette Meridian	the stream bed and to elevation high matream bank significant bank section Primary 21	he ground surface a her than stre T.IN, R. 27 E Forty-acre Tract SW SE SE SW NE NW NW NE NE NE	t the source of develop am bed. Morrow County Number Acres
tural stream difference in Approx	n or stream channel, n elevation between 20 ft. in 20 ft. from 20 ft. in R. 275 ft. from Range E or W of Willamette Meridian	the stream bed and to elevation high stream bank stream bank section Primary 21 28	he ground surface a her than stre T.IN, R. 27 E Forty-acre Tract SW SE SE SW NE NW NW NE NE NE SE NE	t the source of develop am bed. Morrow County Number Acres
tural stream lifference in Approx	n or stream channel, n elevation between 20 ft. in 20 ft. from 20 ft. in R. 275 ft. from Range E or W of Willamette Meridian	the stream bed and to elevation high mark bank stream bank section Primary 21	he ground surface a her than stre T.IN, R. 27 E Forty-acre Tract SW SE SE SW NE NW NW NE NE NE SR NE SW SW	t the source of develop am bed. Morrow County Number Acres
tural stream difference in Approx 12. Locate Township N. or S.	n or stream channel, n elevation between 20 ft. in 20 ft. from 27 E. Strange E. or W. of Willamette Meridian 27 E.	the stream bed and to elevation high stream bank stream bank section Primary 21 28	he ground surface a her than stre T.IN, R. 27 E Forty-acre Tract SW SE SE SW NE NW NW NE NE NE SR NE SR NE SW SW NW NW	t the source of develop am bed. Number Acres To Be Irrigated 15 0.8 1.5 0.7 1.5 0.3 0.7
Approx 12. Locat Township N. or S.	n or stream channel, n elevation between 20 ft. in 20 ft. from 27 E. Strange E. or W. of Willamette Meridian 27 E.	the stream bed and to elevation high stream bank stream bank section Primary 21 28	he ground surface a her than stre T.IN, R. 27 E Forty-acre Tract SW SE SE SW NE NW NW NE NE NE SR NE SW SW NW NW NW NW NW SE NE SE	t the source of develop am bed. Number Acres To Be Irrigated 15 0.8 1.5 0.7 1.5 0.3 0.7
Approx 12. Locat Township N. or S.	n or stream channel, n elevation between 20 ft. in 20 ft. from 27 E. Strange E. or W. of Willamette Meridian 27 E.	the stream bed and to elevation high stream bank stream bank section Primary 21 28	he ground surface a her than stre T.IN, R. 27 E Forty-acre Tract SW SE SE SW NE NW NE NE SR NE SR NE SW SW NW NW NW NW NW NW	t the source of develop am bed. Number Acres To Be Irrigated 15 0.8 1.5 0.7 1.5 0.3 0.7

MUNICIPAL SUPPLY—	G 400
13. To supply the city of	
in county, h	aving a present population of
and an estimated population of	in 19
ANSWER QUESTION	NS 14, 15, 16, 17 AND 18 IN ALL CASES
14. Estimated cost of proposed wor	
V. 200 € 10 10 10 10 10 10 10 10 10 10 10 10 10	n or before May 15, 1968
	b .
	oleted on or beforeMay15,1969
17. The water will be completely ap	pplied to the proposed use on or before
	supplemental to an existing water supply, identify any appli adjudicated right to appropriate water, made or held by the
applicant. Decreed right on Li	ttle Butter Creek
E. O. Neill, L. D. Neil	<u>.1</u>
•	Signature of populcant)
D	
Remarks:	
·	
44	
	· · · · ·
STATE OF OREGON, ss.	
County of Marion,	
	in all the ferror in a multi-stier to each or with the accommonstant
This is to certify that I have exam	ined the foregoing application, together with the accompanying
maps and data, and return the same for	correction
In order to retain its priority, this o	application must be returned to the State Engineer, with correc
tions on or beforeJuly 8	
·	
WITNESS my hand this7th	day of, 1968
p refi	1968 CHRIS L. WHEELER
	1968 CHRIS L. WHEELER STATE ENGINEER
STATE EN	GINEER
SALFA	ASSISTANT
	THATSPEA

PERMIT

County of Marion, ss

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

		HTS and the followin	-			
					applied to beneficial u	
					f diversion from the we	ell
or source o	f appropriation, or it	s equivalent in cas e o	f rotation with	other water	users, from .a. Well	••••
The	use to which this wa	ter is to be applied is	irrigation	and supple	emental irrigation	
If for	r irrigation, this appr	opriation shall be lim	ited to1/	80th of	one cubic foot per secon	nd
r its equiv	valent for each acre i	rrigated and shall be	further limited	l to a diversio	n of not to exceed $\frac{2}{2}$	<u></u>
cre feet pe	er acre for each acre	irrigated during the	irrigation seas	on of each yea	r; provided further	•
that the	right allowed h	erein shall be li	mited to an	y deficienc	y in the available	L
supply c	of any prior righ	t existing for th	e same land	and shall	not exceed the	••••
limitati	on allowed herei	n		•••••		••••
******		•••••	•••••	••••••	·	••••
***************************************	•••••	••••••	•••••	•••••	·	••••
	••••••		••••••	***************************************		····
ıd shall be	e subject to such reas	sonable rotation syste	m as may be or	dered by the	proper state officer.	
		-	-	_	d if the flow is artesic	
ie works s	hall include proper o	capping and control $oldsymbol{v}_{i}$	alve to prevent	the waste of	ground water.	
The v ne, adequi	works constructed sh ate to determine wa	iall include an air lind ter level elevation in	e and pressure the well at all	gauge or an a	ccess port for measuring	ıg
The p	permittee shall insta	ll and maintain a wei	r. meter. or o	ther suitable	measuring device, an	ıd
іан кеер (a complete record o	f the amount of grou	nd water with	drawn.		
The p	oriority date of this	permit is	April	23. 1968		
) and sha	ıll
					ore October 1, 1970	
•	•				before October 1, 1971.	
		.20th day of				•••
	· — · · · · · · · · · · · · · · · · · ·		ak.		al.	
					STATE ENGINEER	۳
		n,,			4 of	
ပဲ	₽	d in the Oregon,			OC INEER	
7.5	GROUND	ved m, O M.	·	69	DO O	
409		recei Sale ac.(20, 1969	Je. G	
		at at			n page .G. WHEELER STATE 7. page	1.
. U	RMIT ATE THI OF THE	neen neen		r r	00 J	7
. No.	[+] H	This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 23 day of April.	ant:	January	Recorded in book No. Ground Water Permits on CHRIS L. W	
tion No.	PE OPR OF OF	men ate I day	Returned to applicant:	Jô	in book N er Permits CHRIS L. Basin No.	10
Application No. Permit No. G	P] APPROPE WATERS	e Strus	o af		ed in the CI	1
Api Per	·	This instrumen office of the State on the 2374 da	ed t	ed:	Recorded ound Wate	`
	TO	Thi ice c	turn	Approved:	Rec ound Dra	' k
	·	on off	Re	Ap	3	