

Permit No. G-411

APPLICATION FOR A PERMIT

To Appropriate the Ground Waters of the State of Oregon

I, Albert E. Albertson (Name of applicant)

of Philomath (Postoffice Address), county of Benton state of Oregon

do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated Silver Creek (Name of stream)

Silver Lake tributary of

2. The amount of water which the applicant intends to apply to beneficial use is 4 cubic feet per second or gallons per minute.

3. The use to which the water is to be applied is Irrigation

4. The well or other source is located ft. and ft. from the corner of N 24° 27' W 3029.3 from the SE corner of Sec. 14, T. 28 S., R. 15 E. W.M. (Section or subdivision)

(If preferable, give distance and bearing to section corner)

If there is more than one well, each must be described. Use separate sheet if necessary.

being within the SE NE of Sec. 14, Twp. 28 S, R. 15 E W. M., in the county of Lake

5. The Canal to be 1 1/2 miles in length, terminating in the SE SE of Sec. 13, Twp. 20 S R. 15 E W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is Vaughn No. 2

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

8. The development will consist of 1 well having a diameter of 16 inches and an estimated depth of 520 feet. It is estimated that 342 feet of the well will require Steel casing. Depth to water table is estimated 67 feet.

CANAL SYSTEM OR PIPE LINE—

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) 10 feet; width on bottom 4 feet; depth of water 2 feet; grade 0.5 feet fall per one thousand feet.

(b) At 1 miles from headgate: width on top (at water line) 6 feet; width on bottom 1 feet; depth of water 0.5 feet; grade 2 feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake, in.; in size at ft. from intake, in.; size at place of use, in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

10. If pumps are to be used, give size and type 14 inch turbin

Give horsepower and type of motor or engine to be used 170 H.P. GMC Deisel

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channel and the difference in elevation between the stream bed and the ground surface at the source of development

12. Location of area to be irrigated, or place of use

Township N or S	Range E or W of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
28 S	15 E	14	NE S4	40
			SE NE	40
		13	NW SW	40
			NE SW	40
			NW SE	40
			NE SE	40

(If more space required, attach separate sheet)

Character of soil

Sandy loam

Kind of crops raised

Hay and grain

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 3.0 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from Vaughn No. 2 Well.

The use to which this water is to be applied is Irrigation.

If for irrigation, this appropriation shall be limited to 1/80 of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 3 acre feet per acre for each acre irrigated during the irrigation season of each year;

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is December 7, 1954

Actual construction work shall begin on or before January 25, 1958 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1958

Complete application of the water to the proposed use shall be made on or before October 1, 1959

WITNESS my hand this 25th day of January 1957

Handwritten signature of Lewis A. Stasley, State Engineer.

Application No. G-51

Permit No. G-411

PERMIT

TO APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 7th day of December 1954, at 1:00 o'clock P. M.

Returned to applicant:

Approved:

January 25, 1957

Recorded in book No. 2 of 111

Ground Water Permits on page

LEWIS A. STASLEY

STATE ENGINEER

Drainage Basin No. 13 page

State Printing 1954