

Permit No. G-4122

CERTIFICATE NO. 39773

APPLICATION FOR A PERMIT

To Appropriate the Ground Waters of the State of Oregon

I, JOSEPH R. RITSCH
(Name of applicant)
of 3201 REDWOOD AVE., county of JOSEPHINE,
(Postoffice Address)
state of OREGON, do hereby make application for a permit to appropriate the
following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is
situated SAND CREEK
(Name of stream)

tributary of ROCKE RIVER

2. The amount of water which the applicant intends to apply to beneficial use is .04 cubic
feet per second or 1.8 gallons per minute.

3. The use to which the water is to be applied is IRRIGATION

4. The well or other source is located 900 ft. N and 25 ft. E from the SW
(N. or S.) (E. or W.)
corner of SE 1/4 SE 1/4 (2 1/2" IRON PIPE DRIVEN IN
(Section or subdivision)
GROUND APPROXIMATELY 7' EAST OF POWER POLE.)
(If preferable, give distance and bearing to section corner)

(If there is more than one well, each must be described. Use separate sheet if necessary)

being within the SE 1/4 SE 1/4 of Sec. 22, Twp. 36S, R. 6W,
W. M., in the county of JOSEPHINE

5. The HOSE to be 400 FEET miles
(Canal or pipe line)
in length, terminating in the SE 1/4 SE 1/4 of Sec. 22, Twp. 36S,
(Smallest legal subdivision)
R. 6W, W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is UN-NAMED

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the
supply when not in use must be described.

8. The development will consist of 1 POND having a
(Give number of wells, tunnels, etc.)
diameter of 76' x 140' inches and an estimated depth of 6 feet. It is estimated that 0
feet of the well will require — casing. Depth to water table is estimated 3
(Kind) (Feet)

G 4122

(b) At miles from headgate: width on top (at water line)
 feet; width on bottom feet; depth of water feet;
 grade feet fall per one thousand feet.

10. If pumps are to be used, give size and type CENTRIFUGAL 3" x 2" OUTLET

Give horsepower and type of motor or engine to be used GASOLINE 3 H.P.

800' TO SAND CREEK 8' DIFFERENCE

[illegible]

(If more space required, attach separate sheet)

Character of soil CRANITE

Kind of crops raised HAY, PASTURE & GARDEN

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

17. The water will be completely applied to the proposed use on or before OCT 1, 1976

Joseph R. Britel
(Signature of applicant)

Remarks:

STATE ENGINEER

By ASSISTANT

STATE OF OREGON, }
County of Marion, } ss.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.04 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from a sump well

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year; and shall be further limited to appropriation of water only to the extent that it does not impair or substantially interfere with existing surface water rights of others

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is May 9, 1968

Actual construction work shall begin on or before January 20, 1970 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1970

Complete application of the water to the proposed use shall be made on or before October 1, 1971

WITNESS my hand this 20th day of January, 1969

STATE ENGINEER

Application No. G- 4370
Permit No. G- G 4122

PERMIT

TO APPROPRIATE THE GROUND
WATERS OF THE STATE
OF OREGON

This instrument was first received in the
office of the State Engineer at Salem, Oregon,
on the 24th day of May,
1968, at 1:00 o'clock P. M.

Returned to applicant:

Approved:

January 20, 1969

Recorded in book No. of
Ground Water Permits on page G 4122

CHRIS L. WHEELER
STATE ENGINEER

Drainage Basin No. 15 page 97