

RECEIVED  
MAY 10 1968

ASSIGNED, See Misc. Rec., Vol. 4 Page 2251

STATE ENGINEER  
SALEM, OREGON

Permit No. G-4126

CERTIFICATE NO. 43216

APPLICATION FOR A PERMIT

To Appropriate the Ground Waters of the State of Oregon

I, EDSAL A. WOOD  
(Name of applicant)  
of R#2 Box 285 ACORRA, ORE 97002, county of CLACKAMAS  
(Postoffice Address)

state of \_\_\_\_\_, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated WILLAMETTE RIVER  
(Name of stream)

tributary of COLUMBIA RIVER

2. The amount of water which the applicant intends to apply to beneficial use is 0.3 cubic feet per second or 25E gallons per minute.

3. The use to which the water is to be applied is TO WATER NURSERY STOCK AND POTTED PLANTS IN GREENHOUSE AND IN THE OPEN AREA.

4. The well or other source is located 1590 ft. N and 320 ft. E from the SE corner of SECTION 35 T. 35 R. 1W  
(Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one well, each must be described. Use separate sheet if necessary)

being within the N BE 1/4 OF SE 1/4 of Sec. 35, Twp. 35, R. 1W, W. M., in the county of CLACKAMAS

5. The \_\_\_\_\_ to be \_\_\_\_\_ miles  
(Canal or pipe line)  
in length, terminating in the \_\_\_\_\_ of Sec. \_\_\_\_\_, Twp. \_\_\_\_\_, R. \_\_\_\_\_, W. M., the proposed location being shown throughout on the accompanying map.  
(Smallest legal subdivision)

6. The name of the well or other works is \_\_\_\_\_

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

8. The development will consist of ONE WELL having a diameter of 10 inches and an estimated depth of 214 feet. It is estimated that 214 feet of the well will require STEEL casing. Depth to water table is estimated 74 FT.  
(Give number of wells, tunnels, etc.)  
(Kind) (Feet)

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(b) At ..... miles from headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(c) Length of pipe, ..... ft.; size at intake ..... in.; in size at ..... ft. from intake ..... in.; size at place of use ..... in.; difference in elevation between intake and place of use, ..... ft. Is grade uniform? ..... Estimated capacity, ..... sec. ft.

10. If pumps are to be used, give size and type 250 GPM DEEP WELL TURBINE

Give horsepower and type of motor or engine to be used 25 H.P. ELECTRIC MOTOR

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

12. Location of area to be irrigated, or place of use

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
<del>35</del>	<del>1 W</del>	<del>35</del>	<del>SE 1/4 SE 1/4</del>	<del>GREENHOUSE AND POTTED PLANTS WILL COVER APPROX. 20 ACRES</del>
35	1 W	35	NE 1/4 SE 1/4	15.0
35	1 W	35	SE 1/4 SE 1/4	8.5
				23.5

(If more space required, attach separate sheet)

Character of soil ALL PLANTS WILL BE POTTED OR IN GREENHOUSE  
 Kind of crops raised NURSERY STOCK AND POTTED PLANTS

MUNICIPAL SUPPLY—

13. To supply the city of .....  
in ..... county, having a present population of .....  
and an estimated population of ..... in 19.....

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

- 14. Estimated cost of proposed works, \$ 5500 00
- 15. Construction work will begin on or before FEB 15, 1968
- 16. Construction work will be completed on or before MAY 1 1968
- 17. The water will be completely applied to the proposed use on or before JULY 1, 1968

18. If the ground water supply is supplemental to an existing water supply, identify any appli-  
cation for permit, permit, certificate or adjudicated right to appropriate water, made or held by the  
applicant. ....

Edral A. Wood  
(Signature of applicant)

Remarks: .....  
.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying  
maps and data, and return the same for Completion

In order to retain its priority, this application must be returned to the State Engineer, with correc-  
tions on or before July 22nd, 19 68  
November 12, 19 68

WITNESS my hand this 21st day of May, 19 68  
10th September, 19 68

**RECEIVED**  
OCT 15 1968  
**STATE ENGINEER**  
SALEM OREGON

CHRIS L. WHEELER  
STATE ENGINEER  
By [Signature]  
ASSISTANT

County of Marion,

ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.29 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from a well

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year;

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is September 10, 1968

Actual construction work shall begin on or before January 20, 1970 and shall

thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1970

Complete application of the water to the proposed use shall be made on or before October 1, 1971

WITNESS my hand this 20th day of January, 1969

Chris L. Wheeler

STATE ENGINEER

Application No. G-4374

Permit No. G-4126

PERMIT

TO APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 20th day of May, 1968, at 8:00 o'clock A.M.

Returned to applicant:

Approved:

January 20, 1969

Recorded in book No. of Ground Water Permits on page G 4126

CHRIS L. WHEELER

STATE ENGINEER

Drainage Basin No. 2 page 121

Handwritten signature/initials

PC