${\tt Permit\ No.\ G-} \quad G \quad 4138.$

APPLICATION FOR A PERMIT

To Appropriate the Ground Waters of the State of Oregon

I, Coleman Farms Inc. (Name of applicant)
of Rt. 1 Box 402 Woodburn, county of Marion,
state of, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:
If the applicant is a corporation, give date and place of incorporation
1. Give name of nearest stream to which the well, tunnel or other source of water development is situated. Willame He River. (Name of stream)
(Name of stream) tributary of
2. The amount of water which the applicant intends to apply to beneficial use is .1.65. cubic feet per second or gallons per minute.
3. The use to which the water is to be applied is Itrige Lion
4. The well or other source is located 140 ft. North and 200 ft. East from the SW. corner of Secton 19
COTNET Of
(If preferable, give distance and bearing to section corner)
being within the 5. W/4. of 5. W. 4 of Sec. 19, Twp. 45, R. 2. w,
W. M., in the county of Marion
5. The to be miles
in length, terminating in the of Sec Twp,
R, W. M., the proposed location being shown throughout on the accompanying map.
6. The name of the well or other works is
DESCRIPTION OF WORKS
7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.
······································
8. The development will consist of
diameter of inches and an estimated depth of feet. It is estimated that
feet of the well will require casing. Depth to water table is estimated(Kind)

CANAL SYSTEM 9. (a) Give			nal where materially changed in	G 4138
			e)	-
	•		feet; grade	
thousand feet.	. jeet, depth of wo		jeet, grade	jeet jatt per ond
·	` mila	a from boad	:	
			te: width on top (at water line)	
		<u></u>	feet; depth of water	feet
grade			·	
		8.5	ze at intake in.; in	
			se in.; difference	
intake and place o	f use,	ft. Is	grade uniform?	Estimated capacity
	·		<i>—</i> , , , ,	
10. If pump	s are to be used, gi	ive size and typ	e Turbine 6'	disch
	•••••••••••••••••••••••••••••••••••••••	•••••••••••••••••••••••••••••••••••••••		
Give horsep	ower and type of	motor or engin	e to be used 60 H.	Hec.
•••••	•••••••••••••	•		•••••••••••••••••••••••••••••••••••••••
a natural stream o	or stream channel,	give the distan	er development work is less than nce to the nearest point on each and the ground surface at the	of such channels and
12. Location	ı of area to be irri	gated, or place	of use	
12. Location Township N. or S.	n of area to be irri Rance E. or W. of Willamette Meridian	gated, or place	of use	Number Acres To Be Irrigated
Township	Range E. or W. of			
Township N. or S.	Range E. or W. of		Forty-acre Tract	
Township N. or S.	Range E. or W. of		Forty-acre Tract	
Township N. or S.	Range E. or W. of		Forty-acre Tract	
Township N. or S. T 4 5 T 4 5 T 4 5	Range E. or W. of		Forty-acre Tract	
Township N. or S. T45 T45	Range E. or W. of		Forty-acre Tract	

(If more space required, attach separate sheet)

	oply the city of				•••••••
ı	co	unty, hav in g a	present population	of	••••••
n <mark>d an estim</mark> ate	d population of		in 19		
•••			, 16, 17 AND 18 IN A	4	◆
.14. Estim	ated cost of propo	sed works, \$	12,	,000	∯. ∶ •
4	ruction work will		*		
16. Const	ruction work will	be completed or	or before	upleted	•••••
17. The 1	ater will be comp	letely applied to	the proposed use o	n or beforeO.	F. 119
18. If the	ground water su	pply is supplen	nental to an existin	g water supply, ide	entify any appl
pplicant.	_				
			× (0	m Finnes	()
					7
	11.1	_ /	Ly Dahi	(Signature of applicant)	•
Remarks:	Milo 3	chneide	's Orilled	well is	n Max
See 1	g for u	jell ind	By Kole	•	
			:		

	,				
		••••••••			
m 4 m n O R O n	TGON .				•
$TATE\ OF\ OR$ County of M	} ss.				
• •					
			e foregoing applicat		
naps and data,	ınd return the san	re for	· · · · · · · · · · · · · · · · · · ·		
In order	o retain its priorit	y, this applicat	ion must be returne	d to the State Engin	eer, with corre
iona on or bafo	re		, 19		
ions on or bejo	• "			•	
ions on or bejo					
·	Y man have I Ali-	A			7 0
·	5 my hand this	day of .	•		, 19
·	5 my hand this	day of			, 19

By

PERMIT

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the ambunt of water which can be applied to beneficial use and shall not exceed1.63		e all					
The use to which this water is to be applied isirrigation. If for irrigation, this appropriation shall be limited to	The r	right herein granted	is limited to the amou	nt of wat	er which can be	applied to bener	f i cial use
The use to which this water is to be applied is	and shall no	ot exceed 1.63	cubic feet per 💃 co	nd measur	red at the point o	f diversion from	the well
If for irrigation, this appropriation shall be limited to	or source of	appropriation, or its	s equivalent in case of	rotation 1	vith other water	users, froma.	well
If for irrigation, this appropriation shall be limited to	Then	usa to anhigh this anat	ar is to be applied is	irrigat	tion	••••••••••••	
and shall be subject to such reasonable rotation system as may be ordered by the proper state officer. The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control value to prevent the waste of ground water. The wells shall led cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control value to prevent the waste of ground water. The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times. The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn. The priority date of this permit is Actual construction work shall begin on or before Rebruary 14, 1970 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 19.70 WITNESS my hand this 14th day of February 19.69.	1766 0	ise to writer trus wat	er is to be applied is		· · · · · · · · · · · · · · · · · · ·		••••••
and shall be subject to such reasonable rotation system as may be ordered by the proper state officer. The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control value to prevent the waste of ground water. The wells shall led cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control value to prevent the waste of ground water. The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times. The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn. The priority date of this permit is Actual construction work shall begin on or before Rebruary 14, 1970 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 19.70 WITNESS my hand this 14th day of February 19.69.	T.C.C				1/80th	7	***************************************
and shall be subject to such reasonable rotation system as may be ordered by the proper state officer. The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include an ari line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times. The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn. The priority date of this permit is							,
and shall be subject to such reasonable rotation system as may be ordered by the proper state officer. The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water. The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times. The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn. The priority date of this permit is							
and shall be subject to such reasonable rotation system as may be ordered by the proper state officer. The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control value to prevent the waste of ground water. The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times. The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn. The priority date of this permit is	acre feet pe	r acre for each acre	irrigated during the in	rigation s	eason of each yea	ar;	••••••
and shall be subject to such reasonable rotation system as may be ordered by the proper state officer. The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control value to prevent the waste of ground water. The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times. The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn. The priority date of this permit is			•••••••••••••••••••••••••••••••••••••••	•••••••			••••••
and shall be subject to such reasonable rotation system as may be ordered by the proper state officer. The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control value to prevent the waste of ground water. The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times. The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn. The priority date of this permit is	***************	•••••••••••••	······	••••••			••••••
The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water. The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times. The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn. The priority date of this permit is	·		(#)	••••••••	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		••••••
The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water. The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times. The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn. The priority date of this permit is				••••••••	••••••	••••••	******
The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water. The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times. The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn. The priority date of this permit is				••••••		••••••	
The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water. The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times. The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn. The priority date of this permit is	***************************************						•••••
the works shall include proper capping and control valve to prevent the waste of ground water. The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times. The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn. The priority date of this permit is	and shall be	subject to such reas	onable rotation systen	n as may b	e ordered by the	proper state off	icer.
The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times. The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn. The priority date of this permit is	The v	vell shall be cased as	s necessary in accorda	nce with	good practice an	d if the flow is	artesian
The priority date of this permit is	The v line, adequo	works constructed shate to determine wat	all include an air line ter level elevation in t	and press the well a	sure gauge or an o t all times.	access port for m	•
Actual construction work shall begin on or beforeFebruary_Li, 1970 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 19.70 Complete application of the water to the proposed use shall be made on or before October 1, 19.71 WITNESS my hand thisLth day of February	The p shall keep o	permittee shall instal a complete record of	l and maintain a weir the amount of groun	, meter, o d water u	or other suitable vithdrawn.	: measuring der	rice, and
Actual construction work shall begin on or beforeFebruary_Li, 1970 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 19.70 Complete application of the water to the proposed use shall be made on or before October 1, 19.71 WITNESS my hand thisLth day of February							
Complete application of the water to the proposed use shall be made on or before October 1, 19.71 WITNESS my hand this	The p	priority date of this p	permit is	•••••	May 15, 1968		***************************************
Complete application of the water to the proposed use shall be made on or before October 1, 19.71 WITNESS my hand this lith day of February 19.69 STATE ENGINEER 3	Actu	al construction work	shall begin on or befo	re	February 14	<u>, 1970</u>	and shall
WITNESS my hand this 14th day of February 19.69. STATE ENGINEER 3. 19.69 STAT	thereafter l	be prosecuted with r	reasonable diligence a	nd be con	npleted on or be	fore October 1,	19.70
DUND OUND EE in the ord in the or	Comp	olete application of th	he water to the propos	ed use sha	ıll be made on or	before October	1, 1971
28. 20UND E 2, 1969 3, 1969 4, 138 4, 138	WITI	NESS my hand this .	14th day of	Februar	y	, 19.69	
28. 20UND E 2, 1969 3, 1969 4, 138 4, 138		10		0,	List-	whiles	NACTATION
PERMIT PERMIT TO APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON To APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON The State Engineer at Salem, Oregon, The State Engineer at Salem,						SIRIE	f NAMED N
PERMIT Permit No. G.—G. 4138 Permit No. G.—G. 4138 TO APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON To State Engineer at Salem, Oreg. State Engine			the you,		6	. of 38	# 5 1
PERMIT PERMIT TO APPROPRIATE THE GROU WATERS OF THE STATE OF OREGON To APPROPRIATE THE GROU WATERS OF THE STATE OF OREGON This instrument was first receive To APPROPRIATE THE GROU The IS day of May The IS day The IS day of May The IS day The IS da	::	מאת	d in Oreç		196	41	Z S
PERMIT Permit No. G.—G. 41 Permit No. G.—G. 41 Permit No. G.—G. 41 TO APPROPRIATE THE C WATERS OF THE ST. OF OREGON OF OREGON This instrument was first receipte of the State Engineer at So the 15 day of Mey My, at 11:35 o'clock My My at 11:35 o'clock My Corded in book No. Rebruary CHEIS L. WHEET CHEIS L. WHEET Drainage Basin No. 2.—pa	38	ROTE	ceive dem,		14,	C H	ge . L
Permit No. GG. Permit No. GG. Permit No. GG. TO APPROPRIATE TI WATERS OF THH OF OREGO To of the State Engineer To of the State Engineer The State En	436	T HE C	st ree		ary	age . HEET	pa
Permit No. G Permit No. G PERROPEIAT WATERS OF OF OR No. Grand of the State Engine To APPROPRIAT WATERS OF No. Grand of the State Engine Toved: Recorded in book No. CHELS Trainage Basin No.	ري ا	MI E TH THE EGO	s firs		pmqa	on p	4
Permit No. Permit No. Permit No. OF WATERS OF To APPROPE OF The State The State The State The State The Mater Per Troved: CHI	. No.	ER.	t wa Engir y of .	sant:	Ĕ	ok N mits	No.
Permit Permit Permit WAT WAT his instruct of the S trued to a trued to a und Wate Und Wate Drainage	ation ; No.	PJ tope ters	tate da da	rpplic		in bo r Per CH	Basin
P. P. TO A TO A Toved roved und I und I vaim	pplic ?rmit	\PPF\	ihe S	to a	÷	ded Wate	
	Ą,	ro A	his i e of t he . L	ırned	точец	tecor)rain

This instrument was first recei office of the State Engineer at Sale

on the .[5

1968, at 11:35 o'clock /

Returned to applicant:

Approved:

Ground Water Permits on page .. (3) Recorded in book No.

<