

RECEIVED  
MAY 20 1968

STATE ENGINEER  
SALEM, OREGON

CERTIFICATE NO. 43688

Permit No. G- G 4141

APPLICATION FOR A PERMIT

To appropriate the Ground Waters of the State of Oregon

I, Tillamook County Creamery Association

(Name of applicant)

of P.O. Box 313, Tillamook, Oregon 97141, county of Tillamook

(Postoffice Address)

state of Oregon, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1930 Tillamook County

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated Unnamed intermittent stream

(Name of stream)

tributary of Kilchis River

2. The amount of water which the applicant intends to apply to beneficial use is 668 cubic feet per second or 300 gallons per minute.

3. The use to which the water is to be applied is Industrial and Domestic

4. The well or other source is located 354.47 ft. S. and 755.74 ft. E. from the NW 1/4 Section corner of Section 7 T1S R9W

(N. or S.)

(E. or W.)

(Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one well, each must be described. Use separate sheet if necessary)

being within the NW 1/4, NE 1/4 of Sec. 7, Twp. 1 S., R. 9 W., W. M., in the county of Tillamook

5. The Pipeline to be 980' (.1851) miles in length, terminating in the NW 1/4, NE 1/4 of Sec. 7, Twp. 1 S., R. 9, W. M., the proposed location being shown throughout on the accompanying map.

(Canal or pipe line)

(Smallest legal subdivision)

6. The name of the well or other works is Wildguess Number 1

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

8. The development will consist of one well having a diameter of 8 inches and an estimated depth of 100 feet. It is estimated that feet of the well will require steel pipe casing. Depth to water table is estimated 40 feet

(Give number of wells, tunnels, etc.)

(Kind)

(Feet)

CANAL SYSTEM OR PIPE LINE—

G 4141

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(b) At ..... miles from headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(c) Length of pipe, ..... 980' ..... ft.; size at intake ..... 8" ..... in.; in size at ..... 980' ..... ft. from intake ..... 8" ..... in.; size at place of use ..... in.; difference in elevation between intake and place of use, ..... 5' ..... ft. Is grade uniform? Yes ..... Estimated capacity, ..... sec. ft.

10. If pumps are to be used, give size and type ..... 25 hp Submersible turbine.....

Give horsepower and type of motor or engine to be used ..... 25 horsepower electric.....

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

37' form unnamed intermittent stream draining into the Kilchis River

12. Location of area to be irrigated, or place of use Tillamook County Creamery Association

| Township<br>N. or S. | Range<br>E. or W. of<br>Willamette Meridian | Section | Forty-acre Tract | Number Acres<br>To Be Irrigated |
|----------------------|---|---------|------------------|---------------------------------|
| T 15                 | R 9 W                                       | Sec. 18 | NW 1/4 & SW 1/4  | Industrial                      |
|                      |   |         |                  |                                 |
|                      |   |         |                  |                                 |
|                      |   |         |                  |                                 |
|                      |   |         |                  |                                 |
|                      |   |         |                  |                                 |
|                      |   |         |                  |                                 |
|                      |   |         |                  |                                 |
|                      |   |         |                  |                                 |
|                      |   |         |                  |                                 |
|                      |   |         |                  |                                 |
|                      |   |         |                  |                                 |
|                      |   |         |                  |                                 |
|                      |   |         |                  |                                 |
|                      |   |         |                  |                                 |

(If more space required, attach separate sheet)

Character of soil .....

Kind of crops raised .....

MUNICIPAL SUPPLY—

13. To supply the city of .....  
in ..... county, having a present population of .....  
and an estimated population of ..... in 19.....

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

- 14. Estimated cost of proposed works, \$ 200.00.....
- 15. Construction work will begin on or before Completed.....
- 16. Construction work will be completed on or before September 15, 1967.....
- 17. The water will be completely applied to the proposed use on or before July 1, 1968.....

18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant. To supplement permit #18314 authorizing 3.0 cubic feet per second.

Tillamook County Creamery Assn.

H. S. Dixon, Secretary  
(Signature of applicant)

Remarks: .....

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for Completion and Correction.....

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before August 14th, 1968.....

~~October 16th 68~~  
~~December 10th 68~~

RECEIVED  
JAN 16 1969  
STATE ENGINEER  
SALEM, OREGON

WITNESS my hand this 14th day of June, 1968.....

~~16th August 68~~  
~~10th October 68~~

RECEIVED  
OCT 8 1968  
STATE ENGINEER  
SALEM OREGON

RECEIVED  
AUG 13 1968  
STATE ENGINEER  
SALEM OREGON

By Chris L. Wheeler STATE ENGINEER  
Tammy W. Purcell ASSISTANT

STATE OF OREGON, }  
County of Marion, } ss.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.67 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from a well

The use to which this water is to be applied is supplemental industrial

If for irrigation, this appropriation shall be limited to \_\_\_\_\_ of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed \_\_\_\_\_ acre feet per acre for each acre irrigated during the irrigation season of each year; and shall be further limited to appropriation of water only to the extent that it does not impair or substantially interfere with existing surface water rights of others

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is January 16, 1969

Actual construction work shall begin on or before February 14, 1970 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1970

Complete application of the water to the proposed use shall be made on or before October 1, 1971

WITNESS my hand this 14th day of February, 1969

*Chris L. Wheeler*

STATE ENGINEER

Application No. G- 4393  
Permit No. G- G 4141

PERMIT  
TO APPROPRIATE THE GROUND  
WATERS OF THE STATE  
OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 20th day of May, 1968, at 8:00 o'clock A. M.

Returned to applicant:

Approved: February 14, 1969

Recorded in book No. \_\_\_\_\_ of \_\_\_\_\_  
Ground Water Permits on page G 4141

CHRIS L. WHEELER  
STATE ENGINEER  
Drainage Basin No. 1 page 26

42500