

RECEIVED
MAY 6 1968
STATE ENGINEER
SALEM, OREGON

RECEIVED
MAY 29 1968
STATE ENGINEER
SALEM, OREGON

RECEIVED
SEP 16 1968
STATE ENGINEER
SALEM, OREGON

Permit No. G- G 4167

APPLICATION FOR A PERMIT

CERTIFICATE NO. 40701

To Appropriate the Ground Waters of the State of Oregon

I, Henry W. Wenzel (Name of applicant)
of Box 436 Beaverton Oregon 97005, county of Washington,
state of Oregon, do hereby make application for a permit to appropriate the
following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated None (Name of stream)

tributary of

2. The amount of water which the applicant intends to apply to beneficial use is _____ cubic feet per second or 9.1 gallons per minute.

3. The use to which the water is to be applied is 1 R.R. irrigation
of farm water for irrigation

4. The well or other source is located 1172.0 ft. N and 1420.0 ft. W from the S.E. corner of The NW 1/4, section 5, T.25, R.1W, W.M. (Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one well, each must be described. Use separate sheet if necessary)

being within the SW NW 1/4 of Sec. 5, Twp. 25, R. 1W, W. M., in the county of Washington

5. The 3" P.V.C. pipe (Canal or pipe line) to be 990' in length, terminating in the _____ of Sec. _____, Twp. _____, R. _____, W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is none

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

8. The development will consist of a well (Give number of wells, tunnels, etc.) having a diameter of 8 inches and an estimated depth of 229 feet. It is estimated that feet of the well will require 33' (Kind) steel casing. Depth to water table is estimated 15' (Feet)

CANAL SYSTEM OR PIPE LINE—

G 4167

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake 3 in.; in size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

10. If pumps are to be used, give size and type 15 H.P. Submersible

Line - 90 g.p.m. 425' head

Give horsepower and type of motor or engine to be used

15 Submersible

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

12. Location of area to be irrigated, or place of use

| Township N. or S. | Range E. or W. of Willamette Meridian | Section | Forty-acre Tract | Number Acres To Be Irrigated |
|----------------------|---|---------|------------------|---------------------------------|
| T 2 S | R 1 W | 5 | NE 1/4 of NW 1/4 | 5.65 |
| " | " | " | NW 1/4 of NW 1/4 | 2.57 |
| " | " | " | SW 1/4 of NW 1/4 | 7.80 |
| " | " | " | SE 1/4 of NW 1/4 | 11.38 |
| | | | | 27.40 |

(If more space required, attach separate sheet)

Character of soil

Kind of crops raised Pasture & alfalfa

MUNICIPAL SUPPLY—

13. To supply the city of
in county, having a present population of
and an estimated population of in 19.....

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

- 14. Estimated cost of proposed works, \$ 3000.00
- 15. Construction work will begin on or before August 1967
- 16. Construction work will be completed on or before August 1968
- 17. The water will be completely applied to the proposed use on or before August 1968

18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant.

Harry Wenzel
(Signature of applicant)

Remarks:

990 FT. 3" MAIN LINE
540 " " LATERAL
14 TNT R.B. SPRINKLERS 3/4"

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for Completion.....

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before ~~August 20th~~, 19. ~~68~~

October 14th 68

WITNESS my hand this ~~20th~~ day of ~~June~~, 19-~~68~~
14th August 68

RECEIVED
AUG 6 1968
STATE ENGINEER
SALEM, OREGON

CHRIS L. WHEELER
STATE ENGINEER
[Signature]
ASSISTANT

STATE OF OREGON, }
County of Marion, } ss.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.20 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from a well

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year;

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is May 29, 1968

Actual construction work shall begin on or before February 14, 1970 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1970

Complete application of the water to the proposed use shall be made on or before October 1, 1971

WITNESS my hand this 14th day of February, 1969

Chris L. Wheeler

STATE ENGINEER

Application No. G- 4422
Permit No. G- G 4167

PERMIT

TO APPROPRIATE THE GROUND
WATERS OF THE STATE
OF OREGON

This instrument was first received in the
office of the State Engineer at Salem, Oregon,

on the 29th day of May,
1968, at 1:00 o'clock P. M.

Returned to applicant:

Approved:

February 14, 1969

Recorded in book No. _____ of _____

Ground Water Permits on page G 4167

CHRIS L. WHEELER
STATE ENGINEER

Drainage Basin No. 8 page 105

4200