

RECEIVED
JUN 8 1968

CERTIFICATE NO. 41557

STATE ENGINEER
SALEM, OREGON

Permit No. G- G 4172

APPLICATION FOR A PERMIT

To appropriate the Ground Waters of the State of Oregon

I, CITY OF WOOD VILLAGE
(Name of applicant)

of 2055 N. E. 238th Drive, Troutdale, county of Multnomah,
(Postoffice Address)

state of Oregon, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated Arata Creek
(Name of stream)

tributary of Columbia River

2. The amount of water which the applicant intends to apply to beneficial use is cubic feet per second or 400 gallons per minute.

3. The use to which the water is to be applied is municipal water supply

4. The well or other source is located 50 ft. South and 435 ft. East from the Southeast corner of A. C. Dunbar D.L.C.
(N. or S.) (E. or W.)

(Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one well, each must be described. Use separate sheet if necessary)

being within the SE 1/4 of the NW 1/4 of Sec. 35, Twp. 1 North, R. 3 East, W. M., in the county of Multnomah

5. The pipeline connects to system to be miles in length, terminating in the see map of Sec. of Twp. R. W. M., the proposed location being shown throughout on the accompanying map.
(Canal or pipe line) (Smallest legal subdivision)

6. The name of the well or other works is City of Wood Village Well No. 2

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

N/A

8. The development will consist of one well having a diameter of 12 inches and an estimated depth of 400 feet. It is estimated that 300 feet of the well will require steel casing. Depth to water table is estimated 300
(Kind) (Feet)

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake, in.; in size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

10. If pumps are to be used, give size and type 10-inch Bowl Deep well turbine

Give horsepower and type of motor or engine to be used 60 HP Electric

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

12. Location of area to be irrigated, or place of use

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
1 North	3 East	26	SW 1/4, SW 1/4	6 acres
			NW 1/4, SW 1/4	12 acres
		27	SE 1/4, NE 1/4	7 acres
			SW 1/4, NE 1/4	5 acres
		27	NW 1/4, SE 1/4	31 acres
			NE 1/4, SE 1/4	30 acres
		27	SW 1/4, SE 1/4	37 acres
			SE 1/4, SE 1/4	40 acres
		27	SW 1/4, SW 1/4	7 acres
			SE 1/4, SW 1/4	24 acres
		34	NW 1/4, NW 1/4	16 acres
			NE 1/4, NW 1/4	16 acres
		34	NW 1/4, NE 1/4	40 acres
			NE 1/4, NE 1/4	40 acres
34	SW 1/4, NE 1/4	28 acres		
	SE 1/4, NE 1/4	28 acres		
35	NW 1/4, NW 1/4	8 acres		
	NE 1/4, NW 1/4	3 acres		
35	SW 1/4, NW 1/4	37 acres		
	SE 1/4, NW 1/4	15 acres		

(If more space required, attach separate sheet)

Character of soil

Kind of crops raised

MUNICIPAL SUPPLY—

G 4172

13. To supply the city of Wood Village
in Multnomah county, having a present population of 1100
and an estimated population of 3000 in 1980

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

- 14. Estimated cost of proposed works, \$ 15,000.00
- 15. Construction work will begin on or before July 1, 1968
- 16. Construction work will be completed on or before July 1, 1969
- 17. The water will be completely applied to the proposed use on or before July 1, 1970

18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant. Well No. 1 Registration No. GR-1589 May 20, 1958 Certificate GR-1537

Recorded Bk. No. 7

Edillard Holt
(Signature of applicant) Mayor

Remarks: _____

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for _____

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before _____, 19_____.

WITNESS my hand this _____ day of _____, 19_____.

STATE ENGINEER

By _____
ASSISTANT

STATE OF OREGON, }
County of Marion, } ss.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.89 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from well No. 2

The use to which this water is to be applied is Municipal

If for irrigation, this appropriation shall be limited to _____ of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed _____ acre feet per acre for each acre irrigated during the irrigation season of each year; _____

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is June 3, 1968

Actual construction work shall begin on or before February 14, 1970 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1970

Complete application of the water to the proposed use shall be made on or before October 1, 1971

WITNESS my hand this 14th day of February, 1969

Chris L. Wheeler
STATE ENGINEER

pc
Application No. G- 4428
Permit No. G- G 4172

PERMIT
TO APPROPRIATE THE GROUND
WATERS OF THE STATE
OF OREGON

This instrument was first received in the
office of the State Engineer at Salem, Oregon,
on the 3rd day of June,
1968, at 8:00 o'clock A. M.

Returned to applicant:

Approved: _____
February 14, 1969
Recorded in book No. _____ of
Ground Water Permits on page G 4172

CHRIS L. WHEELER
STATE ENGINEER
Drainage Basin No. 3 page 30

4428