

RECEIVED
MAY 17 1968
STATE ENGINEER
SALEM OREGON

Permit No. G- G 4181 CERTIFICATE NO. 43629

APPLICATION FOR A PERMIT

To appropriate the Ground Waters of the State of Oregon

I, City of Monroe (Name of applicant)
of Monroe (Postoffice Address), county of Benton
state of Oregon, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated Long Tom River (Name of stream)
tributary of Willamette River

2. The amount of water which the applicant intends to apply to beneficial use is cubic feet per second or 150 gallons per minute.

3. The use to which the water is to be applied is Municipal

4. The well or other source is located 1475 ft. S (N. or S.) and 1140 ft. W (E. or W.) from the N.E. corner of Section 33, Township 14S, Range 5 W.W.M. (Section or subdivision)
(If preferable, give distance and bearing to section corner)

(If there is more than one well, each must be described. Use separate sheet if necessary)
being within the S.E. 1/4 of N.E. 1/4 of Sec. 33, Twp. 14S, R. 5W, W. M., in the county of Benton

5. The Supplemental source for existing system be miles (Canal or pipe line) in length, terminating in the of Sec., Twp., R., W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is .

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

8. The development will consist of Infiltration Gallery (Give number of wells, tunnels, etc.) having a diameter of 24 inches and an estimated depth of 16 feet. It is estimated that feet of the well will require casing. Depth to water table is estimated 7 (Feet)

CANAL SYSTEM OR PIPE LINE—

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake in.; in size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

10. If pumps are to be used, give size and type

Give horsepower and type of motor or engine to be used

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

400' - 6 feet difference

12. Location of area to be irrigated, or place of use City of Monroe - See Remarks

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
See application #9202 Permit #6081 - Cert. 5101				
		24168	- 19008	Cert. 23996

(If more space required, attach separate sheet)

Character of soil

Kind of crops raised

MUNICIPAL SUPPLY—

13. To supply the city of Monroe
in Benton county, having a present population of 400
and an estimated population of 800 in 1975.

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

- 14. Estimated cost of proposed works, \$ 4500.00
- 15. Construction work will begin on or before completed
- 16. Construction work will be completed on or before completed
- 17. The water will be completely applied to the proposed use on or before July 1, 1968
- 18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant. Application 9202 - Permit 6081 - Cert. 5101

24168 19008 23996

City of Monroe
(Signature of applicant)

Remarks: See attached Plans and Specifications for details.

Use in Section 28 SE 1/4, NE 1/4; SW 1/4, NE 1/4;
NW 1/4, SE 1/4; NE 1/4, SE 1/4;
SW 1/4, SE 1/4; SE 1/4, SE 1/4

Section 33 NE 1/4, NW 1/4; NW 1/4, NE 1/4
NE 1/4, NE 1/4; SW 1/4, NE 1/4
SE 1/4, NE 1/4

ALL IN T. 14 S., R. 5 W., W.M.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for Completion

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before August 13th, 1968.

WITNESS my hand this 13th day of June, 1968

RECEIVED
SEP 27 1968
STATE ENGINEER By Chris L. Wheeler ASSISTANT
SALEM, OREGON

STATE OF OREGON,

County of Marion,

PERMIT

ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.33 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from a well

The use to which this water is to be applied is municipal

If for irrigation, this appropriation shall be limited to of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed acre feet per acre for each acre irrigated during the irrigation season of each year;

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is September 27, 1968

Actual construction work shall begin on or before February 14, 1970 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1970

Complete application of the water to the proposed use shall be made on or before October 1, 1971

WITNESS my hand this 14th day of February, 1969

Chris L. Wheeler

STATE ENGINEER

Application No. G-4392

Permit No. G-4184

PERMIT

TO APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 17th day of May, 1968, at 8:00 o'clock A. M.

Returned to applicant:

Approved:

February 14, 1969

Recorded in book No. of Ground Water Permits on page G 4184

CHRIS L. WHEELER STATE ENGINEER

Drainage Basin No. 2 page 105

425