

RECEIVED  
JUN 14 1968

CERTIFICATE NO. 37064

STATE ENGINEER  
SALEM OREGON

Permit No. G- G 4188

APPLICATION FOR A PERMIT

To Appropriate the Ground Waters of the State of Oregon

I, Oregon Fish Commission

(Name of applicant)

of 1400 S. W. Fifth Avenue, Portland, county of Multnomah

(Postoffice Address)

state of Oregon, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated Stewart Creek

(Name of stream)

tributary of Willamette

2. The amount of water which the applicant intends to apply to beneficial use is cubic feet per second or 300 gallons per minute.

3. The use to which the water is to be applied is Fish Disease Research

4. The well or other source is located 3,587 ft. S and 1,072 ft. E from the NW corner of Section 19

(N. or S.)

(E. or W.)

(Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one well, each must be described. Use separate sheet if necessary)

being within the NW 1/4 of SW 1/4 of Sec. 19, Twp. 11 S., R. 4 W., W. M., in the county of Benton

5. The Pipeline to be 20 ft. in length, terminating in the NW 1/4 of SW 1/4 of Sec. 19, Twp. 11 S., R. 4 W., W. M., the proposed location being shown throughout on the accompanying map.

(Canal or pipe line)

(Smallest legal subdivision)

6. The name of the well or other works is "Fryer's"

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

8. The development will consist of one well having a diameter of 8" inches and an estimated depth of 60 feet. It is estimated that 40 feet of the well will require perforated steel casing. Depth to water table is estimated 40

(Give number of wells, tunnels, etc.)

(Kind)

(Feet)





STATE OF OREGON, }  
County of Marion, } ss.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed .....0.67..... cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from ..... a well .....

The use to which this water is to be applied is ..... fish disease research .....

If for irrigation, this appropriation shall be limited to ..... of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed ..... acre feet per acre for each acre irrigated during the irrigation season of each year; And shall be limited to appropriation of water only to the extent that it does not impair or substantially interfere with existing surface water rights of others

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is ..... June 14, 1968 .....

Actual construction work shall begin on or before ..... February 24, 1970 ..... and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1970

Complete application of the water to the proposed use shall be made on or before October 1, 1971

WITNESS my hand this ..... 24th ..... day of ..... February ..... 19 69 .....

*Chris L. Wheeler*  
STATE ENGINEER

pc  
Application No. G- 4442  
Permit No. G- G 4188

PERMIT

TO APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 14th day of June, 1968, at 1:00 o'clock P. M.

Returned to applicant:

Approved:

February 24, 1969

Recorded in book No. .... of Ground Water Permits on page G 4188

CHRIS L. WHEELER  
STATE ENGINEER

Drainage Basin No. 2 page 106

92500