Permit No. G- G 4211

APPLICATION FOR A PERMIT

CERTIFICATE NO

40579

To Appropriate the Ground Waters of the State of Oregon

I, URLIN S. PAGE and L. K. PAGE
of 456 State Street, Salem , county of Marion ,
state ofOregon, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:
If the applicant is a corporation, give date and place of incorporation
not incorporated
1. Give name of nearest stream to which the well, tunnel or other source of water development is
situatedLake Labish Drainage Ditch (Name of stream)
tributary of Willamette River
2. The amount of water which the applicant intends to apply to beneficial use is cubic feet per second or
3. The use to which the water is to be applied is <u>irrigation</u>
One N 3° 20' East 4. ***********************************
corner of Section (Page #3) is located 2622 feet S. 11° 43!
(Section or subdivision)
East from the SW corner of Section 30 (If preferable, give distance and bearing to section corner)
being within the #3 Suly Alligh
W. M., in the county ofMarion
5. The to be miles
in length, terminating in the
R, W. M., the proposed location being shown throughout on the accompanying map.
6. The name of the well or other works is . Page No. 2 and Page No. 3
DESCRIPTION OF WORKS
7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.
Not artesian
8. The development will consist of having a (Give number of wells, tunnels, etc.)
diameter of inches and an estimated depth of90 feet. It is estimated that
feet of the well will require welded casing. Depth to water table is estimated 90 feet for (Kind)
well No. 2 and 80 feet for Well No. 3

•				
CANAL SYS	TEM OR PIPE LIN	NE		G 4211
9. (a)	Give dimensions at	each point of can	al where materially changed in	size, stating miles fr
headgate. At	headgate: width on	top (at water line	:)	. feet; width on bott
•••••	feet; depth of	water	feet; grade	feet fall per
housand feet		可要で できな。 で発達		
(b) At	m	iles from headga	te: width on top (at water line)	
		3	feet; depth of water	
v .	feet fall	,		W.
			ze at intake in.; in	size at
			se in.; difference	
			grade uniform?	
•		,,,	,, , , , , , , , , , , , , , , , , , , ,	Bstimated Capaci
	, .		1P **	
10. If p	umps are to be used,	, give size and typ	e 15 Horsepower - cent	rifugal
natural stree	he location of the we	ll, tunnel, or other el, give the distan	r development work is less than ace to the nearest point on each and the ground surface at the s	one-fourth mile fro
11. If the natural street is difference in the d	he location of the we am or stream channe in elevation betwee ation of area to be in	ill, tunnel, or other el, give the distan n the stream bed	r development work is less than ace to the nearest point on each	one-fourth mile fro of such channels a ource of developme
11. If the natural street in a difference in a	the location of the wearm or stream channels in elevation betwee attion of area to be in Range E. or W. of Willamette Meridian	ill, tunnel, or other el, give the distan n the stream bed	r development work is less than ace to the nearest point on each and the ground surface at the s	one-fourth mile fro
11. If the natural street are difference 12. Local Township N. or S.	ne location of the we am or stream channed in elevation betwee ation of area to be in Range E. or W. of Williamette Meridian	ell, tunnel, or other el, give the distan n the stream bed	of use	one-fourth mile fro of such channels a ource of developme
11. If the natural street to difference to difference to the large transfer transfer to the large transfer transf	ne location of the weam or stream channed in elevation betwee ation of area to be in Range E. or W. of Willamette Meridian	ell, tunnel, or other el, give the distant n the stream bed	of use	one-fourth mile from the of such channels a cource of development of the output of the
11. If the natural street is difference in the d	ation of area to be in Range E. or W. of Willamette Meridian West	el, tunnel, or otherel, give the distant n the stream bed rrigated, or place	of use Forty-acre Tract SW 1/4 of SW 1/4	one-fourth mile from of such channels a cource of development of the such channels are such channels.
11. If the natural street is difference in the difference difference in the difference in the difference is difference in the difference in t	ation of area to be in Range E. or W. of Willamette Meridian West West West	ell, tunnel, or other el, give the distant n the stream bed rrigated, or place Section 30 31	of use Forty-acre Tract SW 1/4 of SW 1/4 NW 1/4 of NW 1/4	Number Acres To Be Irrigated 11. 15
11. If the natural street is difference in the d	ation of area to be in Range E. or W. of Willamette Meridian West West West West	ell, tunnel, or other el, give the distant n the stream bed stream bed rrigated, or place Section 30 31 31	of use Forty-acre Tract SW 1/4 of NW 1/4 SW 1/4 of NW 1/4	Number Acres To Be Irrigated 11. 15
11. If the natural street is difference in the d	ation of area to be in Range E. or W. of Willamette Meridian West West West West	ell, tunnel, or other el, give the distant n the stream bed stream bed rrigated, or place Section 30 31 31	of use Forty-acre Tract SW 1/4 of NW 1/4 SW 1/4 of NW 1/4	Number Acres To Be Irrigated 11. 15
11. If the natural street he difference 12. Local Township N. or S. Duth outh	ation of area to be in Range E. or W. of Willamette Meridian West West West West	ell, tunnel, or other el, give the distant n the stream bed stream bed rrigated, or place Section 30 31 31	of use Forty-acre Tract SW 1/4 of NW 1/4 SW 1/4 of NW 1/4	Number Acres To Be Irrigated 11. 15 2.00 45.0
11. If the natural street he difference 12. Local Township N. or S. Outh outh	ation of area to be in Range E. or W. of Willamette Meridian West West West West	ell, tunnel, or other el, give the distant n the stream bed stream bed rrigated, or place Section 30 31 31	of use Forty-acre Tract SW 1/4 of NW 1/4 SW 1/4 of NW 1/4	Number Acres To Be Irrigated 11. 15 2.00 45.0
11. If the natural street he difference 12. Local Township N. or S. Outh outh	ation of area to be in Range E. or W. of Willamette Meridian West West West West	ell, tunnel, or other el, give the distant n the stream bed stream bed rrigated, or place Section 30 31 31	of use Forty-acre Tract SW 1/4 of NW 1/4 SW 1/4 of NW 1/4	Number Acres To Be Irrigated 11. 15 2.00 45.0
11. If the natural street he difference 12. Local Township N. or S. Outh outh	ation of area to be in Range E. or W. of Willamette Meridian West West West West	ell, tunnel, or other el, give the distant n the stream bed stream bed rrigated, or place Section 30 31 31	of use Forty-acre Tract SW 1/4 of NW 1/4 SW 1/4 of NW 1/4	Number Acres To Be Irrigated 11. 15 2.00 45.0
11. If the natural streethe difference	ation of area to be in Range E. or W. of Willamette Meridian West West West West	ell, tunnel, or other el, give the distant n the stream bed stream bed rrigated, or place Section 30 31 31	of use Forty-acre Tract SW 1/4 of NW 1/4 SW 1/4 of NW 1/4	Number Acres To Be Irrigated 12. 40 11. 15 2.00

(If more space required, attach separate sheet)

Character of soil Beaverdam

Kind of crops raised Onions and row crops

	_			
	•		ation of	
		in 19		•
		TIONS 14, 16, 16, 17 AND 1		
14. Estimated cost	t of proposed	works, \$ \$720.00 and	\$680.00 plus \$250.0	0 for each
			1968	
10. Godden western		completed on or before	June 1, 1968	*
_			_ · · · ·	
			use on or beforeJune	•
18. If the ground	water supp	ly is supplemental to an e e or adjudicated right to	existing water supply, ident appropriate water, made o	ify any appl r held by th
plicant		,	· 47)	
		/L	en Doge	
			(Signature of Mann)	
D and smiles			(John Market)	
				
				•
		•		
***************************************				•••••
		No. of the contract of the con		

		•••••		
	********************		· · · · · · · · · · · · · · · · · · ·	
		6	with the same of the same	
gameen note not to the Co.				
				re mar p
TATE OF OREGON,	ss.			
County of Marion,)	•		
This is to certify	that I have	examined the foregoing a	pplication, together with the	e accompany
naps and data, and ret	urn the same	? for		
		g tung of	70 (9) J	*******
			water and to the State Engine	er with cor
1 In order to retain	n its priority	, this application must be	returned to the State Engine	er, with corr
ions on or before		, 19	grander Miller	
the second	A Section 1	engen jako berekakan biron	en e	
gay ann an ea Paris		day of	garan per tablija	, 19
WITNESS my h	ana tris	and the second	•••••••••••••••••••••••••••••••••••••••	•
		THE STATE OF THE S	a tert even variable. A	
			e de la companya de	
	•			

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same,

SUBJECT :	TO EXISTING RIG	HTS and the followin	g limitations and condition	18:
The 1	right herein granted	is limited to the amo	unt of water which can b	e applied to beneficial use
and shall no	ot exceed 0.56	cubic feet per sec	ond measured at the point	of diversion from the well
or source of	f appropriation, or it	s equivalent in case o	f rotation with other wate	r users, from two wells
being 0.	30 cfs from well	No. 2 and 0.26 c	fs from well No. 3	
			irrigation	
If for	irrigation, this appr	opriation shall be lim		f one cubic foot per second
or its equiv	alent for each acre i	rrigated and shall be	further limited to a divers	ion of not to exceed22
		-	irrigation season of each y	
further]	limited to appro	priation of water	only to the extent t	hat it does not impair
or substa	antially interfe	re with existing	surface water rights	of others
		***************************************		***************************************

			•••••••••••••••••••••••••••••••••••••••	
and shall ha	auhiast to such see			
			n as may be ordered by th	
he w orks si	hall include proper (capping and control ve	ilve to prevent the waste o	• •
The u in <mark>e, ade</mark> quo	vorks constructed sh ite to determine wa	all include an air line ter level elevation in	e and pressure gauge or an the well at all times.	access port for measuring
The p	ermittee shall insta		r. meter. or other suitabl	e measuring device, and
•	•	,		
The p	priority date of this	permit is	June 27,	1968
Actua	al construction work	shall begin on or befo	ore February 2	4. 1970 and shall
hereafter b	be prosecuted with	reasonable diligence d	and be completed on or b	efore October 1, 19.70
				r before October 1, 19.71.
WIII	vess my nana this	24th day of	reordary	, 1969
	and the second second			STATE ENGINEER
11		∥ છ చ ે ?	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	17 (1974) (2013)
	Q	in the regon,		27
\ \ =	GROUND	n, Or	69	TO T
75 Z	GRO	ecein	19	ge .G. starte
3 4		र दीव व	7,	n page. G. states
5 5		t was fit. Ingineer y of	an	
n No	PERMI PRIATE TH RS OF THE OF OREGOI	te Engi day of	licant: February	ook I
Application No. Permit No. G	PERNAPRIATE WATERS OF T	This instrument was first received in the office of the State Engineer at Salem, Oregon, on the $27^{\overline{M}}$ day of $27^{\overline{M}}$ day of $27^{\overline{M}}$ $27^{\overline{M}}$ day of $27^{\overline{M}}$ $27^{\overline{M}}$ $27^{\overline{M}}$ day of $27^{\overline{M}}$	Returned to applicant. Approved:	Recorded in book No. nund Water Permits on page. C. CHRIS L. WHEELER STATI Drainage Basin No. Z page
pplic ermi	VPF.	the S	to 0	ded Vate Ige
A G	TO A	This in office of the and on the A	Returned i	Recorded ound Wat Drainage
		This office of the on the	Retu	Reco Ground
"	-			- 1 H