

Permit No. G-422

APPLICATION FOR A PERMIT

To Appropriate the Ground Waters of the State of Oregon

I, UNITED STATES PLYWOOD CORPORATION (Name of applicant)

of Gold Beach, county of Curry (Postoffice Address)

state of Oregon, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1937 - New York

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated Rogue River (Name of stream)

tributary of Pacific Ocean

2. The amount of water which the applicant intends to apply to beneficial use is 1/2 cubic feet per second or gallons per minute. from each well

3. The use to which the water is to be applied is Log Storage Pond

4. The well or other source is located ft. and ft. from the S+ (Well No. 1) (N or S) (E or W)

Sec. 16 - N2°32'E, 3,534.16 ft. to reference monument; thence S71°45'E

645.00 ft. to Well #1.; N 24°50'E, 4,004.33 ft. to reference monument; thence N 66°W (Well No. 2) (Section of subdivision)

440.00 ft. to Well #2. (If preferable, give distance and bearing to section corner)

If there is more than one well, each must be described. Use separate sheet if necessary.

being within the #1- SW1/4NE1/4; #2- NE1/4NE1/4 of Sec. 16, Twp. 36S, R. 14W

W. M. in the county of Curry

5. The pipe pipe and samal to #1- 200 ft. #2- 1609 ft. in length, terminating in the SW1/4NE1/4 of Sec. 16, Twp. 36S, R. 14W (Smallest legal subdivision)

W. M. the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is U. S. Plywood well #1. and well #2

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

8. The development will consist of Two Wells having a

(Give number of wells, tunnels, etc.)

No. 1 diameter of 10 inches and an estimated depth of 70 feet. It is estimated that 70 feet of the well will require steel casing. Depth to water table is estimated 25 feet. No. 2 diameter of 10 ft. 30 ft. none 20 ft.

**CANAL SYSTEM OR PIPE LINE—**

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from

Well No. 2  
headgate. At headgate: width on top (at water line) 5 feet; width on bottom 3 feet; depth of water 3 feet; grade 5 feet fall per one thousand feet.

(b) At \_\_\_\_\_ miles from headgate: width on top (at water line) \_\_\_\_\_ feet; width on bottom \_\_\_\_\_ feet; depth of water \_\_\_\_\_ feet; grade \_\_\_\_\_ feet fall per one thousand feet.

Well #1 (c) Length of pipe, 250 ft.; size at intake, 10 in.; in size at \_\_\_\_\_ ft.  
Well #2 585 ft. 13 in.  
from intake \_\_\_\_\_ in.; size at place of use 10 in.; difference in elevation between intake and place of use, 4 ft. Is grade uniform? yes  
10 ft. yes Estimated capacity, \_\_\_\_\_  
1 sec. ft.  
1 sec. ft.

10. If pumps are to be used, give size and type #1- 4" turbine ; #2- 8 in. Centrifugal

Give horsepower and type of motor or engine to be used

#1- 30 HP Electric ; #2- 40 HP Electric

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

Well No. 2 is 500 ft. away and approximately 20 ft. above stream bed

12. Location of area to be irrigated, or place of use

Township N or S	Range E or W of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
36S	14W	16	SW 1/4 NE 1/4 SE 1/4 NE 1/4 SE 1/4 NW 1/4 NE 1/4 SW 1/4 NW 1/4 SE 1/4	41.04 A. Pond Surface

(If more space required, attach separate sheet)

Character of soil

Kind of crops raised

**MUNICIPAL SUPPLY**

12. To supply the city of \_\_\_\_\_  
in \_\_\_\_\_ county, having a present population of \_\_\_\_\_  
and an estimated population of \_\_\_\_\_ in 19\_\_\_\_\_

14. Estimated cost of proposed works, \$ 8,500.00 for wells #1 and #2

15. Construction work will begin on or before Well #1 presently dug, Well #2- July 1, 1957

16. Construction work will be completed on or before July 1, 1957

17. The water will be completely applied to the proposed use on or before July 1, 1957

18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant. \_\_\_\_\_

*UNITED STATES PLYWOOD CORP.*  
*Franklin [Signature]*  
(Signature of applicant)

Remarks: \_\_\_\_\_

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for \_\_\_\_\_

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before \_\_\_\_\_, 19\_\_\_\_\_

WITNESS my hand this \_\_\_\_\_ day of \_\_\_\_\_, 19\_\_\_\_\_

STATE OF OREGON,

PERMIT

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 1.0 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from U.S. Plywood Wells No. 1 and No. 2

The use to which this water is to be applied is maintenance of log pond

If for irrigation, this appropriation shall be limited to - - - of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed acre feet per acre for each acre irrigated during the irrigation season of each year:

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is August 29, 1956

Actual construction work shall begin on or before January 25, 1958 and shall

thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1958

Complete application of the water to the proposed use shall be made on or before October 1, 1959

WITNESS my hand this 25th day of January, 1957

Lewis A. Stanley STATE ENGINEER

Application No. G- 460 Permit No. G- 422

PERMIT TO APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 29 day of August 1956 at 8:00 o'clock A. M.

Returned to applicant:

Approved: January 25, 1957 Recorded in book No. 2 of 442 Ground Water Permits on page

LEWIS A. STANLEY STATE ENGINEER Drainage Basin No. 15 page 83

State Printing 2000