

Permit No. G- G 4227

APPLICATION FOR A PERMIT

To appropriate the Ground Waters of the State of Oregon

I, Floyd L Bowerman
(Name of applicant)
of R.F.D. Box 124 Halfway, county of Baker
(Postoffice Address)
state of OREGON, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated Clear Creek
(Name of stream)

tributary of Pine Creek

2. The amount of water which the applicant intends to apply to beneficial use is 125 cubic feet per second or _____ gallons per minute.

3. The use to which the water is to be applied is Irrigation + Stock water

4. The ~~well~~ 6 inch tile or other source is located 550 ft. S and 4 ft. W from the corner of 1/4 CORNER of section 31-32
(Section or subdivision)

On 2090 ft North of SE corner of section 31 of
(If preferable, give distance and bearing to section corner)

T7S R46E W1M Being in the NE 1/4 of this quarter section
(If there is more than one well, each must be described. Use separate sheet if necessary)

being within the NE 1/4 SE 1/4 of Sec. 31, Twp. 7S, R. 4E, W. M., in the county of BAKER

5. The ~~E 2 1/2~~ 6 inch tile to be 860 ft miles in length, terminating in the E 2 1/2 SE 1/4 of Sec. 31, Twp. 7S, R. 4E, W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is SIX INCH TILE DRAIN

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

NA,

8. The development will consist of one tile drain having a diameter of 6 inches and an estimated depth of 4 feet. It is estimated that 860 feet of the well will require six inch tile casing. Depth to water table is estimated 4
(Kind) (Feet)

CANAL SYSTEM OR PIPE LINE—

G 4227

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) *No headgate & diversion* feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

X (b) At ^{3/4} miles from headgate: width on top (at water line) *15" pipe* feet; width on bottom feet; depth of water feet; grade *1* feet fall per one thousand feet.

(c) Length of pipe, ~~860~~ *40* ft.; size at intake ~~6~~ *10* in.; in size at ~~860~~ *3960* ft. from intake ~~6~~ *X* in.; size at place of use *X* in.; difference in elevation between intake and place of use, *X* ft. Is grade uniform? *yes* Estimated capacity, *3* sec. ft.

10. If pumps are to be used, give size and type

Give horsepower and type of motor or engine to be used

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

12. Location of area to be irrigated, or place of use

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
<i>8S</i>	<i>4E</i>	<i>5</i>	<i>NE 1/4 - NW 1/4 - 20</i>	

Being approximately the south 1/2 of Lot 3, and a portion in the SW corner of Lot 2.

(If more space required, attach separate sheet)

Character of soil *Sandy Loam*
 Kind of crops raised *Hay Grain & Pasture*

MUNICIPAL SUPPLY—

13. To supply the city of
in county, having a present population of
and an estimated population of in 19.....

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

14. Estimated cost of proposed works, \$ 260

15. Construction work will begin on or before March 21 - 1968

16. Construction work will be completed on or before Dec 1 - 1968

17. The water will be completely applied to the proposed use on or before Dec 1 - 1969

18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant. Cert. 10 212 + Cert 10 221 permit 10 258
+ Permit # 9140

Floyd L Bowerman
(Signature of applicant)

Remarks:

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for Corrections and completion

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before October 28th, 19 68.

WITNESS my hand this 27th day of August, 19 68.

RECEIVED
SEP 20 1968
STATE ENGINEER
SALEM OREGON

CHRIS L. WHEELER
STATE ENGINEER
By [Signature]
ASSISTANT

STATE OF OREGON, }
County of Marion, } ss.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.125 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from a tile drain well

The use to which this water is to be applied is supplemental irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 3 acre feet per acre for each acre irrigated during the irrigation season of each year; provided further that the right allowed herein shall be limited to any deficiency in the available supply of any prior right existing for the same land and shall not exceed the limitation allowed herein and shall be further limited to appropriation of water only to the extent that it does not impair or substantially interfere with existing surface water rights of others

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is August 9, 1968

Actual construction work shall begin on or before February 24, 1970 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1970

Complete application of the water to the proposed use shall be made on or before October 1, 1971

WITNESS my hand this 24th day of February, 1969

Chris L. Wheeler

STATE ENGINEER

Application No. G- 4548
Permit No. G- G 4227

PERMIT

TO APPROPRIATE THE GROUND
WATERS OF THE STATE
OF OREGON

This instrument was first received in the
office of the State Engineer at Salem, Oregon,
on the 9th day of August
1968, at 8:00 o'clock A. M.

Returned to applicant:

Approved:

February 24, 1969

Recorded in book No. _____ of _____

Ground Water Permits on page G 4227

CHRIS L. WHEELER
STATE ENGINEER

Drainage Basin No. 9 page 46

H. J. O.