

Permit No. G. ... G. . 4212.

APPLICATION FOR A PERMIT

To Appropriate the Ground Waters of the State of Oregon

1. John W. England
of 3390 Caves Highway county of Jesuphine,
of Soldie Address), county of January,
state of
If the applicant is a corporation, give date and place of incorporation
1. Give name of nearest stream to which the well, tunnel or other source of water development is
situated Near Tycer Creek (Name of stream)
tributary of
2. The amount of water which the applicant intends to apply to beneficial use is
3. The use to which the water is to be applied is Household and irrigated property
Supplement Water
4. The well or other source is located 1150 ft. S and 1448 ft. W from the NS
corner of Section 25 (Section or subdivision)
The well is 190 foot from N. property line begining at a point 1325 S. and (If preferable, give distance and bearing to section corner)
1334 Fts. Work of the Willemette Monidian, thomas W. 386 Fts, thomas 364 Ft. of right-of way of Oregon (Wither Immorthange well, each must be described. Use separate sheet if necessary)
being within the NW 1 NE 1 NE 1 NE 1 NE 1 NE 2 NE 2 NE 2 NE
W. M., in the county of
5. The Pipe line (Canal or pipe line) to be 180 Feet holds
in length, terminating in the Middle of property in of Sec. 25, Twp. 39, 5, (Smallest legal subdivision)
R, W. M., the proposed location being shown throughout on the accompanying map.
6. The name of the well or other works is .
DESCRIPTION OF WORKS
7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.
8. The development will consist of having a having a
diameter of6 inches and an estimated depth of feet. It is estimated that
feet of the well will require (regular) 86 Ft. casing. Depth to water table is estimated
Water runs over and is utilized when not pumping.

CANAL.	SYSTEM	OR	PIPE	T.INE

			***************************************	feet; width on t
	feet; depth of wo	ıter	feet; grade	feet fall p
and feet.	•			•
(b) At	mile	s from headgate	e: width on top (at water	· line)
•••••	feet; width on bo	ottom	feet; depth of w	ater
	feet fall pe	. J		
(c) Leng	th of pipe,	ft.; size	e at intake i	n.; in size at
			: in.; diffe	
			ade uniform?	
	sec. ft.			•
	•	ve size and tupe	One horse el	ectric pump
		9 F		
Gine hore	senower and tune of	motor or engine	to be used same as	Above
aroc nore	epower and type of t	motor or engine	to be used	**************************************
	•••••••••••••••••••••••••••••••••••••••	***************************************		
11. If the	location of the well,	tunnel, or other	development work is les e to the nearest point or	s than one-fourth mile
ifference in	n elevation between t	the stream bed a	nd the ground surface a	t the source of develor
		4.3		•
	· · · · · · · · · · · · · · · · · · ·			•••••••••••••••••••••••••••••••••••••••
12. Locat	ion of area to be irri	gated, or place o	f use Same ast	Laro This is so
	Range	gated, or place o	j use Same cart	
12. Locat		gated, or place o	f use Lame ast	Jaro This is so Number Acres To Be Irrigated
Township N. or S.	Range E. or W. of			Number Acres
Township N. or S.	Range E. or W. of	Section		Number Acres To Be Irrigated
Township N. or S.	Range E. or W. of	Section		Number Acres To Be Irrigated
Township N. or S.	Range E. or W. of	Section		Number Acres To Be Irrigated
Township N. or S.	Range E. or W. of	Section		Number Acres To Be Irrigated
Township N. or S.	Range E. or W. of Willamette Meridian	Section		Number Acres To Be Irrigated
Township N. or S.	Range E. or W. of	Section		Number Acres To Be Irrigated
Township N. or S.	Range E. or W. of Willamette Meridian	Section		Number Acres To Be Irrigated
Township N. or S.	Range E. or W. of Willamette Meridian	Section		Number Acres To Be Irrigated
Township N. or S.	Range E. or W. of Willamette Meridian	Section		Number Acres To Be Irrigated
Township N. or S.	Range E. or W. of Willamette Meridian	Section		Number Acres To Be Irrigated
Township N. or S.	Range E. or W. of Willamette Meridian	Section		Number Acres To Be Irrigated
Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract SW 1/4 NE 1/4	Number Acres To Be Irrigated

and an estimated po	pulation of					
,m.			6, 17 AND 18 IN	ALL CARRO	•	
- 19 - 19 - 19 - 19 - 19 - 19 - 19 - 19				ALL CASES		
• •	cost of proposed			·		
	ion work will beg					
16. Construct	ion work will be	completed on c	or before00	tober 15, 19	68 📜	
17. The water	r will be complete	ly applied to t	he proposed use	on or before	November 30	196
cation for permit, p		y is suppleme e or adjudicat	ntal to an existed right to app	ing water sup propriate water	ply, identify an r, made or held	y app l by
applicant.	2257	•••••		······		
This i	à to be	a suys	blemenh	Thep	resentu	ati
sufficeat.	the state of the state of	01	John Ev	Englas	ed	
•						
Remarks:V	he present wat	er system w	e.naveisno.	c.adaquatea		
						•••••
			···		······	•••••
					•••••	:
		n tradition of the second seco		***************************************		
			en de la companya de Companya de la companya de la compa		and the second second	,

					***************************************	••••••
-444						٠
, 						••••••
•						•••••
	ji.	i da i d			••••	********
••••••			·····		•••••	
STATE OF OREGO			rak albay bayan ra Tanggaran			
County of Mario	n, ss.					
This is to cer	rtify that I have	examined the	foregoing appli	cation, together	with the accor	npany
maps and data, and	return the same	foreemple	otionmend cox	rection	************************	
·						
***************************************						7
In order to re	etain its priority,	this application	n must be retui	nea to the Sta	M - U L	i V
	November 16th	h	, 1960		OCT 1	
tions on or before	T.	The same of the sa		•	STATE EN	IGII
tions on or before	December 9th		68		SALEM	ンひにく
			68		SALEM C	RE(

SEP 25 1968
SEP 4 1968
STATE ENGINEER SALEM OREGON
SALEM OREGON

By Gary White ENGINEER
ASSISTANT

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein pranted is limited to the amount of water which can be applied to beneficial use and shall not exceed _0.025	UBJECT TO EXIS The right her			•				beneficial use
The use to which this water is to be applied is supplemental irrigation If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second r its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 22 cre feet per acre for each acre irrigated during the irrigation season of each year; Provided further that the right allowed herein shall be limited to any deficiency in the available supply of any prior right existing for the same land and shall not exceed the limitation allowed herein and shall be subject to such reasonable rotation system as may be ordered by the proper state officer. The well shall be cased as necessary in accordance with good practice and if the flow is artesian to works shall include proper capping and control valve to prevent the water of ground water. The works constructed shall include an air line and pressure gauge or an access port for measuring ne, adequate to determine water level elevation in the well at all times. The works constructed shall include an air line and pressure gauge or an access port for measuring ne, adequate to determine water level elevation in the well at all times. The priority date of this permit is August 13, 1968 Actual construction work shall begin on or before March 11, 1970 and shall hereafter be prosecuted with reasonable diligence and be completed on or before October 1, 19.71. WITNESS my hand this 11th day of March 1, 1969	1						100	
The use to which this water is to be applied is supplemental irrigation If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second rits equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2½ ore feet per acre for each acre irrigated during the irrigation season of each year; provided further that the right allowed herein shall be limited to any deficiency in the available supply of any prior right existing for the same land and shall not exceed the imitation allowed herein The well shall be cased as necessary in accordance with good practice and if the flow is artesian to works shall include proper capping and control value to prevent the waste of ground water. The works constructed shall include an air lime and pressure gauge or an access port for measuring ne, adequate to determine water level elevation in the well at all times. The permittee shall install and maintain a weir, meter, or other suitable measuring device, and hall keep a complete record of the amount of ground water withdrawn. The priority date of this permit is August 13, 1968 Actual construction work shall begin on or before March 11, 1970 and shall pereafter be prosecuted with reasonable diligence and be completed on or before October 1, 19.72. Complete application of the water to the proposed use shall be made on or before October 1, 19.73. WITNESS my hand this 11th day of March 11, 1969			•	4			grant a	
If for irrigation, this appropriation shall be limited to	source of appropr		equioatent in	case of ro	iaiion wii	i other water	r user s , jroi	n
re feet per acre for each acre irrigated during the irrigation season of each year; provided further that the right allowed herein shall be limited to any deficiency in the available upply of any prior right existing for the same land and shall not exceed the imitation allowed herein ad shall be subject to such reasonable rotation system as may be ordered by the proper state officer. The well shall be cased as necessary in accordance with good practice and if the flow is artesian e works shall include proper capping and control valve to prevent the waste of ground water. The works constructed shall include an air line and pressure gauge or an access port for measuring the adequate to determine water level elevation in the well at all times. The printites shall install and maintain a weir, meter, or other suitable measuring device, and all keep a complete record of the amount of ground water withdrawn. The priority date of this permit is Actual construction work shall begin on or before March 11, 1970 and shall ereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1970. Complete application of the water to the proposed use shall be made on or before October 1, 19.71. WITNESS my hand this 11th day of March 1969	The use to wh	rich this wate	er is to be app	lied is ⁸	upplemen	tal irriga	tion	
re feet per acre for each acre irrigated during the irrigation season of each year; provided further hat the right allowed herein shall be limited to any deficiency in the available upply of any prior right existing for the same land and shall not exceed the imitation allowed herein In the well shall be cased as necessary in accordance with good practice and if the flow is artesian e works shall include proper capping and control valve to prevent the waste of ground water. The works constructed shall include an air line and pressure gauge or an access port for measuring the adequate to determine water level elevation in the well at all times. The permittee shall install and maintain a veir, meter, or other suitable measuring device, and all keep a complete record of the amount of ground water withdrawn. The priority date of this permit is August 13, 1968 Actual construction work shall begin on or before March 11, 1970 and shall ereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1970. Complete application of the water to the proposed use shall be made on or before October 1, 1970. WITNESS my hand this 11th day of March March 1969	If for irrigation	on, this appro	priation shall	be limited	l to1/	BOth o	f one cubic	foot per second
that the right allowed herein shall be limited to any deficiency in the available apply of any prior right existing for the same land and shall not exceed the imitation allowed herein d shall be subject to such reasonable rotation system as may be ordered by the proper state officer. The well shall be cased as necessary in accordance with good practice and if the flow is artesian e works shall include proper capping and control valve to prevent the waste of ground water. The works constructed shall include an air line and pressure gauge or an access port for measuring the adequate to determine water level elevation in the well at all times. The permittee shall install and maintain a weir, meter, or other suitable measuring device, and all keep a complete record of the amount of ground water withdrawn. The priority date of this permit is August 13, 1968 Actual construction work shall begin on or before March 11, 1970 and shall ereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1970 Complete application of the water to the proposed use shall be made on or before October 1, 19.71 WITNESS my hand this 11th day of March March 1969 STATE ENGINEER	its equivalent for	· each acre ir:	rigated and sh	all be fur	ther limite	d to a diversi	on of not to	exceed 2\frac{1}{2}
d shall be subject to such reasonable rotation system as may be ordered by the proper state officer. The well shall be cased as necessary in accordance with good practice and if the flow is artesian e works shall include proper capping and control valve to prevent the waste of ground water. The works constructed shall include an air line and pressure gauge or an access port for measuring te, adequate to determine water level elevation in the well at all times. The permittee shall install and maintain a weir, meter, or other suitable measuring device, and all keep a complete record of the amount of ground water withdrawn. The priority date of this permit is	re feet per acre fo	or each acre i	irrigated durin	ig the irri	gation seas	on of each ye	ear; provi	ded further
d shall be subject to such reasonable rotation system as may be ordered by the proper state officer. The well shall be cased as necessary in accordance with good practice and if the flow is artesian e works shall include proper capping and control value to prevent the waste of ground water. The works constructed shall include an air line and pressure gauge or an access port for measuring e, adequate to determine water level elevation in the well at all times. The permittee shall install and maintain a weir, meter, or other suitable measuring device, and all keep a complete record of the amount of ground water withdrawn. The priority date of this permit is	nat the right	allowed he	rein shall	be limit	ed to an	y deficienc	y in the	available
d shall be subject to such reasonable rotation system as may be ordered by the proper state officer. The well shall be cased as necessary in accordance with good practice and if the flow is artesian e works shall include proper capping and control valve to prevent the waste of ground water. The works constructed shall include an air line and pressure gauge or an access port for measuring to adequate to determine water level elevation in the well at all times. The permittee shall install and maintain a weir, meter, or other suitable measuring device, and all keep a complete record of the amount of ground water withdrawn. The priority date of this permit is August 13, 1968 Actual construction work shall begin on or before March 11, 1970 and shall ereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1970 Complete application of the water to the proposed use shall be made on or before October 1, 19 71 WITNESS my hand this 11th day of March STATE ENGINEER	upply of any p	rior right	existing f	or the s	ame land	and shall	not exce	ed the
d shall be subject to such reasonable rotation system as may be ordered by the proper state officer. The well shall be cased as necessary in accordance with good practice and if the flow is artesian e works shall include proper capping and control value to prevent the waste of ground water. The works constructed shall include an air line and pressure gauge or an access port for measuring te, adequate to determine water level elevation in the well at all times. The permittee shall install and maintain a weir, meter, or other suitable measuring device, and all keep a complete record of the amount of ground water withdrawn. The priority date of this permit is August 13, 1968 Actual construction work shall begin on or before March 11, 1970 and shall ereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1970 Complete application of the water to the proposed use shall be made on or before October 1, 19.71 WITNESS my hand this 11th day of March 1969 STATE ENGINEER	imitation allo	wed herein		***************************************		***************************************		
d shall be subject to such reasonable rotation system as may be ordered by the proper state officer. The well shall be cased as necessary in accordance with good practice and if the flow is artesian e works shall include proper capping and control value to prevent the waste of ground water. The works constructed shall include an air line and pressure gauge or an access port for measuring te, adequate to determine water level elevation in the well at all times. The permittee shall install and maintain a weir, meter, or other suitable measuring device, and all keep a complete record of the amount of ground water withdrawn. The priority date of this permit is August 13, 1968 Actual construction work shall begin on or before March 11, 1970 and shall ereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1970 Complete application of the water to the proposed use shall be made on or before October 1, 19.71 WITNESS my hand this 11th day of March 1969 STATE ENGINEER					**************			:
The well shall be cased as necessary in accordance with good practice and if the flow is artesian e works shall include proper capping and control valve to prevent the waste of ground water. The works constructed shall include an air line and pressure gauge or an access port for measuring e, adequate to determine water level elevation in the well at all times. The permittee shall install and maintain a weir, meter, or other suitable measuring device, and all keep a complete record of the amount of ground water withdrawn. The priority date of this permit is				niov:	•			
The well shall be cased as necessary in accordance with good practice and if the flow is artesian e works shall include proper capping and control valve to prevent the waste of ground water. The works constructed shall include an air line and pressure gauge or an access port for measuring e, adequate to determine water level elevation in the well at all times. The permittee shall install and maintain a weir, meter, or other suitable measuring device, and all keep a complete record of the amount of ground water withdrawn. The priority date of this permit is	· · · · · · · · · · · · · · · · · · ·							
The well shall be cased as necessary in accordance with good practice and if the flow is artesian e works shall include proper capping and control valve to prevent the waste of ground water. The works constructed shall include an air line and pressure gauge or an access port for measuring e, adequate to determine water level elevation in the well at all times. The permittee shall install and maintain a weir, meter, or other suitable measuring device, and all keep a complete record of the amount of ground water withdrawn. The priority date of this permit is	d shall be subject	4						A = - 660
Actual construction work shall begin on or before March 11, 1970 and shall ereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1970 Complete application of the water to the proposed use shall be made on or before October 1, 19.71 WITNESS my hand this 11th day of March 1969. STATE ENGINEER				•			.3. 1968	•
Complete application of the water to the proposed use shall be made on or before October 1, 19.71 WITNESS my hand this 11th day of March 19.69 STATE ENGINEER								7 7 77
Complete application of the water to the proposed use shall be made on or before October 1, 19.71 WITNESS my hand this								
WITNESS my hand this 11th day of March ,1969	*				100			
STATE ENGINEER				7	•	e made on or	•	ober 1, 19. <u>(</u>
	WITNESS m	, hand this!	day o)f <u>M</u> E	aren		, 19.69	7
PERMIT PROPRIATE THE GROUND ATERS OF THE STATE OF OREGON 2 State Engineer at Salem, Oregon, 2 State Engineer at Salem, Oregon, 2 State Engineer at Salem, Oregon, 3 th day of Lugual 3 state Engineer at Salem, Oregon, 3 th day of Lugual 4 in book No. A. M. CHRIS. L. WHEELER STATE ENGINEER E Basin No. A. E. page 100.	er Parties and the second second	en e		State State and an	Collen		1-Carl	TATE ENGINEER
PERMIT PROPRIATE THE GROUND ATERS OF THE STATE OF OREGON State Engineer at Salem, Orego State Engineer at Salem, Orego State Engineer at Salem, Orego State ay of Lugual Sign Ann. Sign Book No. CHRIS L. WHEELER STATE ENGINEER Basin No. 15. page 100.		1	8	,			\$ N:	
(3, 2, 1) M (3, 1) H (4, W WA WELL ST.) I S. M. I H.S. L.V.	4242 	HE GROUND S STATE N	st received in th at Salem, Oregon Tuqual	0			U	STATE Page