CERTIFICATE NO. 39092

Permit No. G. G 4255

APPLICATION FOR A PERMIT

To Appropriate the Ground Waters of the State of Oregon

I, Kenneth Turner	
(Na	me of applicant)
of(Postoffice Address)	county of Morrow
state of Oregon , do her	
following described ground waters of the state of Or	egon, SUBJECT TO EXISTING RIGHTS:
If the applicant is a corporation, give date and	place of incorporation
	<u>'</u>
	well, tunnel or other source of water development is
situated Sand Hollow Creek (Name	
(Na	me of stream)tributary of
***************************************	trioutary of
2. The amount of water which the applicant is feet per second or 2.000 gallons per minute.	ntends to apply to beneficial use is cubic
3. The use to which the water is to be applied	is Irrigation
•	4
***************************************	······································
4. The well or other source is located10	ft. $\frac{N}{(N \text{ or } S.)}$ and $\frac{20}{ft}$ ft. $\frac{E}{(E \text{ or } W.)}$ from the $\frac{SW}{SW}$
at	
	on or subdivision)
(II preferable, give distance a	nd bearing to section corner)
(If there is more than one well, each must be	
being within the SW Quarter SW Quarter	of Sec
W. M., in the county ofMorrow	**************************************
5. The(Canal or pipe line)	to be miles
in length, terminating in the(Smallest legal subdi	, Twp
	•
R, W. M., the proposed location being show	wn throughout on the accompanying map.
6. The name of the well or other works is	Turner Well
DESCRIPTION	N OF WORKS
	ks to be used for the control and conservation of the
supply when not in use must be described.	
·	•••••••••••••••••••••••••••••••••••••••
· · · · · · · · · · · · · · · · · · ·	
8. The development will consist ofOne	(1) well having a (Give number of wells, tunnels, etc.)
diameter of .12 inches and an estimated dep	
The state of the s	
feet of the well will requiresteel (Kind)	using. Depth to water table is estimated

headgate. At headgate: width on top (at water line) feet; depth of water thousand feet. (b) At	width on top (at water line) feet; depth of water in; in size at in; difference in elevation between ide uniform? Estimated capacity 2,000 gallon turbine o be used 200 hp electric evelopment work is less than one-fourth mile from to the nearest point on each of such channels and
thousand feet. (b) At	width on top (at water line) feet; depth of water in; in size at in; difference in elevation between ide uniform? Estimated capacity 2,000 gallon turbine o be used 200 hp electric evelopment work is less than one-fourth mile from to the nearest point on each of such channels and
thousand feet. (b) At	width on top (at water line) feet; depth of water et. at intake in.; in size at fine in.; difference in elevation between ide uniform? Estimated capacity 2,000 gallon turbine o be used 200 hp electric evelopment work is less than one-fourth mile from to the nearest point on each of such channels and
thousand feet. (b) At	width on top (at water line) feet; depth of water et. at intake in.; in size at fine in.; difference in elevation between ide uniform? Estimated capacity 2,000 gallon turbine o be used 200 hp electric evelopment work is less than one-fourth mile from to the nearest point on each of such channels and
grade feet; width on bottom (c) Length of pipe, ft.; size from intake in.; size at place of use intake and place of use, ft. Is gra sec. ft. 10. If pumps are to be used, give size and type Give horsepower and type of motor or engine to 11. If the location of the well, tunnel, or other da natural stream or stream channel, give the distance	get. at intake in.; in size at finction between the uniform? 2,000 gallon turbine be used 200 hp electric evelopment work is less than one-fourth mile from to the nearest point on each of such channels and to the nearest point on each of such channels and the size of the size o
grade feet; width on bottom feet fall per one thousand feet (c) Length of pipe, ft.; size from intake in.; size at place of use intake and place of use, ft. Is graded for the modern feet fall per one thousand feet fall per o	get. at intake in.; in size at finction between the uniform? 2,000 gallon turbine be used 200 hp electric evelopment work is less than one-fourth mile from to the nearest point on each of such channels and to the nearest point on each of such channels and the size of the size o
grade	at intake in.; in size at final final in.; in size at intake in.; difference in elevation between the uniform? 2.000 gallon turbine be used 200 hp electric evelopment work is less than one-fourth mile from to the nearest point on each of such channels and
(c) Length of pipe,	at intake in.; in size at in
from intake	in.; difference in elevation between the uniform? Estimated capacity 2,000 gallon turbine o be used 200 hp electric evelopment work is less than one-fourth mile from to the nearest point on each of such channels and
intake and place of use,	2.000 gallon turbine o be used 200 hp electric evelopment work is less than one-fourth mile from to the nearest point on each of such channels and
Give horsepower and type of motor or engine to 11. If the location of the well, tunnel, or other da natural stream or stream channel, give the distance	2,000 gallon turbine o be used 200 hp electric evelopment work is less than one-fourth mile from to the nearest point on each of such channels and
10. If pumps are to be used, give size and type Give horsepower and type of motor or engine to 11. If the location of the well, tunnel, or other da natural stream or stream channel, give the distance	evelopment work is less than one-fourth mile from
Give horsepower and type of motor or engine to 11. If the location of the well, tunnel, or other d a natural stream or stream channel, give the distance	evelopment work is less than one-fourth mile from
Give horsepower and type of motor or engine to 11. If the location of the well, tunnel, or other d a natural stream or stream channel, give the distance	evelopment work is less than one-fourth mile from
11. If the location of the well, tunnel, or other d a natural stream or stream channel, give the distance	evelopment work is less than one-fourth mile from
11. If the location of the well, tunnel, or other d a natural stream or stream channel, give the distance	evelopment work is less than one-fourth mile from
11. If the location of the well, tunnel, or other d a natural stream or stream channel, give the distance	evelopment work is less than one-fourth mile from to the nearest point on each of such channels and
11. If the location of the well, tunnel, or other d a natural stream or stream channel, give the distance	evelopment work is less than one-fourth mile from to the nearest point on each of such channels and
a natural stream or stream channel, give the distance	to the nearest point on each of such channels and
the difference in elevation between the stream bed an	d the ground surface at the source of development
12. Location of area to be irrigated, or place of	use
Range Township E. or W. of	
N. or S. Willamette Meridian Section	Forty-acre Tract Number Acres To Be Irrigated
1N 26E 26 1N 26E 26	NE \$\frac{1}{4}SW\frac{1}{4} \\ \frac{1}{4}SW\frac{1}{4}19.6 \((supple) \) 15.94 \((public public) \)
1N 26E 26	$SE_{\frac{1}{4}}SW_{\frac{1}{4}}$
1N 26E 26 1N 26E 27	$SW_{4}^{1}SW_{4}^{1}17.1$ (suppl.) 22.99 (primary) $SE_{4}^{1}SE_{4}^{1}$
1N 26E 27	SE \$ SE \$ 40 SW \$ 4SE \$ 40
1N 26E 27	$NE_{\frac{1}{4}}SE_{\frac{1}{4}}$ 40
1N 26E 27 1N 26E 34	NW4SE4 40
1N 26E 34	NW 4 N E 4 4 0 4 0
1N 26E 34	SW4NE4 40
1N 26E 34	$SE_{4}^{1}NE_{4}^{1} \qquad \qquad 40$
1N 26E 35 1N 26E 35	NW 4NW 40
1N 26E 35	NE 4NW 4 40 40 40
1N 26E 35	SEANWA 40
the control of the control of	585.63
	•
(If more space required, at	tach separate sheet)
Sandy Taam	
Character of soil Sandy Loam	the state of the s

13. To supply the city of		•
13. To supply the city of		
in county, having a present popu	lation of	
and an estimated population of in 19 in 19		
ANSWER QUESTIONS 14, 15, 16, 17 AND 1	IS IN ALL CASES	•
14. Estimated cost of proposed works, \$ 5,000.00	IO IN ALL CASES	
	·····	
15. Construction work will begin on or before 6-28-6	58	*****************
16. Construction work will be completed on or before	8-1-68	****************
17. The water will be completely applied to the proposed	d use on or before 9-15	-68
18. If the ground water supply is supplemental to an exation for permit, permit, certificate or adjudicated right to	existing water supply, ide	ntify any a
applicant.		,
. , , , , , , , , , , , , , , , , , , ,		
Permit No. G2409		/
	(Signature of applicant)	Cen
Remarks: Portable irrigation pipes will	L be used to distr	ibute th
water and their location will be trans	sitory.	

) Items listed above are supplemental to F	Permit G-2409	

	and the second of the second o	

		•••••••
<u>and the second of the second </u>	$\label{eq:energy} \boldsymbol{e}_{i,j} = \boldsymbol{e}_{i,j}$	
The state of the s	ी केम । स्टान्स १००० हर ४००	· · · · · · · · · · · · · · · · · · ·
and the second of the second o	gada 11 garagati saga ay saga ay	
TATE OF OREGON,	er en	van en veta
\ ee		
County of Marion,		
This is to certify that I have examined the foregoing app	olication, together with the	accompani
aps and data, and return the same forCorrection		*
		general growth
In order to retain its priority, this application must be ret	turnea to the State Engine	er, with cor
ons on or beforetiber lith	ger i State de Saktoger. Geografie	,
October 28th 68	•	10 m = 10 m = 20 m
WITNESS my hand this Lath day of August	₩ ₩	
27th August	₩ ₩ .	.;-196g 68
DECEIVEDDEAT	CUDTO I Lamber	
SEP 10 1968 DRECEIVED	CHRIS L. WHEELER	TATE ENGINE

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The	right herein granted	i is limited to the am	ount of wat	er which can be	applied to l	eneficial use
and shall n	ot exceed 4.44	cubic feet per se	cond measu	red at the point o	f diversion	from the well
or source o	of appropriation, or i	its equivalent in case	of rotation	with other water	users, <u>f</u> rom	a well

The	use to which this we	ater is to be applied is	irrigat	ion and supple	mental ir	rigation
***************************************		<u> </u>	1			
If for	r irrigation, this app	propriation shall be lin	nited to	1/80th of	one cubic fo	oot per second
or its equiv	valent for each acre	irrigated and shall be	further lim	iited to a diversio	n of not to	exceed3
acre feet p	er acre for each acr	e irrigated during the	irrigation s	season of each ye	ar;provi	ded further
that the	right allowed	herein shall be l	imited to	any deficienc	y in the	available
supply o	of any prior rigi	ht existing for the	he same la	and shall	not excee	d the
limitati	on allowed here	in	***************************************			
***************************************	•••••			••••••		
٠,	•••••	••••••	•• •••••			
*****	·		** ******			
and shall b	e subject to such red	asonable rotation syst	em as may b	e ordered by the	proper state	e officer.
The	well shall be cased	as necessary in accor	dance with	good practice an	d if the flo	w is artesian
The	works constructed s	capping and control shall include an air li	ne and press	ure gauge or an o	•	
The	permittee shall inst	ater level elevation i all and maintain a we	ir. meter. o	or other suitable	e measuring	device, and
shall keep	a complete record	of the amount of gro	und water u	vith drawn .		
The	priority date of this	permit is	July	25. 1968		
		k shall begin on or be				and shall
		reasonable diligence				
		the water to the prop				
		llth day of			1969	
			C	Elin K	skel	
			***************************************		ST	ATE ENGINEER
•		the on,			ع الارت الارت	
.0.	£ £	l in t Oreg		82 th 1 th 100 lb.	42	CINE
57.6	g GROUNI	received in the Salem, Oregon	11-7-11-	6	5	TE EN
* 3	[E G STA	t Sa	197.0	196	ge	HEE STA Pag

Application No. G-....

Permit No. G-.

TO APPROPRIATE THE WATERS OF THE S OF OREGON

This instrument was first office of the State Engineer c

on the 25th day of Ju 19.68, at 1:00 o'clock

Returned to applicant:

Approved:

Ground Water Permits on pa Recorded in book No.

CHRIS L.

Drainage Basin No. Z