

**RECEIVED**  
AUG 5 1968  
STATE ENGINEER  
SALEM, OREGON

CERTIFICATE NO. 42328

Permit No. G- G 4269

APPLICATION FOR A PERMIT

# To appropriate the Ground Waters of the State of Oregon

I, CITY OF IRRIGON (Name of applicant)

of Irrigon, Oregon (Postoffice Address), county of Morrow

state of Oregon, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

November 6, 1956 Heppner, Oregon

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated Columbia River (Name of stream)

----- tributary of -----

2. The amount of water which the applicant intends to apply to beneficial use is one cubic feet per second or 448.8 gallons per minute.

3. The use to which the water is to be applied is Municipal water supply

4. The well or other source is located 1105 ft. N and 615 ft. E from the SW corner of Section 19 (Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one well, each must be described. Use separate sheet if necessary)

being within the SW 1/4 (SW 1/4 of SW 1/4) of Sec. 19, Twp. 5N, R. 27E, W. M., in the county of MORROW

5. The connecting pipeline (Canal or pipe line) to be 0.01 miles in length, terminating in the SW 1/4 of SW 1/4 of Sec. 19, Twp. 5N, R. 27E, W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is City of Irrigon well No. 1

## DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

Do not expect to encounter free flowing artesian water.

8. The development will consist of one well (Give number of wells, tunnels, etc.) having a diameter of 8 inches and an estimated depth of 350 feet. It is estimated that 80 feet of the well will require steel casing. Depth to water table is estimated 50 (Feet)

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(b) At ..... miles from headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(c) Length of pipe, ..... 100 ..... ft.; size at intake ..... six ..... in.; in size at ..... six ..... ft. from intake ..... six ..... in.; size at place of use ..... six ..... in.; difference in elevation between intake and place of use, ..... zero ..... ft. Is grade uniform? ..... Estimated capacity, ..... one ..... sec. ft.

10. If pumps are to be used, give size and type ..... six-inch vertical turbine

Give horsepower and type of motor or engine to be used ..... 20 H.P. electric motor

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

12. Location of area to be irrigated, or place of use City of Irrigon and vicinity.....

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
5N	26 & 27E	27E 26E 26E 27E 19, 24, 25 and 30		---

The perimeter of these sections bounded on the North by the Columbia River.

(If more space required, attach separate sheet)

Character of soil .....

Kind of crops raised .....

MUNICIPAL SUPPLY—

13. To supply the city of IRRIGON in Morrow county, having a present population of 295 and an estimated population of 400 in 1988.

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

- 14. Estimated cost of proposed works, \$70,000.00
15. Construction work will begin on or before 1 August 1968
16. Construction work will be completed on or before 1 January 1969
17. The water will be completely applied to the proposed use on or before 1 January 1979
18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant. The City owns a small well on a piece of property with which it was acquired - do not have formal permit.

Handwritten signature of the Mayor with the text '(Signature of applicant)' below it.

Remarks: followed by multiple horizontal dotted lines for notes.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 19

WITNESS my hand this day of, 19

STATE ENGINEER
By ASSISTANT

STATE OF OREGON, }  
County of Marion, } ss.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 1.0 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from a well

The use to which this water is to be applied is municipal

If for irrigation, this appropriation shall be limited to ~~of one cubic foot per second~~ of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed acre feet per acre for each acre irrigated during the irrigation season of each year;

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is August 5, 1968

Actual construction work shall begin on or before March 19, 1970 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1970

Complete application of the water to the proposed use shall be made on or before October 1, 1971

WITNESS my hand this 19th day of March, 1969.

*Chris L. Wheeler*  
STATE ENGINEER

Application No. G- 4534  
Permit No. G- G 4269

PERMIT

TO APPROPRIATE THE GROUND  
WATERS OF THE STATE  
OF OREGON

This instrument was first received in the  
office of the State Engineer at Salem, Oregon,  
on the 5th day of August  
1968, at 8:00 o'clock A. M.

Returned to applicant:

Approved:

March 19, 1969

Recorded in book No. \_\_\_\_\_ of \_\_\_\_\_

Ground Water Permits on page G 4269

CHRIS L. WHEELER  
STATE ENGINEER

Drainage Basin No. 7 page 62

700