

ASSIGNED, See Misc. Rec., Vol. 5 Page 63

Permit No. G. G 4272

CERTIFICATE NO. 468/5

APPLICATION FOR A PERMIT

CERTIFICATION

To Appropriate the Ground Waters of the State of Oregon

I,	ROBER	† 0.	BOOKOL	<u> </u>	*******************	
R+#	ROBER L BOX 134 (Postoffic	55 Pe	Name of applicant)	county of U.	MATILA	,
	DRE 9011					
llowing des	scribed ground water	s of the state of C	regon, SUBJEC	CT TO EXIST	NG RIGHTS:	•
If the d	applicant is a corpora	tion, give date and	l place of incorp	poration		
1. Giv	e name of nearest st	ream to which the	e well, tunnel o	r other source	of water deve	copment is
uated	UMATIU	A Ril	VER			
2. The	amount of water will also makes and ar	hich the applicant				
	use to which the wo	_	. Ten	Rights	Bro	0 100
-1				•		
GK	ASS PA	STURE	,	••••••		••••••••
	well or other source					
rner of	of Section	(Sc)	ection or subdivision)	F		
	•					
	(1	If preferable, give distance	and bearing to section	-		********
ing within	(1	than one well, each must	e and bearing to section	arate sheet if necessar	ry) 2 ₩ , R.	33 E ,
	(If there is more	than one well, each must	be described. Use sepa	arate sheet if necessar	2. R.	33 E ,
. M., in the	the NWL SU	than one well, each must	be described. Use sepa	Range Sheet if necessary Rep.	2 <i>N</i> , R.	33 E ,
. M., in the 5. The	the NWL SW. county of	ATIMA	be described. Use sepa	Z, Twp.	2. R.	miles
M., in the 5. The length, ter	the NWL SU	ATIMA (Smallest legal sui	be described. Use separate of Sec	arate sheet if necessar Twp. to be	, Twp	miles
. M., in the 5. The length, ter	county of	ATIMA (Smallest legal subtle location being sh	be described. Use separate of Sec	arate sheet if necessar. Twp. to be	, Twp	33 £ , miles
. M., in the 5. The length, ter	county of	ATIMA (Smallest legal sufficient being shoother works is	be described. Use separate of Sec	arate sheet if necessar. Twp. to be of Sec t on the accomp	, Twp	33 £ , miles
. M., in the 5. The length, ter 6. The	county of	AT: I/A AT: I/A (Smallest legal substitution being shoother works is DESCRIPTION	be described. Use separate of Sec	arate sheet if necessar. Twp. to be of Sec t on the accomp	, Twp panying map.	miles
. M., in the 5. The length, ter 6. The	county of	ATIMA (Smallest legal substitution being shoother works is	be described. Use separate of Sec	arate sheet if necessar. Twp. to be of Sec t on the accomp	, Twp panying map.	miles
. M., in the 5. The length, ter 6. The	county of	ATIMA (Smallest legal substitution being shoother works is	be described. Use separate of Sec	arate sheet if necessar. Twp. to be of Sec t on the accomp	, Twp panying map.	miles
5. The length, ter 6. The	county of	ATIMA (Smallest legal substitution being shoother works is DESCRIPTION is artesian, the works is	be described. Use separate of Sec	arate sheet if necessar. Twp. Twp. to be of Sec t on the accomp	, Twp panying map.	33 £ , miles
. M., in the 5. The length, ter 6. The 7. If the	county of	AT: IA (Smallest legal substitution being shoother works is DESCRIPTION is artesian, the woescribed.	be described. Use separate of Sec	arate sheet if necessar. Twp. Twp. to be of Sec t on the accomp	nanying map.	33 £ , miles
. M., in the 5. The length, ter 6. The 7. If th pply when 8. The	county of	ATILIA (Smallest legal substitution being shoother works is DESCRIPTION is artesian, the works is described.	be described. Use separate of Sec	arate sheet if necessar Twp. Twp. to be of Sec t on the accomp	nanging map.	ion of the
5. The length, ter 6. The 7. If the pply when 8. The ameter of	county of	ATIMA (Smallest legal substitution of the works is	be described. Use separate of Sec. of Sec. of Sec. odivision) own throughout orks to be used for the second of Sec. (Give number of lepth of .31.5.	arate sheet if necessar 2	and conservat	33 E , miles miles

9. (a) G	live dimensions at e	each point of ca	nal where materially change	ed in size, stating miles from
headgate. At h	eadgate: width on to	op (at water lin	e)	feet; width on bottom
••••••	feet; depth of i	vater	feet; grade	feet fall per one
thousand feet.		•		
(b) At	mi	les from headg	ate: width on top (at water	line)
***************************************	feet; width on	bottom	feet; depth of wa	iter feet;
grade	feet fall p	per one thousan	d feet.	
(c) Leng	th of pipe,	ft.; s	ize at intakein	ı.; in size at ft.
from intake	in.; s	ize at place of ı	ıse in.; diffe	rence in elevation between
ntake and plac	e of use,	ft. Is	grade uniform?	Estimated capacity,
•	sec. ft.			e i e e e e e e e e e e e e e e e e e e
10. If pu	mps are to be used,	give size and typ	oe 3 HP SUBI	MERSIBILE PUMI
Give hors	sepower and type of	f motor or engir	ne to be used	
			and the ground surface at	
Township N. or S.	Range E. or W. of Willamette Meridian			Number Acres
21/	33 E	Section	Forty-acre Tract	To Be Irrigated
- X. N	336			SIT ASE
			N.W. S.W.	3,3
	1975 - P. C.		142 3,4.	z. 6
				•
		And the second s	•	
•				
			•	
	77			
		(If more space requir	red, attach separate sheet)	•
Character	of soil	SANdy		
•	· · · · · · · · · · · · · · · · · · ·	•	PASTURE	

	PAL SUPPLY- To supply the			•				3 4.6 7
							· · · · · · · · · · · · · · · · · · ·	******************
			•	•		of		***************************************
and an es	timated popul	ition of	•••••	in	19			
erti A Ser	A	NSWER QU	ESTIONS 1	4, 15, 16, 1	7 AND 18 IN	ALL CASES	•	
. 14.	Estimated cos	t of propos	ed works,	\$ 33.	50.00		v	
15.	Construction	work will b	egin on or	before	7	11/6	7	
	Construction						•	
	The water wil							,
18. cation for	If the ground r permit, perm	water sup iit, certific	ply is supp ate or adj	plementa u d icated	l to an existi right to appr	ng water sup opriate wate	oply, identify er, made or	, any app held by t
pplicant.	•	No o	THER	EX	isting	WATER	SUPPL	,
1 1								*****************
	•••••••••••				Robert	OB		
				_	Moure !	(Signature of a	pplicant)	•••••••••
Ren	narks:				·····	••••••		•
		***************************************		***************************************	***************************************	•		•••••
•••••••••••				***************************************		••••••		*****************
			·····	************				••••••
		***************************************	***************************************			•••••		•••••••
,				1 · · ·				
						•		••••••••••
	•••••••••••••••••••••••••••••••••••••••	***************************************		***************************************				•••••••
				****************	••••••••••	•••••••••		•••••••••
•••••		•••••		./		••••••		••••••••
	•			*************				
		•••••		**********	••••••	***************************************	••••••	
•••••••			•	***********				

en ann c	F OREGON,			• • • • • • • • • • • • • • • • • • • •	8			
	y of Marion,	ss.		1. 11.				4
_		,						
	s is to certify t					ion, together	with the ac	companyi
naps and	data, and retur	rn the same	for	orrection	ons			***************************************
	•	***************************************		**********				
In o	order to retain	its priority	, this appli	cation m	ust be returne	d to the Stat	e Engineer,	with corre
ions on o	r beforeOc	tober 16t	h	, 19.	-68			
		vember 13		•				
	m.v.r.a.a	سند .	16th		wAugust	•••		68
WI'	TNESS my han		th day		September	Making May	, 1	9 · 68
		1.3 370 27	(A) EM EM		pehremper.			
TA E A	EIVER							

STATE ENGINEER
SALEM OREGON BOUND ASSISTANT

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use or source of appropriation, or its equivalent in case of rotation with other water users, from ... Well..... The use to which this water is to be applied is <u>irrigation</u> or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed ...3...... acre feet per acre for each acre irrigated during the irrigation season of each year; and shall be subject to such reasonable rotation system as may be ordered by the proper state officer. The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water. The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times. The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn. Actual construction work shall begin on or before March 19, 1970 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 19.70...... Complete application of the water to the proposed use shall be made on or before October 1, 19..71... WITNESS my hand this19th... day ofMarch...... STATE ENGINEER

Application No. G- 4540 Permit No.

APPROPRIATE THE GROUND

WATERS OF THE STATE

OREGON

This instrument was first received in the

office of the State Engineer at Salem, Oregon

19.66, at . B. O.O. o'clock on the 7th day of

to applicant: Returned

Approved.

Recorded in book No.

Ground Water Permits on page

STATE ENGINEER

Basin No. Drainage