

RECEIVED
AUG 8 1968

STATE ENGINEER
SALEM, OREGON

Permit No. G- G 4276

APPLICATION FOR A PERMIT

To Appropriate the Ground Waters of the State of Oregon

I, OMARK PROPERTIES, INC.

(Name of applicant)

of 9701 S.E. McLoughlin Blvd. Portland, county of Clackamas
(Postoffice Address)

state of OREGON, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

May 20, 1963 - STATE OF OREGON

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated MINTHORN SPRING CREEK, WHICH FLOWS INTO MT. SCOTT CREEK, WHICH FLOWS INTO KELLOG CREEK tributary of WILLAMETTE RIVER
(Name of stream)

2. The amount of water which the applicant intends to apply to beneficial use is 3.64 cubic feet per second or gallons per minute.

3. The use to which the water is to be applied is 0.05 C.F.S. FIRE PROTECTION, 0.15 C.F.S. IRRIGATION AND 0.16 C.F.S. SUPPLEMENTAL IRRIGATION

4. The well or other source is located ft. and ft. from the corner of N 23° 10' W 1322 Feet from S 1/4 Corner of section 31
(N. or S.) (E. or W.)
(Section or subdivision)
(If preferable, give distance and bearing to section corner)

(If there is more than one well, each must be described. Use separate sheet if necessary)
being within the S.E. 1/4 S.W. 1/4 of Sec. 31, Twp. 15, R. 2E, W. M., in the county of Clackamas

5. The (Canal or pipe line) to be miles in length, terminating in the (Smallest legal subdivision) of Sec. Twp. R. W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is OMARK LAKE ROAD PLANT WELL

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

8. The development will consist of (1) well having a diameter of 16 inches and an estimated depth of 300 feet. It is estimated that 300 feet of the well will require 0.312" STEEL casing. Depth to water table is estimated 0.0
(Kind) (Feet)

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, SEE REMARKS ft.; size at intake, in.; in size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

10. If pumps are to be used, give size and type 12 INCH VERTICAL TURBINE

Give horsepower and type of motor or engine to be used 75 HP VERTICAL HOLLO SHAFT

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

NOT APPLICABLE

12. Location of area to be irrigated, or place of use

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
15	2E	31	PRIMARY	
			S.E. 1/4 S.W. 1/4	4.3
			S.W. 1/4 S.E. 1/4	7.8
			SUPPLEMENTAL	
			N.E. 1/4 S.W. 1/4	1.8
			S.E. 1/4 S.W. 1/4	11.2
				25.1

(If more space required, attach separate sheet)

Character of soil Peat

Kind of crops raised lawn, Beautification

MUNICIPAL SUPPLY—

13. To supply the city of
in county, having a present population of
and an estimated population of in 19.....

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

- 14. Estimated cost of proposed works, \$..75,000.00.....
- 15. Construction work will begin on or before COMPLETED.....
- 16. Construction work will be completed on or before COMPLETED.....
- 17. The water will be completely applied to the proposed use on or before COMPLETED.....
- 18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant. PERMIT 9297 CERTIFICATE 8933.....

OMARK PROPERTIES, INC.

By: *Donald J. Griswold* Secretary
(Signature of applicant)

Remarks: The well water that is presently used in our air conditioning system is pumped from the well into a settling tank. From there an air conditioning pump, pumps it through a condenser and into a drain pipe, which empties into the Minthorn Spring Creek. (Average approximately 300,000 gallons per day). From this point the water flows thru the creek past a pump station where it is pumped into an irrigation system and fire protection system, as shown on the attached map and in item number 3 of this water permit application. The pump station consists of one (1) 1500 G.P.M. diesel engine driven centrifugal fire pump (used for fire protection) and one (1) 250 G.P.M. electric motor driven irrigation pump (used for irrigation).

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for Correction.....

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before October 16th....., 19..68.

WITNESS my hand this 16th... day of August....., 19..68.

RECEIVED
SEP 4 1968

STATE ENGINEER
SALEM, OREGON

CHRIS L. WHEELER

STATE ENGINEER

Raymond J. Jones
ASSISTANT

STATE OF OREGON, }
County of Marion, } ss.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.36 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from a well

The use to which this water is to be applied is irrigation, supplemental irrigation and maintenance of fire suppression system being 0.31 cfs for irrigation and supplemental irrigation and 0.05 cfs for maintenance of fire suppression system

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year; provided further that the right allowed herein shall be limited to any deficiency in the available supply of any prior right existing for the same land and shall not exceed the limitation allowed herein

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is August 8, 1968

Actual construction work shall begin on or before March 19, 1970 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1970

Complete application of the water to the proposed use shall be made on or before October 1, 1971

WITNESS my hand this 19th day of March, 1969

Chris L. Wheeler
STATE ENGINEER

Application No. G- 4547
Permit No. G- G 4276

PERMIT

TO APPROPRIATE THE GROUND
WATERS OF THE STATE
OF OREGON

This instrument was first received in the
office of the State Engineer at Salem, Oregon,
on the 8th day of August,
1968, at 8:00 o'clock A. M.

Returned to applicant:

Approved: March 19, 1969

Recorded in book No. _____ of
Ground Water Permits on page G 4276

CHRIS L. WHEELER
STATE ENGINEER

Drainage Basin No. 2 page 118

State Printing
4300

PC