CERTIFICATE NO.37590

AUG 1 2 1968

STATE ENGINEER

Permit No. G- G 4277

APPLICATION FOR A PERMIT

To Appropriate the Ground Waters of the State of Oregon

I, LANE PLYWOOD, INC. (Name of applicant)
of 465 S. BERTELSEN RD., EUGENE, OREGON, county of LANE (Postoffice Address)
state of OREGON , do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:
If the applicant is a corporation, give date and place of incorporation
DEC. 1952, SALEM, OREGON
1. Give name of nearest stream to which the well, tunnel or other source of water development is
situated AMAZON CREEK WHICH EMPTIES INTO LONG TOM CREEK (Name of stream)
tributary of
2. The amount of water which the applicant intends to apply to beneficial use is cubic feet per second or250 gallons per minute.
3. The use to which the water is to be applied is SPRINKLING LOG DECKS
4. The well or other source is located 870 ft. None and 1171 ft. From the SW corner of COUNTY ROAD MARKED-WITH-AN-X Sec 27, T175 R4W WA
(If preferable, give distance and bearing to section corner)
(If there is more than one well, each must be described. Use separate sheet if necessary) being within the BOUNDARY SW 4 of SW 4 of Sec. 27 , Twp. 17 S , R. 4 42 ,
W. M., in the county ofLANE
5. The to be miles
in length, terminating in the
R, W. M., the proposed location being shown throughout on the accompanying map.
6. The name of the well or other works is . NO NAME
DESCRIPTION OF WORKS
7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.
8. The development will consist of having a
diameter of 10 inches and an estimated depth of feet. It is estimated that
feet of the well will require STEEL casing. Depth to water table is estimated 75 FT.

CANAL SYSTEM OR PIPE LI	NF.
-------------------------	-----

seedgate. At headgate: width on top (at water line) feet; width on botton feet; depth of water feet; grade feet fall per on housend feet. (b) At miles from headgate: width on top (at water line) feet; width on bottom feet; width on bottom feet; width on bottom feet; width on bottom feet; depth of water feet; width on bottom feet; width on bottom feet; depth of water feet; depth of pipe, feet; depth of pipe, feet; depth of water feet; depth of water feet; depth of pipe, feet; depth of water feet; depth of w	9. (a) Giv	e dimensions at e	ach point of cana	l where materially chan	ged in size, stating miles from
housand feet. (b) At	readgate. At hea	dgate: width on to	op (at water line)		feet; width on bottom
(b) At miles from headgate: width on top (at water line)	***************************************	feet; depth of u	vater	feet; grade	feet fall per one
feet; width on bottom feet; depth of water feet and feet feet fall per one thousand feet. (c) Length of pipe, fee; fit; size at intake in; in size at from intake in; in; size at place of use in; difference in elevation between take and place of use, ft. Is grade uniform? Estimated capacity sec. ft. 10. If pumps are to be used, give size and type FAIRBANKS-MORSE Give horsepower and type of motor or engine to be used 20. HORSEPOWER. II. If the location of the well, tunnel, or other development work is less than one-fourth mile from natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of developmen in elevation of area to be irrigated, or place of use Township Ready Now Mullimente Martitles 12. Location of area to be irrigated, or place of use Township Ready Now Mullimente Martitles Section Pourt-water Treat Now have the first with States To Be Irrigated Of more sense required, stuch preserve whent) Character of soil Kind of crops raised Kind of crops raised	housand feet.		•		
rade	(b) At	mil	les from headgate	e: width on top (at wate	r line)
(c) Length of pipe, ft.; size at intake in.; in size at from intake in.; size at place of use in.; difference in elevation betwee take and place of use, ft. Is grade uniform? Estimated capacity sec. ft. 10. If pumps are to be used, give size and type FAIRBANKS-MORSE Give horsepower and type of motor or engine to be used 20. HORSEPOWER 11. If the location of the well, tunnel, or other development work is less than one-fourth mile from natural stream or stream channel, give the distance to the nearest point on each of such channels an he difference in elevation between the stream bed and the ground surface at the source of development works. It is a large of the source of development works with the source of development and the ground surface at the source of development between the stream bed and the ground surface at the source of development works. Williams were surfaced as the source of development work is less than one-fourth mile from natural stream or stream channel, give the distance to the nearest point on each of such channels and the ground surface at the source of development work is less than one-fourth mile from natural stream or stream channels and the ground surface at the source of development work is less than one-fourth mile from natural stream or stream channels and the ground surface at the source of development work is less than one-fourth mile from natural stream or stream channels and the ground surface at the source of development work is less than one-fourth mile from natural stream or stream channels and the ground surface at the source of development work is less than one-fourth mile from natural stream or stream channels and the ground surface at the source of development work is less than one-fourth mile from natural stream or stream channels and the ground surface at the source of the source of the source of the stream of the source of the so		feet; width on	bottom	feet; depth of u	vater feet;
rom intake in.; size at place of use in.; difference in elevation between take and place of use, ft. Is grade uniform? Estimated capacity sec. ft. 10. If pumps are to be used, give size and type FAIRBANKS-MORSE Give horsepower and type of motor or engine to be used 20. HORSEP.OWER 11. If the location of the well, tunnel, or other development work is less than one-fourth mile from natural stream or stream channel, give the distance to the nearest point on each of such channels an led difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile from natural stream or stream channel, give the distance to the nearest point on each of such channels an led difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile from natural stream or stream channels, give the distance to the nearest point on each of such channels and the ground surface at the source of development work is less than one-fourth mile from natural stream or stream channels on the surface at the source of development work is less than one-fourth mile from natural stream or stream channels on the surface at the source of development work is less than one-fourth mile from natural stream or stream channels on the surface at the source of development work is less than one-fourth mile from natural stream or stream channels on the surface at the source of development work is less than one-fourth mile from natural stream or stream channels on the surface at the source of development work is less than one-fourth mile from natural stream or stream channels on the surface at the source of development work is less than one-fourth mile from natural stream or stream channels on the surface at the source of the surface a	rade	feet fall 1	per one thousand	feet.	
take and place of use,	(c) Length	of pipe,	ft.; size	e at intake	in.; in size at ft.
Sec. ft. 10. If pumps are to be used, give size and type FAIRBANKS-MORSE Give horsepower and type of motor or engine to be used 20. HORSEPOWER. 11. If the location of the well, tunnel, or other development work is less than one-fourth mile from natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of developmen to the surface of the source of developmen in the stream bed and the ground surface at the source of developmen in the surface of the s	rom intake	in.; s	ize at place of use	: in.; dif	ference in elevation between
10. If pumps are to be used, give size and type FAIRBANKS-MORSE Give horsepower and type of motor or engine to be used 20. HORSEPOWER. 11. If the location of the well, tunnel, or other development work is less than one-fourth mile from natural stream or stream channel, give the distance to the nearest point on each of such channels and the ground surface at the source of development difference in elevation between the stream bed and the ground surface at the source of development is a constant. 12. Location of area to be irrigated, or place of use 13. Pance Township E or W of Williamskit beredian Section Forty-are Tract Number Acres To be irregarded to the surface of the section Forty-are Tract Office o	ntake and place	of use,	ft. Is gr	ade uniform?	Estimated capacity,
10. If pumps are to be used, give size and type FAIRBANKS-MORSE Give horsepower and type of motor or engine to be used 20. HORSEPOWER 11. If the location of the well, tunnel, or other development work is less than one-fourth mile from natural stream or stream channel, give the distance to the nearest point on each of such channels and the ground surface at the source of development and the ground surface at the source of development works. 12. Location of area to be irrigated, or place of use 13. Location of area to be irrigated, or place of use 14. Location of area to be irrigated, or place of use 15. Location of area to be irrigated, or place of use 16. Location of area to be irrigated, or place of use 17. Location of area to be irrigated, or place of use 18. Location of area to be irrigated, or place of use 19.					
11. If the location of the well, tunnel, or other development work is less than one-fourth mile from natural stream or stream channel, give the distance to the nearest point on each of such channels an he difference in elevation between the stream bed and the ground surface at the source of development of area to be irrigated, or place of use 12. Location of area to be irrigated, or place of use 13. Location of area to be irrigated, or place of use 14. Location of area to be irrigated or place of use 15. Location of area to be irrigated or place of use 16. Location of area to be irrigated or place of use 17. Location of area to be irrigated or place of use 18. Location of area to be irrigated or place of use 19. Location of area to be irrigated or place of use 19. Location of area to be irrigated or place of use 10. Location of area to be irrigated or place of use 10. Location of area to be irrigated or place of use 11. Location of area to be irrigated or place of use 12. Location of area to be irrigated or place of use 13. Location of area to be irrigated or place of use 14. Location of area to be irrigated or place of use 15. Location of area to be irrigated or place of use 16. Location of area to be irrigated or place of use 17. Location of area to be irrigated or place of use 18. Location of area to be irrigated or place of use 19. Location of area to be irrigated or place of use 19. Location of area to be irrigated or place of use 10. Location of area to be irrigated or place of use 10. Location of area to be irrigated or place of use 11. Location of area to be irrigated or place of use 12. Location of area to be irrigated or place of use 13. Location of area to be irrigated or place of use 14. Location of area to be irrigated or place of use 15. Location of area to be irrigated or place of use 16. Location of area to be irrigated or place or pl	10. If pum	ps are to be used, ;	give size and type	FAIRBANKS-MORS	SE
11. If the location of the well, tunnel, or other development work is less than one-fourth mile from natural stream or stream channel, give the distance to the nearest point on each of such channels an edifference in elevation between the stream bed and the ground surface at the source of development of a control of area to be irrigated, or place of use 12. Location of area to be irrigated, or place of use 13. Location of area to be irrigated, or place of use 14. Location of area to be irrigated. The section Porty-stre Tract Number Acres To Be irrigated 15. Location of area to be irrigated. Section Porty-stre Tract Number Acres To Be irrigated 16. Location of area to be irrigated, or place of use 17. Location of area to be irrigated. Section Porty-stre Tract Number Acres To Be irrigated 17. Location of area to be irrigated. Section Porty-stre Tract Number Acres To Be irrigated 17. Location of area to be irrigated. Section Porty-stre Tract Number Acres To Be irrigated 17. Location of area to be irrigated. Section Porty-stre Tract Number Acres To Be irrigated 17. Location of area to be irrigated, or place of use 17. Location of area to be irrigated. Section Porty-stre Tract Number Acres To Be irrigated 17. Location of area to be irrigated, or place of use 17. Location of area to be irrigated, or place of use 18. Location of area to be irrigated. Section Porty-stre Tract 19. Location of area to be irrigated. Section Porty-stre Tract 19. Location of area to be irrigated. Section Porty-stre Tract 19. Location of area to be irrigated. Section Porty-stre Tract 19. Location of area to be irrigated. Section Porty-stre Tract 19. Location of area to be irrigated. Section Porty-stre Tract 19. Location of area to be irrigated. Section Porty-stre Tract 19. Location of area to be irrigated. Section Porty-stre Tract 19. Location of area to be irrigated. Section Porty-stre Tract 19. Location of area to be irrigated. Section Porty-stre Tract 19. Location of area to be irrigated. Section Porty-stre Tract					TEDOLIED.
natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development of the stream bed and the ground surface at the source of development of the stream bed and the ground surface at the source of development of the stream bed and the ground surface at the source of development of the stream bed and the ground surface at the source of development of the stream bed and the ground surface at the source of development of the stream bed and the ground surface at the source of development of the source of	Give norse	power and type of	f motor or engine	to be used AV TUKS	CHUMEK
Township N. or S. Willamette Meridian Section Forty-acre Tract Number Acres To Be Irrigated 175 4W See 27 5 W/4 of SW/4 10 Acres (If more space required, attach separate sheet) Character of soil Kind of crops raised	12. Locatio	······································			
(If more space required, attach separate sheet) Character of soil Kind of crops raised	Township N. or S.	E. or W. of	Section	Forty-acre Tract	
(If more space required, attach separate sheet) Character of soil Kind of crops raised	CE. 21.	7.175. A	How way	- Sters	
(If more space required, attach separate sheet) Character of soil Kind of crops raised	175	4W	See 27	5W14085W	14 10 Acres 7
(If more space required, attach separate sheet) Character of soil	. •				•
(If more space required, attach separate sheet) Character of soil Kind of crops raised					
(If more space required, attach separate sheet) Character of soil				· ·	
(If more space required, attach separate sheet) Character of soil		,			
(If more space required, attach separate sheet) Character of soil Kind of crops raised					
Character of soil				1, 10,2.1.	it.i
Character of soil		- , v	o .		
Character of soil			. •	•	
Character of soil					
Character of soil					
Kind of crops raised			(If more space required	l, attach separate sheet)	^
Kind of crops raised	Character	of soil			
	Kina of Cit				3

IUNICIPAL SUPPLY—	G 427
13. To supply the city of	
ı county, havi	ing a present population of
nd an estimated population of	in 19
	14, 15, 16, 17 AND 18 IN ALL CASES
14. Estimated cost of proposed works,	,\$ 25.00.
15. Construction work will begin on or	r before Finished
16. Construction work will be complet	ted on or before Flhished May15
•	lied to the proposed use
	pplemental to an existing water supply, identify any ap
	ljudicated right to appropriate water, made or held by
pplicant. Done	
	LANE PLYWOOD, INC. (Signature of applicant)
Remarks:	J'll Iforgon
	BY: J. A. MORGAN, PRES.
	<i>V</i>
	······································
	······································
	······································
STATE OF OREGON,	
County of Marion, $Ss.$	
This is to certify that I have examine	ed the foregoing application, together with the accompan
naps and data, and return the same for	
naps and data, and return the same for	
In order to retain its priority, this app	plication must be returned to the State Engineer, with co
In order to retain its priority, this app	plication must be returned to the State Engineer, with co
In order to retain its priority, this applications on or before	plication must be returned to the State Engineer, with co
In order to retain its priority, this applications on or before	plication must be returned to the State Engineer, with co
In order to retain its priority, this applications on or before	plication must be returned to the State Engineer, with co

By

1

ASSISTANT

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The	right herein granted	is limited to the amo	unt of wat	ter which can	be applied to	beneficial use
		cubic feet per sec			***	
	,	ts equivalent in case o				
The	use to which this wa	ter is to be applied is	sprinkli	"	k	
75.5						
		ropriation shall be lim rrigated and shall be			•	-
		irrigated during the				;
		with the same and		season of each	- year,	•••••••••••••••••••••••••••••••••••••••
***************************************	Serve en g				***************************************	
•••••	, 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1					
			•••••	••••	***************************************	***************************************
and shall b	e subject to such reas	sonable rotation system	m as may b	oe ordered by	the proper state	officer.
The	well shall be cased a	s necessary in accorde	ance with	good practice	and if the flo	w is artesian
the works : The	shall include proper o works constructed sh	capping and control vo rall include an air line	alve to pres e and press	vent the wast ure gauge or	e of ground wat	er.
line, adequ The	tate to determine wa permittee shall insta	ter level elevation in Il and maintain a weir	the well a	t all times.		-
shall keep	a complete record of	f the amount of groun	nd water u	vithdrawn.	·	•
The	priority date of this	permit is	Aug	gust 12, 19	68 ·	
		shall begin on or befo				and shall
•		reasonable diligence d				
		he water to the propos				
		19th day of			19 69	
	·	,	Ch.	Le Company	and Ore	,
•		Name and an			ST	ATE ENGINEER
		the gon,		* 1	of	H.
0' N	UND	ore in			42	NGINE
54	GRO	alem,		Š	g C	EELER STATE E page /
7	PERMIT TO APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON	This instrument was first received in the ce of the State Engineer at Salem, Oregon, the 12th day of Hugust			march 17, 1909 ook NoG ermits on page	CHKIS L. WHEELER sin No. 2. page
Application No. G	PERMIT PRIATE THE RS OF THE OF OREGON	sas fi jinee f	f:.		No.	. 6 6 F.
Application N. Permit No. G	PEI PRIA RS O OF O	vent wo te Engi day of O. o'cl	lican		March Recorded in book No. ound Water Permits o	CHRIS Drainage Basin No.
licati mit N] PRO: ATEH	trum Stat	app		d in l	g Bas
App Per	W ₂	s ins of the 124 at S	sed to	ved:	orde:	inage
	TC	This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 12.41 day of August	Returned to applicant:	Approved:	Recorded in book No. Ground Water Permits on page	Dra
	II .	15 o	■ 24	A	: 5	

以於一般的人所以為於於一樣,我們可以們們也就說得自然的情報的可能的人們的一樣,也可以們們也可能可能的一樣,也可以們們可以可以可以們們的一樣,可以們們們可以可以可