

## Permit No. G. G 4296

## APPLICATION FOR A PERMIT

## To Appropriate the Ground Waters of the State of Oregon

I,	*************
ofCityHall,La Grande Oregon , county ofUnion	
state ofOragon, do hereby make application for a permit to appropri following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:	
If the applicant is a corporation, give date and place of incorporation	•
1885 at La Grande, Oregon	
1. Give name of nearest stream to which the well, tunnel or other source of water develops	ment is
situated Grande Ronde River (Name of stream)	
tributary of Snake River	
2. The amount of water which the applicant intends to apply to beneficial use is	
3. The use to which the water is to be applied is municipal water supply.	•••••
4. The well or other source is located 1,020 ft	
	******
(If preferable, give distance and bearing to section corner)	
(If there is more than one well, each must be described. Use separate sheet if necessary) being within the	
W. M., in the county of	L <b>St.e</b> ,
(Canal or pipe line)	miles
in length, terminating in the S.W. 1/2 of the S.E. 1/2 of Sec. 5 Twp. 3	<u>s.</u>
R38. E, W. M., the proposed location being shown throughout on the accompanying map.	
6. The name of the well or other works is to be City Well No. 3.	
DESCRIPTION OF WORKS	
7. If the flow to be utilized is artesian, the works to be used for the control and conservation supply when not in use must be described.	of the
Well is non-artesian and will be pumped with standard equipment for th	is
type of project.	*********
8. The development will consist of one well he (Give number of wells, tunnels, etc.)	
diameter of .20 and .16. inches and an estimated depth of 528 feet. It is estimated that	528
(350 feet of 20 inch and 178 feet of 1 feet of the well will requiresteel casing. Depth to water table is estimated 27(Kind)	

	fact. 3			
	feet; depth of w	ater	feet; grade	feet fall per (
ousand feet.	•	• •		
	i		lgate: width on top (at water li	
			feet; depth of wate	r fe
	feet fall	-		
(c) Length	h of pipe,	ft.;	size at intake, in.	; in size at
m intake	in.;	size at place of	f use in.; diffe	rence in elevation betwe
ake and place	of use,	ft.	Is grade uniform?	Estimated capac
•••••	sec. ft.			14.
10. If pun	nps are to be used,	, give size and t	ype One 1500 g.p.m. v	ertical deep well
line-	shaftturbine.	.pump	······································	***************************************
Give horse	power and type o	of motor or eng	ine to be used 250 HP ele	ctric Motor, V.H.S.
		***************************************	•••••	***************************************
e difference in	lland Slough :	n the stream b	ed and the ground surface at outh of well and 3 feet	the source of developm
e difference in Mulho	elevation betwee	n the stream b	ed and the ground surface at outh of well and 3 feet	the source of developm
e difference in Mulho	elevation betwee	n the stream b	ed and the ground surface at outh of well and 3 feet	the source of developm
2 difference in  Mulho  12. Locati	olland Slough :	is 70 feet s	outh of well and 3 feet  outh of well and 3 feet  ce of use City of La Gra	lower.
Mulho  12. Locati  Township N. or S.	elevation betwee	rrigated, or pla	outh of well and 3 feet  outh of well and 3 feet  ce of use City of La Gra	lower.  Inde and environs  Number Acres
Mulho  12. Locati  Township N. or S.	elevation betwee  11and Slough  on of area to be i  Range E. or W. of Willamette Meridian  38E	rrigated, or places 25 26, 27, 28	ned and the ground surface at outh of well and 3 feet outh of use. City of La Grand SW 1/4 of SE 1/4  S 1/2 of each	lower.  Inde and environs  Number Acres  NOTH EMPLOYEE  160
2 difference in  Mulho  12. Locati  Township N. or S.  2S  2S	con of area to be i  Range E. or W. of Willamette Meridian  38E  38E	rrigated, or pla	ned and the ground surface at outh of well and 3 feet outh of use. City of La Grand SW 1/4 of SE 1/4  S 1/2 of each	Inde and environs  Number Acres  Number Acres  160  40
township N. or S.  2S  2S  3S	con of area to be i  Range E. or W. of Willamette Meridian  38E  38E  38E	rrigated, or pla  Section  25  26, 27, 28  31, 32, 33,  34 & 35  36	ned and the ground surface at outh of well and 3 feet  ace of use City of La Gra  RECENTAGE Tract  SW 1/4  W 1/4 of SE 1/4  S 1/2 of each	Inde and environs  Number Acres  NOTE INVESTMENT  160  40  960
12. Locati Township N. or S.  2S  2S  3S  3S	con of area to be i  Range E. or W. of Willamette Meridian  38E  38E  38E  38E	rrigated, or pla  section  25.  26, 27, 28  31, 32, 33, 34 & 35  36  36	ned and the ground surface at outh of well and 3 feet  ace of use City of La Gra  RECORDO Tract  SW 1/4  W 1/4 of SE 1/4  S 1/2 of each  All	Inde and environs  Number Acres  Number Acres  160  40  960  3,200
12. Locati Township N. or S.  2S  2S  3S  3S	con of area to be i  Range E. or W. of Willamette Meridian  38E  38E  38E  38E  38E	rrigated, or pla  Section  25  26, 27, 28  31, 32, 33, 34 & 35	ned and the ground surface at outh of well and 3 feet  ace of use City of La Gra  RECENTAGE Tract  SW 1/4  W 1/4 of SE 1/4  S 1/2 of each  All  W 1/2	Inde and environs  Number Acres  NOTE INSTERNAL  160  40  960  3,200  320
12. Locati Township N. or S.  2S  2S  3S  3S  3S	con of area to be i  Range Willamette Meridian  38E  38E  38E  38E  38E  38E	rrigated, or pla  Section  25  26, 27, 28  31, 32, 33, 34 & 35  36  1, 12, 13 & 24  1, 12, 13 & 24	red and the ground surface at outh of well and 3 feet  ace of use City of La Gra  RECURSO Tract  SW 1/4  W 1/4 of SE 1/4  S 1/2 of each  All  W 1/2  W 1/4 of E 1/2  W 1/4 of E 1/2  W 1/4 of E 1/2 of each	nde and environs  Number Acres ************************************
12. Locati Township N. or S.  2S  2S  3S  3S  3S  3S	con of area to be i  Range E. or W. of Willamette Meridian  38E  38E  38E  38E  38E  38E  38E  38	rrigated, or pla  Section  25  26, 27, 28  31, 32, 33, 34 & 35  36  1, 12, 13 & 24  1, 12, 13 &	red and the ground surface at outh of well and 3 feet  ace of use City of La Gra  RECURSO Tract  SW 1/4  W 1/4 of SE 1/4  S 1/2 of each  All  W 1/2  W 1/4 of E 1/2  W 1/4 of E 1/2  W 1/4 of E 1/2 of each	Inde and environs  Number Acres  NUMBER ACRES  NOTE INVESTOR  160  40  960  3,200  320  80  1,280  320
12. Locati Township N. or S.  2S  2S  3S  3S  3S  3S  3S	con of area to be i  Range E. or W. of Willamette Meridian  38E  38E  38E  38E  38E  38E  38E  38	rrigated, or pla  section  25  26, 27, 28  31, 32, 33, 34 & 35  36  1, 12, 13 & 24  1, 12, 13 & 24  2, 3, 4, 5, 6,	red and the ground surface at outh of well and 3 feet  ace of use City of La Gra  RECENTATE Tract  SW 1/4  W 1/4 of SE 1/4  S 1/2 of each  All  W 1/2  W 1/4 of E 1/2  W 1/2 of each  W 1/4 of E 1/2 of each	Number Acres Number Acres No He XXXIII Acres No He XXIII Acres No
12. Locati Township N. or S.  2S  2S  3S  3S  3S  3S  3S	con of area to be i  Range E. or W. of Willamette Meridian  38E  38E  38E  38E  38E  38E  38E  38	rrigated, or pla  section  25.  26, 27, 28  31, 32, 33,  34 & 35  36  1, 12, 13 &  24  1, 12, 13 &  24  2, 3, 4, 5, 6,  7, 8, 9, 10,	red and the ground surface at outh of well and 3 feet  ace of use City of La Gra  RECENTAGE Tract  SW 1/4  W 1/4 of SE 1/4  S 1/2 of each  All  W 1/2  W 1/4 of E 1/2  W 1/4 of E 1/2 of each  All	Number Acres Number Acres No He XXXIII Acres No He XXIII Acres No
12. Locati Township N. or S.  2S  2S  3S  3S  3S  3S  3S  3S	con of area to be i  Range E. or W. of Willamette Meridian  38E  38E  38E  38E  38E  38E  38E  38	rrigated, or pla  Section  25.  26, 27, 28  31, 32, 33, 34 & 35  36  1, 12, 13 & 24  1, 12, 13 & 24  2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 14, 15, 16, 22& 23	red and the ground surface at outh of well and 3 feet  ace of use City of La Gra  Recent Tract  SW 1/4  W 1/4 of SE 1/4  S 1/2 of each  All  W 1/2  W 1/4 of E 1/2  W 1/4 of E 1/2 of each  All  All  All  All  All  All	Inde and environs  Number Acres  NUMBER MARK  160  40  960  3,200  320  80  1,280  320  9,600

MUNICIPAL SUPPLY—  13. To supply the city of La Grande, Oregon
in Union county, having a present population of 9,900
and an estimated population of 12,000 in 19 80.
ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES
14. Estimated cost of proposed works, \$ 250,000.
15. Construction work will begin on or before November 1, 1968.
16. Construction work will be completed on or before July 1, 1969.
17. The water will be completely applied to the proposed use on or before .August 1, 1969
18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the
applicant. Permit #29 - Volume 1, Page 389, April 13, 1921, issued by State Water
Wol. 8, Pg. 1, for 0.75 cu. ft. per second from Grande Ronde River.
Remarks: Murray D. Snyder, City Manager.
STATE OF OREGON, )
County of Marion,
This is to certify that I have examined the foregoing application, together with the accompanying
maps and data, and return the same for
water and term for some los
In order to retain its priority, this application must be returned to the State Engineer, with correc-
tions on or before November 13th 19 68
WITNESS my hand this 13th day of September
DECEIVED
NOV 1 2 1968 CHRIS L. WHEELER

M

STATE ENGINEER
SALEM. OREGON By COLLEGE ASSISTANT

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The use to which this water is to be applied ismunicipal	shall not exceed	3.33	cubic feet per seco	ond measured	at the point o	of diversion	from the well or
The use to which this water is to be applied is municipal.  If for irrigation, this appropriation shall be limited to							
If for irrigation, this appropriation shall be limited to				,			
and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.  The well shall be cased as necessary in accordance with good practice and if the flow is arte to works shall include proper capping and control valve to prevent the waste of ground water.  The works constructed shall include an air line and pressure gauge or an access port for measure, adequate to determine water level elevation in the well at all times.  The permittee shall install and maintain a weir, meter, or other suitable measuring device, and seep a complete record of the amount of ground water withdrawn.  The priority date of this permit is  August 27, 1968  Actual construction work shall begin on or before  March 19, 1970  Complete application of the water to the proposed use shall be made on or before October 1, 19.70  WITNESS my hand this 19th day of March 1969  STATE FNOINE							
nd shall be subject to such reasonable rotation system as may be ordered by the proper state officer.  The well shall be cased as necessary in accordance with good practice and if the flow is arte to works shall include proper capping and control valve to prevent the waste of ground water.  The works constructed shall include an air line and pressure gauge or an access port for measu ne, adequate to determine water level elevation in the well at all times.  The permittee shall install and maintain a weir, meter, or other suitable measuring device, and seep a complete record of the amount of ground water withdrawn.  The priority date of this permit is  August 27, 1968  Actual construction work shall begin on or before  March 19, 1970  and shereafter be prosecuted with reasonable diligence and be completed on or before October 1, 19.70  Complete application of the water to the proposed use shall be made on or before October 1, 19.70  WITNESS my hand this  19th  March  March  19 69  STATE FNGINE	r its equivalent fo	or each acre	irrigated and shall b	e further limi	ted to a divers	sion of not to	exceed
The well shall be cased as necessary in accordance with good practice and if the flow is arte the works shall include proper capping and control value to prevent the waste of ground water.  The well shall be cased as necessary in accordance with good practice and if the flow is arte the works shall include proper capping and control value to prevent the waste of ground water.  The works constructed shall include an air line and pressure gauge or an access port for measure, adequate to determine water level elevation in the well at all times.  The permittee shall install and maintain a weir, meter, or other suitable measuring device, and seep a complete record of the amount of ground water withdrawn.  The priority date of this permit is	icre feet per acre	for each acr	e irrigated during th	e irrigation se	ason of each	year;	
nd shall be subject to such reasonable rotation system as may be ordered by the proper state officer.  The well shall be cased as necessary in accordance with good practice and if the flow is arte works shall include proper capping and control valve to prevent the waste of ground water.  The works constructed shall include an air line and pressure gauge or an access port for measu ne, adequate to determine water level elevation in the well at all times.  The permittee shall install and maintain a weir, meter, or other suitable measuring device, and seep a complete record of the amount of ground water withdrawn.  The priority date of this permit is	•••••••••••••••••••••••••••••••••••••••				••••••	•••••	***************************************
nd shall be subject to such reasonable rotation system as may be ordered by the proper state officer.  The well shall be cased as necessary in accordance with good practice and if the flow is arte works shall include proper capping and control valve to prevent the waste of ground water.  The works constructed shall include an air line and pressure gauge or an access port for measu ne, adequate to determine water level elevation in the well at all times.  The permittee shall install and maintain a weir, meter, or other suitable measuring device, and seep a complete record of the amount of ground water withdrawn.  The priority date of this permit is	•••••	***************************************		*****************	*************************	•••••••••	
The well shall be cased as necessary in accordance with good practice and if the flow is arte works shall include proper capping and control valve to prevent the waste of ground water.  The works constructed shall include an air line and pressure gauge or an access port for measu ne, adequate to determine water level elevation in the well at all times.  The permittee shall install and maintain a weir, meter, or other suitable measuring device, and seep a complete record of the amount of ground water withdrawn.  The priority date of this permit is						******************************	**********
The well shall be cased as necessary in accordance with good practice and if the flow is arte to works shall include proper capping and control valve to prevent the waste of ground water.  The works constructed shall include an air line and pressure gauge or an access port for measu ne, adequate to determine water level elevation in the well at all times.  The permittee shall install and maintain a weir, meter, or other suitable measuring device, and seep a complete record of the amount of ground water withdrawn.  The priority date of this permit is	***************************************			•••••	•••••		
The well shall be cased as necessary in accordance with good practice and if the flow is arte works shall include proper capping and control valve to prevent the waste of ground water.  The works constructed shall include an air line and pressure gauge or an access port for measu ne, adequate to determine water level elevation in the well at all times.  The permittee shall install and maintain a weir, meter, or other suitable measuring device, and seep a complete record of the amount of ground water withdrawn.  The priority date of this permit is					*******************		
The well shall be cased as necessary in accordance with good practice and if the flow is arte to works shall include proper capping and control valve to prevent the waste of ground water.  The works constructed shall include an air line and pressure gauge or an access port for measure, adequate to determine water level elevation in the well at all times.  The permittee shall install and maintain a weir, meter, or other suitable measuring device, and seep a complete record of the amount of ground water withdrawn.  The priority date of this permit is							
Actual construction work shall begin on or before March 19, 1970 and shereafter be prosecuted with reasonable diligence and be completed on or before October 1, 19.70  Complete application of the water to the proposed use shall be made on or before October 1, 19.70  WITNESS my hand this 19th day of March 19.69  STATE ENGINE	he works shall inc The works c ne, adequate to d The permitte	lude proper onstructed s letermine w se shall inst	capping and control shall include an air li ater level elevation i all and maintain a we	valve to previne and pressunt the well at ear, meter, or o	ent the waste re gauge or a all times. other suitable	e of ground in access por	water. t for measuring
hereafter be prosecuted with reasonable diligence and be completed on or before October 1, 19.70  Complete application of the water to the proposed use shall be made on or before October 1, 19.7  WITNESS my hand this 19th day of March 19 69  STATE ENGINE	The priority	date of this	permit is	Au	gust 27, 1	968	
Complete application of the water to the proposed use shall be made on or before October 1, 19.7  WITNESS my hand this 19th day of March 19.69  STATE ENGINE	Actual const	ruction wor	k shall begin on or be	efore <u>Ma</u>	rch 19, 19	70	and shall
WITNESS my hand this 19th day of March 19 69  STATE ENGINE	hereafter be pros	ecuted with	reasonable diligence	e and be com	pleted on or	before Octo	ber 1, 19.70
WITNESS my hand this 19th day of March 19 69 STATE ENGINE	Complete ap	plication of	the water to the prop	oosed use shall	be made on c	or before Oct	ober 1, 19.71
STATE ENGINE							
	W1111100 II	og rodrod erros	day oj				
a the segon, ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' '				/ /	The same of the sa		STATE ENGINEER
		y ·	9 6 1		l 1	<b>₩</b> 9:	: n
	· •	А	in th	the Mary of the second		ိုင္လ	NEER
ROUND ATE  ATE  W.  M.  M.  G 42	Q 2	N H	n, O			4	L L

Application No. G-4 Permit No. G-

TO APPROPRIATE THE C WATERS OF THE ST OF OREGON

This instrument was first re

office of the State Engineer at S . 19. Leg at . B.: 00. o'clock on the 27th day of ....

Returned to applicant:

Approved:

Recorded in book No.

Ground Water Permits on page

CHRIS I. WHEELER Drainage Basin No. ....